

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total [1,078,140 cases]		113.3	43.8	9.4	10.5	9.1	1.3	9.8	1.6	0.6
<b>Head</b>	0	7.7	(7)	.5	1.3	1.2	(7)	1.0	.1	.3
Head, unspecified	00	1.7	(7)	(7)	.4	.4	(7)	.5	—	—
Cranial region, including skull	01	1.1	—	(7)	.2	.2	—	.1	—	—
Cranial region, unspecified	010	(7)	—	—	(7)	(7)	—	(7)	—	—
Brain	011	.7	—	—	—	—	—	(7)	—	—
Scalp	012	.3	—	—	.2	.2	—	.1	—	—
Skull	013	.1	—	(7)	—	—	—	(7)	—	—
Multiple cranial region locations	018	(7)	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	(7)	—	—	(7)	(7)	—	(7)	—	—
Ear(s)	02	.1	—	—	(7)	(7)	(7)	(7)	(7)	—
Face	03	4.7	(7)	.4	.6	.6	(7)	.4	.1	.3
Face, unspecified	030	.4	(7)	(7)	.1	.1	(7)	.1	.1	(7)
Forehead	031	.3	—	—	.2	.2	(7)	.1	—	—
Eye(s)	032	2.9	(7)	—	.1	.1	(7)	.1	(7)	.3
Nose, nasal cavity	033	.3	(7)	.2	(7)	(7)	(7)	(7)	—	—
Nose, except internal location of diseases or disorders	0330	.3	(7)	.2	(7)	(7)	(7)	(7)	—	—
Cheek(s)	034	.1	—	(7)	(7)	(7)	(7)	(7)	—	(7)
Jaw/chin	035	.1	—	(7)	(7)	(7)	—	(7)	—	—
Mouth	036	.3	—	.2	.1	.1	—	(7)	—	—
Mouth, unspecified	0360	(7)	—	—	(7)	(7)	—	(7)	—	—
Lip(s)	0361	.1	—	—	(7)	(7)	—	(7)	—	—
Tooth(teeth)	0363	.2	—	.2	—	—	—	—	—	—
Gum	0364	(7)	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	(7)	—	(7)	(7)	(7)	—	(7)	—	—
Mouth, n.e.c.	0369	(7)	—	—	—	—	—	—	—	—
Multiple face locations	038	.3	—	(7)	(7)	(7)	—	(7)	(7)	(7)
Face, n.e.c.	039	(7)	—	(7)	(7)	(7)	—	(7)	—	(7)
Multiple head locations	08	.1	—	(7)	(7)	(7)	—	(7)	(7)	(7)
Head, n.e.c.	09	(7)	—	—	(7)	(7)	—	—	—	—
<b>Neck, including throat</b>	1	1.7	1.1	(7)	.1	(7)	(7)	.1	(7)	—
Neck, except internal location of diseases or disorders	10	1.7	1.1	(7)	.1	(7)	(7)	.1	(7)	—
Internal neck location, unspecified	11	(7)	—	—	—	—	—	—	—	—
<b>Trunk</b>	2	38.5	24.7	1.1	.2	.1	(7)	1.9	.1	(7)
Trunk, unspecified	20	.2	.1	(7)	(7)	—	—	(7)	(7)	—
Shoulder, including clavicle, scapula	21	7.8	5.1	.2	(7)	(7)	(7)	.3	(7)	—
Chest, including ribs, internal organs	22	1.9	.3	.4	(7)	(7)	(7)	.5	(7)	—
Chest, except internal location of diseases or disorders	220	1.6	.3	.4	(7)	(7)	(7)	.5	(7)	—

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness <sup>5</sup>								All other natures <sup>6</sup>
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total [1,078,140 cases] .....	0.7	1.1	0.4	4.6	0.9	1.8	12.0	3.9	18.8
<b>Head</b> .....	—	—	—	.3	( <sup>7</sup> )	( <sup>7</sup> )	.5	—	3.6
Head, unspecified .....	—	—	—	.1	—	( <sup>7</sup> )	.2	—	.5
Cranial region, including skull .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	.7
Cranial region, unspecified .....	—	—	—	—	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Brain .....	—	—	—	—	—	—	—	—	.7
Scalp .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Skull .....	—	—	—	( <sup>7</sup> )	—	—	—	—	( <sup>7</sup> )
Multiple cranial region locations .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	( <sup>7</sup> )	—	—
Ear(s) .....	—	—	—	—	—	—	( <sup>7</sup> )	—	.1
Face .....	—	—	—	.2	( <sup>7</sup> )	( <sup>7</sup> )	.2	—	2.3
Face, unspecified .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	.1
Forehead .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Eye(s) .....	—	—	—	( <sup>7</sup> )	—	—	.2	—	2.1
Nose, nasal cavity .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Nose, except internal location of diseases or disorders .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Cheek(s) .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Jaw/chin .....	—	—	—	—	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Mouth .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Mouth, unspecified .....	—	—	—	—	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Lip(s) .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Tooth(teeth) .....	—	—	—	—	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Gum .....	—	—	—	—	—	—	—	—	—
Multiple mouth locations .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	.1	( <sup>7</sup> )	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Face, n.e.c. ....	—	—	—	—	—	—	—	—	( <sup>7</sup> )
Multiple head locations .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2	—	.2
Neck, except internal location of diseases or disorders ...	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2	—	.2
Internal neck location, unspecified .....	—	—	—	—	—	—	—	—	( <sup>7</sup> )
<b>Trunk</b> .....	—	—	.1	.3	( <sup>7</sup> )	.2	5.8	3.9	4.3
Trunk, unspecified .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Shoulder, including clavicle, scapula .....	—	—	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	1.2	—	.7
Chest, including ribs, internal organs .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2	—	.4
Chest, except internal location of diseases or disorders .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2	—	.1

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Nature of injury or illness <sup>5</sup>								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Internal chest location, unspecified .....	221	(7)	—	—	—	—	—	—	—	—	—
Heart .....	223	.1	—	—	—	—	—	—	—	—	—
Bronchus .....	224	(7)	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	225	.2	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	23.4	17.6	0.2	(7)	(7)	—	0.5	(7)	—	—
Back, including spine, spinal cord, unspecified .....	230	9.5	6.9	(7)	(7)	(7)	—	.2	(7)	—	—
Lumbar region .....	231	11.8	9.3	.1	(7)	(7)	—	.2	—	—	—
Thoracic region .....	232	.9	.7	(7)	—	—	—	(7)	—	—	—
Sacral region .....	233	.1	.1	(7)	—	—	—	(7)	—	—	—
Coccygeal region .....	234	.2	(7)	.1	(7)	(7)	—	.1	—	—	—
Multiple back regions .....	238	.7	.5	(7)	—	—	—	(7)	—	—	—
Back, including spine, spinal cord, n.e.c. ....	239	.1	.1	(7)	—	—	—	(7)	—	—	—
Abdomen .....	24	2.7	.4	(7)	.1	.1	(7)	.1	(7)	—	—
Abdomen, except internal location of diseases or disorders .....	240	.8	.4	(7)	.1	.1	(7)	.1	(7)	—	—
Internal abdominal location, unspecified .....	241	.8	—	—	—	—	—	—	—	—	—
Stomach organ .....	242	.1	—	—	—	—	—	—	—	—	—
Urinary organs .....	244	(7)	—	—	—	—	—	—	—	—	—
Bladder .....	2441	(7)	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	1.0	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	2450	.9	—	—	—	—	—	—	—	—	—
Peritoneum .....	2451	.1	—	—	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	(7)	—	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	(7)	—	—	—	—	—	—	—	—	—
Other digestive structures .....	246	(7)	—	—	—	—	—	—	—	—	—
Liver .....	2461	(7)	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	(7)	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	(7)	—	—	—	—	—	—	—	—	—
Pelvic region .....	25	1.9	.9	.3	(7)	(7)	(7)	.3	—	(7)	—
Pelvic region, unspecified .....	250	(7)	(7)	(7)	—	—	—	(7)	—	—	—
Hip(s) .....	251	.8	.2	.2	—	—	—	.2	—	—	—
Pelvis .....	252	.1	(7)	.1	—	—	—	(7)	—	—	—
Buttock(s) .....	253	.1	(7)	—	(7)	(7)	(7)	.1	—	—	—
Groin .....	254	.7	.6	—	(7)	(7)	—	(7)	—	—	—
External reproductive tract structures .....	255	(7)	(7)	—	(7)	(7)	—	(7)	—	—	—
External reproductive tract structures, unspecified ..	2550	(7)	(7)	—	—	—	—	—	—	—	—
Scrotum .....	2551	(7)	(7)	—	(7)	(7)	—	(7)	—	—	—
Penis .....	2552	(7)	—	—	(7)	—	—	(7)	—	—	—
External female genital region .....	2553	(7)	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures .....	256	(7)	—	—	—	—	—	—	—	—	—
Uterus .....	2564	(7)	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	(7)	(7)	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	259	(7)	(7)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness <sup>5</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>6</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Internal chest location, unspecified .....	-	-	-	-	-	-	-	-	(7)
Heart .....	-	-	-	-	-	-	-	-	.1
Bronchus .....	-	-	-	-	-	-	-	-	(7)
Lung(s), pleura .....	-	-	-	-	-	-	-	-	.2
Back, including spine, spinal cord .....	-	-	-	0.2	(7)	0.1	3.9	3.9	.9
Back, including spine, spinal cord, unspecified .....	-	-	-	.1	(7)	(7)	1.7	1.7	.5
Lumbar region .....	-	-	-	.1	(7)	.1	1.9	1.9	.3
Thoracic region .....	-	-	-	(7)	-	(7)	.1	.1	(7)
Sacral region .....	-	-	-	-	-	-	(7)	(7)	(7)
Coccygeal region .....	-	-	-	-	-	-	(7)	(7)	(7)
Multiple back regions .....	-	-	-	(7)	(7)	(7)	.1	.1	(7)
Back, including spine, spinal cord, n.e.c. ....	-	-	-	-	-	-	(7)	(7)	(7)
Abdomen .....	-	-	-	(7)	-	-	.2	-	1.9
Abdomen, except internal location of diseases or disorders .....	-	-	-	(7)	-	-	.2	-	.1
Internal abdominal location, unspecified .....	-	-	-	-	-	-	-	-	.8
Stomach organ .....	-	-	-	-	-	-	-	-	.1
Urinary organs .....	-	-	-	-	-	-	-	-	(7)
Bladder .....	-	-	-	-	-	-	-	-	(7)
Intestines, peritoneum .....	-	-	-	-	-	-	-	-	1.0
Intestines, peritoneum, unspecified .....	-	-	-	-	-	-	-	-	.9
Peritoneum .....	-	-	-	-	-	-	-	-	.1
Large intestine/colon, rectum .....	-	-	-	-	-	-	-	-	(7)
Intestines, n.e.c. ....	-	-	-	-	-	-	-	-	(7)
Other digestive structures .....	-	-	-	-	-	-	-	-	(7)
Liver .....	-	-	-	-	-	-	-	-	(7)
Multiple internal abdominal locations .....	-	-	-	-	-	-	-	-	(7)
Internal abdominal location, n.e.c. ....	-	-	-	-	-	-	-	-	(7)
Pelvic region .....	-	-	(7)	(7)	-	(7)	.3	-	.2
Pelvic region, unspecified .....	-	-	-	-	-	-	(7)	-	(7)
Hip(s) .....	-	-	(7)	(7)	-	(7)	.1	-	.1
Pelvis .....	-	-	-	-	-	-	(7)	-	(7)
Buttock(s) .....	-	-	-	-	-	-	(7)	-	(7)
Groin .....	-	-	-	(7)	-	(7)	.1	-	(7)
External reproductive tract structures .....	-	-	-	-	-	-	-	-	(7)
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-	-
Scrotum .....	-	-	-	-	-	-	-	-	-
Penis .....	-	-	-	-	-	-	-	-	-
External female genital region .....	-	-	-	-	-	-	-	-	(7)
Internal reproductive tract structures .....	-	-	-	-	-	-	-	-	(7)
Uterus .....	-	-	-	-	-	-	-	-	(7)
Multiple pelvic region locations .....	-	-	-	-	-	-	(7)	-	(7)
Pelvic region, n.e.c. ....	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple trunk locations .....	28	0.8	0.3	(7)	—	—	—	0.1	(7)	—
Trunk, n.e.c. ....	29	(7)	(7)	—	—	—	—	(7)	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>25.7</b>	<b>3.9</b>	<b>3.7</b>	<b>7.5</b>	<b>6.7</b>	<b>0.8</b>	<b>1.7</b>	<b>.8</b>	<b>0.1</b>
Upper extremities, unspecified .....	30	(7)	(7)	—	(7)	—	(7)	—	—	—
Arm(s) .....	31	5.1	1.4	1.0	.6	.5	.1	.5	.3	(7)
Arm(s), unspecified .....	310	1.8	.5	.4	.2	.2	(7)	.1	.1	(7)
Upper arm(s) .....	311	.4	.3	.1	(7)	(7)	(7)	(7)	(7)	—
Elbow(s) .....	312	1.7	.4	.3	.1	.1	(7)	.3	(7)	—
Forearm(s) .....	313	.9	.1	.1	.2	.2	(7)	.1	.2	(7)
Multiple arm(s) locations .....	318	.3	.1	(7)	(7)	(7)	—	(7)	(7)	—
Arm(s), n.e.c. ....	319	.1	(7)	(7)	(7)	(7)	—	(7)	—	—
Wrist(s) .....	32	4.9	1.4	1.0	.3	.2	.1	.2	(7)	(7)
Hand(s), except finger(s) .....	33	4.4	.4	.4	1.6	1.4	.3	.5	.4	(7)
Finger(s), fingernail(s) .....	34	10.0	.5	1.3	4.9	4.6	.3	.4	(7)	(7)
Multiple upper extremities locations .....	38	1.2	.2	.1	.1	.1	(7)	.1	.1	(7)
Multiple upper extremities locations, unspecified .....	380	(7)	(7)	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	.4	(7)	(7)	.1	.1	(7)	(7)	(7)	(7)
Hand(s) and wrist(s) .....	382	.3	.1	(7)	(7)	(7)	—	(7)	(7)	—
Hand(s) and arm(s) .....	383	.1	(7)	(7)	(7)	(7)	—	(7)	(7)	(7)
Multiple upper extremities locations, n.e.c. ....	389	.4	.1	(7)	(7)	(7)	—	(7)	(7)	—
Upper extremities, n.e.c. ....	39	(7)	(7)	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>25.3</b>	<b>11.0</b>	<b>3.7</b>	<b>1.3</b>	<b>.9</b>	<b>.4</b>	<b>3.6</b>	<b>.3</b>	<b>.1</b>
Lower extremities, unspecified .....	40	(7)	(7)	(7)	(7)	—	(7)	(7)	—	—
Leg(s) .....	41	13.4	6.4	1.0	.7	.6	.2	2.0	.1	(7)
Leg(s), unspecified .....	410	1.8	.4	.3	.2	.2	(7)	.3	.1	(7)
Thigh(s) .....	411	.5	.1	(7)	.1	.1	(7)	.1	(7)	(7)
Knee(s) .....	412	9.7	5.4	.4	.3	.1	.1	1.3	(7)	(7)
Lower leg(s) .....	413	1.1	.2	.2	.2	.1	(7)	.2	(7)	(7)
Multiple leg(s) locations .....	418	.4	.1	(7)	(7)	(7)	—	.1	(7)	—
Leg(s), n.e.c. ....	419	.1	(7)	(7)	(7)	(7)	—	(7)	—	—
Ankle(s) .....	42	5.8	3.8	1.1	.1	.1	(7)	.2	(7)	(7)
Foot(feet), except toe(s) .....	43	4.1	.6	1.0	.4	.2	.2	1.0	.1	.1
Foot(feet), except toe(s), unspecified .....	430	3.5	.5	.8	.3	.1	.2	1.0	.1	.1
Instep(s) .....	431	(7)	—	(7)	—	—	—	(7)	—	—
Sole .....	432	.4	(7)	.1	.1	.1	(7)	(7)	(7)	—
Sole(s), unspecified .....	4320	(7)	—	—	(7)	(7)	(7)	—	—	—
Ball(s) of foot .....	4321	(7)	—	—	(7)	—	—	—	—	—
Arch(es) .....	4322	(7)	(7)	—	—	—	—	—	—	—
Heel(s) .....	4323	.3	(7)	.1	(7)	(7)	(7)	(7)	—	—
Sole(s), n.e.c. ....	4329	(7)	—	—	(7)	—	(7)	—	—	—
Multiple foot(feet) locations .....	438	(7)	(7)	(7)	—	—	—	(7)	(7)	—
Foot(feet), n.e.c. ....	439	.1	(7)	(7)	(7)	(7)	(7)	(7)	(7)	—
Toe(s), toenail(s) .....	44	1.1	(7)	.5	.1	.1	(7)	.2	—	—

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness <sup>5</sup>								All other natures <sup>6</sup>
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple trunk locations .....	—	—	—	0.1	(7)	(7)	0.1	—	0.2
Trunk, n.e.c. ....	—	—	—	—	—	—	(7)	—	—
<b>Upper extremities</b> .....	<b>0.6</b>	<b>1.1</b>	<b>0.3</b>	<b>.6</b>	<b>.3</b>	<b>.1</b>	<b>1.6</b>	<b>—</b>	<b>3.7</b>
Upper extremities, unspecified .....	—	—	—	—	—	—	(7)	—	(7)
Arm(s) .....	(7)	—	.1	.1	(7)	(7)	.5	—	.7
Arm(s), unspecified .....	—	—	(7)	(7)	(7)	(7)	.2	—	.3
Upper arm(s) .....	—	—	(7)	—	—	—	(7)	—	(7)
Elbow(s) .....	—	—	.1	(7)	(7)	(7)	.2	—	.3
Forearm(s) .....	—	—	(7)	(7)	(7)	—	(7)	—	.1
Multiple arm(s) locations .....	—	—	(7)	(7)	(7)	(7)	.1	—	(7)
Arm(s), n.e.c. ....	—	—	(7)	—	—	—	(7)	—	(7)
Wrist(s) .....	—	1.1	.1	(7)	(7)	(7)	.4	—	.4
Hand(s), except finger(s) .....	(7)	—	(7)	.1	(7)	(7)	.2	—	.7
Finger(s), fingernail(s) .....	.6	—	(7)	.4	(7)	(7)	.3	—	1.6
Multiple upper extremities locations .....	—	—	(7)	.1	(7)	(7)	.2	—	.3
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	(7)	—	(7)
Hand(s) and finger(s) .....	—	—	—	(7)	(7)	—	(7)	—	.1
Hand(s) and wrist(s) .....	—	—	(7)	(7)	(7)	(7)	.1	—	.1
Hand(s) and arm(s) .....	—	—	—	(7)	(7)	—	(7)	—	(7)
Multiple upper extremities locations, n.e.c. ....	—	—	(7)	(7)	(7)	(7)	.1	—	.1
Upper extremities, n.e.c. ....	—	—	—	—	—	—	(7)	—	—
<b>Lower extremities</b> .....	<b>(7)</b>	<b>—</b>	<b>(7)</b>	<b>.7</b>	<b>.1</b>	<b>.3</b>	<b>2.2</b>	<b>—</b>	<b>2.4</b>
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—	(7)
Leg(s) .....	(7)	—	(7)	.3	(7)	.1	1.5	—	1.4
Leg(s), unspecified .....	(7)	—	—	(7)	(7)	(7)	.2	—	.2
Thigh(s) .....	—	—	—	(7)	—	—	(7)	—	.1
Knee(s) .....	—	—	(7)	.2	(7)	.1	1.2	—	.9
Lower leg(s) .....	—	—	—	(7)	(7)	—	(7)	—	.2
Multiple leg(s) locations .....	—	—	—	(7)	(7)	(7)	(7)	—	(7)
Leg(s), n.e.c. ....	—	—	—	—	—	—	(7)	—	(7)
Ankle(s) .....	—	—	(7)	.1	(7)	(7)	.3	—	.2
Foot(foot), except toe(s) .....	—	—	(7)	.1	(7)	(7)	.3	—	.5
Foot(foot), except toe(s), unspecified .....	—	—	(7)	.1	(7)	(7)	.3	—	.4
Instep(s) .....	—	—	—	—	—	—	—	—	(7)
Sole .....	—	—	(7)	(7)	—	—	(7)	—	(7)
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—
Ball(s) of foot .....	—	—	—	—	—	—	—	—	—
Arch(es) .....	—	—	—	—	—	—	(7)	—	—
Heel(s) .....	—	—	(7)	(7)	—	—	(7)	—	(7)
Sole(s), n.e.c. ....	—	—	—	—	—	—	—	—	—
Multiple foot(foot) locations .....	—	—	—	(7)	(7)	—	(7)	—	(7)
Foot(foot), n.e.c. ....	—	—	—	(7)	—	(7)	(7)	—	(7)
Toe(s), toenail(s) .....	(7)	—	—	(7)	(7)	(7)	.1	—	.2

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple lower extremities locations .....	48	0.8	0.2	0.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	0.1	( <sup>7</sup> )	( <sup>7</sup> )
Multiple lower extremities locations, unspecified .....	480	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	( <sup>7</sup> )	—	—
Foot(feet) and leg(s) .....	481	.1	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—
Foot(feet) and ankle(s) .....	482	.3	.1	( <sup>7</sup> )	( <sup>7</sup> )	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—
Foot(feet) and toe(s) .....	483	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	—
Multiple lower extremities locations, n.e.c. ....	489	.3	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Lower extremities, n.e.c. ....	49	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	( <sup>7</sup> )	—	—
<b>Body systems</b> .....	5	1.7	—	—	—	—	—	—	—	—
<b>Multiple body parts</b> .....	8	11.8	3.0	.3	.1	.1	( <sup>7</sup> )	1.5	.3	.1
<b>Other body parts</b> .....	9	( <sup>7</sup> )	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	( <sup>7</sup> )	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	1.0	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )

See footnotes at end of table.

TABLE R22. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness <sup>5</sup>								All other natures <sup>6</sup>
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple lower extremities locations .....	—	—	—	0.2	( <sup>7</sup> )	0.1	0.1	—	0.1
Multiple lower extremities locations, unspecified .....	—	—	—	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Foot(feet) and leg(s) .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )
Foot(feet) and ankle(s) .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )
Foot(feet) and toe(s) .....	—	—	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )
Multiple lower extremities locations, n.e.c. ....	—	—	—	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	.1
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	—	—	—	—	—	—	—	—	1.7
<b>Multiple body parts</b> .....	( <sup>7</sup> )	—	( <sup>7</sup> )	2.7	.4	1.1	1.5	—	2.2
<b>Other body parts</b> .....	—	—	—	—	—	—	—	—	( <sup>7</sup> )
Other body parts, n.e.c. ....	—	—	—	—	—	—	—	—	( <sup>7</sup> )
<b>Nonclassifiable</b> .....	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	—	.7

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses  
EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

<sup>2</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>3</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Nature codes: Sprains, strains,

tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

<sup>7</sup> Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies