

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total		1,078,140	26,310	80,790	235,340	69,410	80,410	13,510	120,890	93,880	138,890	217,070
Traumatic injuries and disorders ...	0	1,004,180	23,990	74,550	222,010	64,500	72,540	12,770	114,780	88,150	125,100	204,910
Traumatic injuries and disorders, unspecified	00	36,250	1,010	2,830	8,480	2,530	2,570	490	4,450	2,910	3,000	7,970
Traumatic injuries to bones, nerves, spinal cord	01	98,000	3,510	6,920	15,180	7,060	7,890	1,930	14,910	8,740	12,640	19,130
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	380	—	20	60	—	30	—	90	100	40	20
Dislocations	011	6,970	190	410	1,510	440	460	130	1,090	760	830	1,150
Fractures	012	89,650	3,310	6,460	13,430	6,590	7,330	1,800	13,590	7,760	11,570	17,730
Traumatic injuries to spinal cord	013	100	—	—	—	—	—	—	20	30	30	20
Traumatic injuries to nerves, except the spinal cord	014	490	—	20	100	—	50	—	70	40	120	90
Multiple traumatic injuries to bones nerves, spinal cord	018	230	—	—	70	—	—	—	20	30	30	50
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	180	—	20	—	—	—	—	30	—	20	80
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	419,740	9,390	36,830	98,530	27,060	31,970	3,790	41,120	35,390	44,310	90,900
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	2,620	90	240	610	180	190	20	350	210	300	440
Sprains, strains, tears	021	416,620	9,290	36,570	97,830	26,850	31,750	3,760	40,700	35,100	43,970	90,360
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	500	—	30	90	30	30	—	70	80	40	100
Open wounds	03	113,590	2,130	3,860	25,620	5,060	3,960	2,040	18,280	12,460	22,880	17,180
Open wounds, unspecified	030	840	50	—	180	30	80	—	50	140	200	70
Amputations	031	6,230	70	70	800	140	90	180	660	880	2,520	820
Amputations, fingertip	0311	4,350	70	50	570	60	50	170	400	700	1,730	530
Amputations, except fingertip	0319	1,880	—	20	230	80	40	20	250	180	780	280
Animal or insect bites	032	3,870	40	570	2,100	120	170	40	110	240	120	360
Avulsions	033	1,940	100	70	170	80	80	30	140	160	620	500
Cuts, lacerations	034	87,060	1,770	2,190	20,240	4,250	3,220	1,440	13,430	9,300	17,090	14,020
Gunshot wounds	036	510	—	20	440	—	—	—	—	—	—	30
Punctures, except bites	037	12,760	40	930	1,650	430	290	300	3,720	1,730	2,290	1,380
Multiple open wounds	038	310	—	—	20	—	—	—	170	—	30	—
Open wounds, n.e.c.	039	60	—	—	—	—	—	—	—	—	30	—
Surface wounds and bruises	04	112,870	1,890	7,750	22,160	8,350	9,720	1,940	11,780	9,460	15,630	24,110
Surface wounds and bruises, unspecified	040	580	—	40	170	70	50	—	70	30	80	60
Abrasions, scratches	041	8,250	70	520	1,150	500	530	100	1,480	910	1,600	1,390
Blisters	042	140	—	—	30	—	40	—	—	—	30	20
Bruises, contusions	043	93,650	1,770	7,010	20,320	7,510	8,810	1,690	8,140	6,490	10,910	20,930

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Foreign bodies (superficial splinters, chips)	044	9,540	40	120	370	250	240	140	1,970	1,940	2,910	1,570
Friction burns	045	80	—	—	—	—	—	—	—	30	—	—
Multiple surface wounds and bruises	048	540	—	50	80	20	50	—	100	40	60	130
Surface wounds and bruises, n.e.c.	049	80	—	—	20	—	—	—	—	—	30	—
Burns	05	22,240	170	470	7,780	1,290	570	150	2,110	2,320	4,440	2,920
Burns, unspecified	050	20	—	—	—	—	—	—	—	—	—	—
Chemical burns	051	5,620	40	150	1,220	190	460	80	440	810	1,090	1,140
Electrical burns	052	940	—	30	70	—	—	—	610	140	50	20
Heat burns, scalds	053	15,630	130	290	6,490	1,100	110	60	1,050	1,350	3,300	1,760
Burns, n.e.c.	059	30	—	—	—	—	—	—	—	20	—	—
Intracranial injuries	06	6,370	180	730	850	600	460	80	570	750	640	1,500
Intracranial injuries, unspecified	060	500	—	—	50	—	—	—	20	320	—	50
Cerebral hemorrhages	061	20	—	—	—	—	—	—	—	—	—	—
Concussions	062	5,810	180	690	790	590	450	60	540	410	630	1,460
Intracranial injuries, n.e.c.	069	30	—	—	—	—	—	—	—	—	—	—
Effects of environmental conditions	07	1,930	70	40	480	40	70	30	430	130	320	300
Effects of reduced temperature	071	130	—	20	—	—	—	—	—	—	30	60
Frostbite	0711	120	—	—	—	—	—	—	—	—	30	60
Effects of heat and light	072	1,620	60	20	350	40	70	30	410	130	290	230
Effects of heat and light, unspecified	0720	90	—	—	—	—	—	—	—	—	—	40
Heat stroke	0721	150	—	—	—	—	—	—	70	—	20	30
Heat syncope	0722	40	—	—	—	—	—	—	—	—	—	—
Heat fatigue	0723	200	—	—	20	—	—	—	30	20	60	30
Multiple effects of heat and light	0728	20	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,120	60	—	320	30	20	—	300	70	190	110
Effects of air pressure	073	160	—	—	120	—	—	—	—	—	—	20
Effects of air pressure, unspecified	0730	110	—	—	110	—	—	—	—	—	—	—
Aero-otitis media	0731	20	—	—	—	—	—	—	—	—	—	20
Effects of air pressure, n.e.c.	0739	30	—	—	20	—	—	—	—	—	—	—
Effects of environmental conditions, n.e.c.	079	20	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	43,960	2,580	3,700	8,640	2,920	3,190	530	4,740	3,350	4,870	9,420
Multiple traumatic injuries and disorders, unspecified	080	3,010	390	260	490	90	120	30	650	270	140	580
Cuts, abrasions, bruises	081	8,300	240	630	1,360	430	700	140	1,030	810	1,100	1,850
Sprains and bruises	082	16,780	1,070	1,640	4,840	1,300	1,300	110	1,010	730	1,400	3,380
Fractures and burns	083	40	—	—	—	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Fractures and other injuries	084	8,800	340	580	1,000	400	480	160	1,380	840	1,380	2,240
Burns and other injuries	085	100	—	—	—	—	—	—	—	—	60	—
Other combinations of traumatic injuries and disorders, n.e.c. ...	089	6,920	550	580	960	690	580	80	670	690	770	1,350
Other traumatic injuries and disorders	09	149,230	3,040	11,410	34,280	9,580	12,140	1,800	16,380	12,660	16,350	31,470
Other traumatic injuries and disorders, unspecified	090	480	—	40	30	20	30	—	—	280	—	50
Asphyxiations/strangulations, suffocations	091	130	—	—	20	—	50	—	—	—	—	20
Electrocutions, electric shocks ...	093	1,560	—	50	540	30	140	—	270	210	210	100
Internal injuries to organs and blood vessels of the trunk	094	70	—	—	—	—	—	—	—	—	—	20
Other poisonings and toxic effects	095	5,930	150	370	1,840	140	580	170	690	600	540	850
Other poisonings and toxic effects, unspecified	0950	170	—	30	20	—	—	—	20	—	50	40
Animal or insect bites and stings, venomous	0951	4,040	130	210	1,520	100	370	120	410	440	170	570
Other poisonings and toxic effects, n.e.c.	0959	1,710	20	130	310	30	200	40	270	150	310	250
Traumatic complications	096	250	60	20	50	—	30	—	30	—	—	50
Traumatic complications, unspecified	0960	20	—	—	—	—	—	—	—	—	—	—
Traumatic shock	0961	30	—	—	—	—	—	—	—	—	—	—
Multiple traumatic complications	0968	50	—	—	30	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	150	60	20	—	—	—	—	—	—	—	30
Nonspecified injuries and disorders	097	140,200	2,810	10,820	31,710	9,360	11,310	1,630	15,310	11,420	15,480	30,240
Crushing injuries	0971	12,530	70	160	1,070	530	420	280	2,430	1,360	3,190	3,000
Back pain, hurt back	0972	37,140	600	3,360	8,920	2,710	2,420	370	4,150	2,850	3,200	8,560
Soreness, pain, hurt, except the back	0973	76,890	1,750	5,970	18,500	5,260	6,990	870	7,600	5,870	7,970	16,050
Multiple nonspecified injuries and disorders	0978	6,240	200	860	1,570	480	840	50	530	280	330	1,080
Nonspecified injuries and disorders, n.e.c.	0979	7,410	180	460	1,650	390	640	60	610	1,060	780	1,570
Other traumatic injuries and disorders, n.e.c.	099	610	—	80	60	20	20	—	60	140	90	140
Systemic diseases and disorders ..	1	51,850	1,260	3,380	8,100	2,720	5,330	520	4,860	5,000	11,960	8,720
Systemic diseases and disorders, unspecified	10	70	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Diseases of the blood and blood forming organs	11	20	-	-	-	-	-	-	-	-	-	-	-
Purpura and other hemorrhagic conditions	115	20	-	-	-	-	-	-	-	-	-	-	-
Nervous system and sense organs diseases	12	15,140	710	970	1,880	450	2,720	130	1,290	1,200	4,470	1,310	
Inflammatory diseases of the central nervous system	121	60	-	-	30	-	-	-	-	-	-	-	
Inflammatory diseases of the central nervous system, unspecified	1210	30	-	-	30	-	-	-	-	-	-	-	
Inflammatory diseases of the central nervous system, n.e.c.	1219	20	-	-	-	-	-	-	-	-	-	-	
Other disorders of the central nervous system	123	60	-	-	20	-	-	-	-	-	-	-	
Migraine	1232	20	-	-	-	-	-	-	-	-	-	-	
Other disorders of the central nervous system, n.e.c.	1239	20	-	-	-	-	-	-	-	-	-	-	
Disorders of the peripheral nervous system	124	10,660	680	740	1,240	390	2,470	40	420	620	3,220	840	
Disorders of the peripheral nervous system, unspecified	1240	420	280	20	40	-	30	-	-	-	40	-	
Carpal tunnel syndrome	1241	10,080	390	720	1,120	390	2,430	40	410	610	3,140	820	
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	20	-	-	-	-	-	-	-	-	-	-	
Other disorders of the peripheral nervous system, n.e.c.	1249	140	-	-	70	-	-	-	-	-	20	20	
Disorders of the eye, adnexa, vision	125	4,210	20	210	580	50	240	80	840	560	1,220	420	
Disorders of the eye, adnexa, vision, unspecified	1250	200	-	-	50	-	30	-	20	40	50	-	
Conjunctivitis non-viral	1252	970	-	100	280	20	60	50	60	80	200	120	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	240	-	-	90	-	30	-	-	-	60	30	
Blindness, low vision	1255	20	-	-	-	-	-	-	-	-	-	-	
Welder's flash	1256	1,390	-	-	-	-	-	30	120	270	800	160	
Visual disturbances	1258	70	-	-	20	-	-	-	-	-	-	20	
Disorders of the eye, adnexa, vision, n.e.c.	1259	1,290	-	90	130	-	120	-	630	150	110	50	
Disorders of the ear, mastoid process, hearing	126	150	-	20	-	-	-	-	-	-	20	50	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Disorders of the ear, mastoid process, hearing, unspecified	1260	30	-	-	-	-	-	-	-	-	-	-	-
Deafness, hearing loss or impairment	1261	90	-	-	-	-	-	-	-	-	-	20	30
Circulatory system diseases	13	890	90	20	220	30	40	-	50	30	20	20	390
Circulatory system diseases, unspecified	130	40	-	-	-	-	-	-	-	-	-	-	20
Rheumatic fever with heart involvement	131	20	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	133	470	70	-	80	-	-	-	40	20	-	-	210
Myocardial infarction (heart attack)	1331	420	70	-	60	-	-	-	40	20	-	-	210
Ischemic heart disease, n.e.c.	1339	20	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease	136	270	-	-	130	20	-	-	-	-	-	-	120
Stroke	1361	270	-	-	130	20	-	-	-	-	-	-	120
Diseases of the veins, lymphatics	138	60	-	-	-	-	-	-	-	-	-	-	40
Hemorrhoids	1382	40	-	-	-	-	-	-	-	-	-	-	30
Respiratory system diseases	14	1,590	70	250	330	70	490	-	50	80	170	170	90
Respiratory system diseases, unspecified	140	270	20	40	60	20	50	-	-	20	20	20	40
Acute respiratory infections (including common cold)	141	450	20	20	100	-	280	-	-	-	20	20	-
Other diseases of upper respiratory tract	142	80	-	-	30	-	-	-	-	-	-	-	-
Allergic rhinitis	1421	50	-	-	20	-	-	-	-	-	-	-	-
Pneumonia, influenza	143	70	-	20	20	-	-	-	-	-	-	-	-
Pneumonia	1431	20	-	-	-	-	-	-	-	-	-	-	-
Influenza	1432	50	-	20	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions ...	144	600	30	140	90	30	130	-	-	40	90	90	30
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	70	-	-	-	-	-	-	-	30	-	-	-
Bronchitis	1441	100	-	-	-	-	40	-	-	-	-	-	-
Extrinsic asthma	1443	300	-	50	60	20	60	-	-	-	70	70	20
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	70	-	20	-	-	20	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	60	-	50	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Pneumonopathy	146	20	—	—	—	—	—	—	—	—	—	—	—
Metal fume fever	1462	20	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	149	100	—	—	50	—	—	—	—	—	20	—	—
Other respiratory system diseases, unspecified	1490	30	—	—	30	—	—	—	—	—	—	—	—
Atelectasis, collapsed lung	1495	30	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	17,460	240	310	1,830	1,240	970	130	2,300	2,480	3,560	4,390	
Diseases of esophagus, stomach, duodenum	152	20	—	—	—	—	—	—	—	—	—	—	
Hernia	153	17,400	220	310	1,820	1,240	960	130	2,290	2,480	3,550	4,380	
Hernia, unspecified	1530	7,260	140	130	630	650	410	60	960	670	1,560	2,040	
Inguinal hernia	1531	7,040	40	130	990	390	370	40	1,040	1,070	1,230	1,750	
Hiatal hernia	1532	250	—	—	—	30	20	—	20	80	20	40	
Ventral hernia	1533	1,770	—	20	120	80	70	30	130	520	390	390	
Hernia, n.e.c.	1539	1,080	30	20	70	90	90	—	140	130	340	170	
Digestive system diseases and disorders, n.e.c.	159	30	20	—	—	—	—	—	—	—	—	—	
Genitourinary system diseases and disorders	16	40	—	—	20	—	—	—	—	—	—	—	
Diseases and disorders of the genital tract	163	20	—	—	—	—	—	—	—	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders	17	11,530	140	1,410	2,040	750	830	130	720	770	2,730	2,000	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	180	—	—	—	—	—	—	50	30	—	70	
Arthropathies and related disorders (arthritis)	171	140	—	—	20	—	—	—	—	—	40	30	
Dorsopathies	172	1,500	—	430	290	40	80	20	140	190	110	190	
Sciatica	1721	290	—	20	50	—	—	—	—	70	40	60	
Lumbago	1722	60	—	—	—	—	20	—	—	—	—	—	
Disc disorders, except dislocation	1723	270	—	20	30	—	30	—	80	70	30	20	
Dorsopathies, n.e.c.	1729	860	—	390	190	30	20	—	50	50	30	90	
Rheumatism, except the back	173	9,300	120	960	1,400	700	710	100	530	540	2,560	1,690	
Rheumatism, except the back, unspecified	1730	720	30	100	120	100	50	—	40	—	130	140	
Bursitis	1731	720	—	120	70	50	40	—	50	80	90	210	
Synovitis	1732	50	—	—	—	—	—	—	—	—	—	—	
Tendonitis	1733	4,100	20	520	820	270	330	40	260	220	980	640	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Tenosynovitis	1734	600	40	50	70	20	70	—	30	30	190	100
Ganglion/cystic tumor	1735	540	—	60	50	—	50	50	—	—	230	70
Rheumatism, except the back, n.e.c.	1739	2,570	20	110	270	240	170	—	140	180	920	520
Osteopathies, chondropathies, acquired deformities	174	390	—	—	320	—	20	—	—	—	—	20
Osteopathies, chondropathies, acquired deformities, unspecified	1740	20	—	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	360	—	—	320	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	20	—	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,030	—	380	1,740	170	240	110	430	440	990	510
Disorders of the skin and subcutaneous tissue, unspecified	180	100	—	—	30	—	—	—	—	—	40	—
Infections of the skin and subcutaneous tissue	181	1,580	—	140	370	20	90	50	200	190	370	160
Infections of the skin and subcutaneous tissue, unspecified	1810	590	—	110	150	—	20	20	120	30	70	70
Cellulitis and abscess	1812	840	—	20	180	—	70	20	50	150	270	80
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	—	—	20	—	—	—	20	—	30	—
Dermatitis	182	3,170	—	220	1,290	150	150	60	220	240	540	280
Dermatitis, unspecified	1820	500	—	70	110	90	50	—	20	—	110	30
Contact dermatitis, unspecified	1822	660	—	40	300	—	40	—	—	50	90	110
Allergic contact dermatitis	1823	1,400	—	90	690	20	40	50	160	110	170	70
Irritant contact dermatitis	1824	570	—	20	190	30	—	—	30	60	160	70
Dermatitis, n.e.c.	1829	20	—	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	80	—	—	30	—	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	50	—	—	30	—	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	30	—	—	—	—	—	—	—	—	—	—
Diseases of sebaceous glands ..	184	40	—	—	—	—	—	—	—	—	—	30
Sebaceous cyst	1842	40	—	—	—	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Other diseases and disorders of the skin and subcutaneous tissue	189	50	-	-	20	-	-	-	-	-	-	20	-
Urticaria, hives	1898	30	-	-	-	-	-	-	-	-	-	-	-
Other systemic diseases and disorders	19	80	-	-	30	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorder	191	40	-	-	-	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	-	-	-	-	-	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	199	30	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases ..	2	1,890	310	470	930	-	50	-	40	20	20	20	30
Infectious and parasitic diseases, unspecified	20	30	-	-	-	-	-	-	-	-	-	-	-
Bacterial diseases	21	230	-	100	30	-	30	-	30	-	-	-	20
Bacterial diseases, unspecified	210	20	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	211	20	-	-	-	-	-	-	-	-	-	-	-
Other bacterial diseases	219	170	-	90	30	-	20	-	20	-	-	-	-
Diphtheria, whooping cough ..	2192	30	-	20	-	-	-	-	-	-	-	-	-
Septicemia	2197	20	-	-	-	-	-	-	-	-	-	-	-
Other bacterial diseases, n.e.c.	2199	110	-	60	-	-	-	-	20	-	-	-	-
Viral diseases	22	570	280	110	150	-	-	-	-	-	-	-	-
Viral diseases, unspecified	220	20	-	-	-	-	-	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	223	190	-	80	100	-	-	-	-	-	-	-	-
Chickenpox	2233	90	-	60	30	-	-	-	-	-	-	-	-
Herpes zoster	2234	100	-	20	70	-	-	-	-	-	-	-	-
Viral diseases of the conjunctiva	226	70	-	30	40	-	-	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	2262	60	-	30	30	-	-	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	229	280	-	-	-	-	-	-	-	-	-	-	-
Other arthropod-borne diseases	23	30	-	-	-	-	-	-	-	-	-	-	-
Lyme disease	237	30	-	-	-	-	-	-	-	-	-	-	-
Mycoses	24	30	-	-	-	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	26	470	-	60	380	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, unspecified	260	30	-	20	-	-	-	-	-	-	-	-	-
Other salmonella infections	263	360	-	-	350	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	20	-	-	-	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, n.e.c.	269	60	-	20	30	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases	29	530	-	160	350	-	-	-	-	-	-	-	-
Pediculosis and phthirus infestation (lice)	293	80	-	80	-	-	-	-	-	-	-	-	-
Acariasis (including scabies, chiggers, mites)	294	440	-	80	340	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	4	10,510	430	1,590	2,430	1,020	1,380	110	600	350	1,070	1,480	
Symptoms, signs, and ill-defined conditions, unspecified	40	750	-	110	250	140	50	-	50	-	50	60	
Symptoms	41	9,690	420	1,460	2,160	870	1,330	100	550	330	1,000	1,410	
Symptoms, unspecified	410	130	-	-	50	-	-	-	-	-	-	20	
General symptoms	411	4,550	110	900	1,000	620	420	50	160	160	430	690	
General symptoms, unspecified	4110	150	-	-	30	40	20	-	-	-	-	30	
Loss of consciousness not heat related	4111	1,380	50	120	340	330	120	-	80	40	80	210	
Convulsions, seizures	4112	340	-	40	90	90	30	-	30	-	-	40	
Dizziness	4114	910	20	440	180	60	70	-	-	-	20	90	
Non-specified allergic reaction	4115	640	30	90	170	40	60	-	-	20	100	110	
Multiple general symptoms	4118	180	-	30	20	-	30	-	-	-	20	60	
General symptoms, n.e.c.	4119	930	-	180	180	50	80	20	20	80	180	150	
Symptoms involving nervous and musculoskeletal systems ..	412	1,730	210	130	140	60	510	-	160	20	190	270	
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	160	-	-	-	-	40	-	40	-	40	30	
Spasms or tremors, n.e.c.	4121	40	-	-	20	-	-	-	-	-	-	-	
Earache	4122	20	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms involving nervous and musculoskeletal systems	4128	110	-	-	20	20	-	-	-	-	30	20	
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,390	210	120	90	40	450	-	100	-	110	210	
Symptoms involving skin and other integumentary tissue	413	630	20	40	230	70	80	-	20	30	90	50	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Symptoms involving skin and other integumentary tissue, unspecified	4130	40	-	-	20	-	-	-	-	-	-	-	-
Edema (including dropsy)	4131	530	20	-	200	70	70	-	20	30	60	50	
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	70	-	20	-	-	-	-	-	-	30	-	
Symptoms involving head and neck	414	460	-	80	90	30	90	20	20	20	30	80	
Headache, except migraine ...	4141	380	-	70	60	20	90	20	20	20	20	60	
Symptoms involving head and neck, n.e.c.	4149	60	-	-	30	-	-	-	-	-	-	20	
Symptoms involving cardiovascular system	415	110	-	-	20	-	70	-	-	-	-	-	
Symptoms involving cardiovascular system, unspecified	4150	20	-	-	20	-	-	-	-	-	-	-	
Symptoms involving cardiovascular system, n.e.c.	4159	70	-	-	-	-	-	-	-	-	-	-	
Symptoms involving respiratory system and chest	416	1,460	40	200	500	60	110	-	140	80	200	120	
Symptoms involving respiratory system and chest, unspecified	4160	510	-	130	80	-	50	-	120	30	70	30	
Chest pain	4164	240	-	20	30	30	20	-	-	20	80	20	
Multiple symptoms involving respiratory system and chest	4168	30	-	-	-	-	-	-	-	-	-	-	
Symptoms involving respiratory system and chest, n.e.c.	4169	660	-	50	390	20	40	-	20	30	50	60	
Symptoms involving digestive and urinary system	417	170	20	-	40	-	-	-	40	-	20	30	
Nausea and vomiting	4171	100	20	-	20	-	-	-	-	-	20	-	
Abdominal pain, unspecified ..	4175	40	-	-	-	-	-	-	20	-	-	-	
Symptoms involving digestive and urinary system, n.e.c.	4179	30	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms	418	440	-	90	80	-	50	-	-	20	30	160	
Abnormal findings	42	20	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions	48	40	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions, unspecified	480	20	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2008 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	3,410	150	560	700	860	740	—	40	20	80	250
Mental disorders or syndromes	52	3,350	150	540	700	860	730	—	40	20	80	220
Mental disorder or syndrome, unspecified	520	90	—	—	—	30	20	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	3,260	150	540	700	830	710	—	20	20	70	210
Anxiety, stress, neurotic disorders, unspecified	5210	2,250	80	430	430	630	550	—	—	20	20	70
Post-traumatic anxiety acute	5211	480	30	40	170	90	50	—	—	—	30	70
Panic disorder	5213	80	—	—	40	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	410	40	60	40	100	90	—	—	—	20	60
Multiple anxiety, stress, neurotic disorders	5218	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	30	—	20	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	740	—	80	120	30	90	—	70	170	110	60
Nonclassifiable	9999	5,540	150	170	1,050	270	290	80	500	170	550	1,620

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies