

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2008

Part of body	Part of body code ²	Private industry ³	Age								
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		1,078,140	130	31,010	107,880	239,580	251,490	261,030	142,840	28,420	15,740
Head	0	73,270	—	2,770	9,390	18,920	17,740	14,880	6,950	1,830	780
Head, unspecified	00	16,340	—	750	2,030	4,170	3,420	3,210	1,940	630	190
Cranial region, including skull	01	10,550	—	380	1,330	2,130	2,590	2,090	1,460	430	150
Cranial region, unspecified	010	160	—	—	40	30	30	20	20	20	—
Brain	011	6,720	—	230	650	1,220	1,750	1,560	1,030	240	30
Scalp	012	2,740	—	140	550	600	580	410	330	110	30
Skull	013	640	—	—	80	250	140	50	60	60	—
Multiple cranial region locations	018	170	—	—	20	—	30	—	20	—	—
Cranial region, n.e.c.	019	120	—	—	—	—	70	40	—	—	—
Ear(s)	02	1,030	—	20	80	170	310	250	190	—	—
Face	03	44,450	—	1,620	5,830	12,210	11,190	9,160	3,320	670	440
Face, unspecified	030	3,450	—	150	330	930	740	900	320	60	30
Forehead	031	3,020	—	140	510	620	640	660	330	80	30
Eye(s)	032	27,450	—	1,000	3,950	8,010	6,750	5,350	1,880	230	280
Nose, nasal cavity	033	2,550	—	—	280	620	570	630	210	170	40
Nose, except internal location of diseases or disorders	0330	2,520	—	—	280	620	550	630	210	170	40
Cheek(s)	034	1,080	—	70	30	520	270	60	120	—	—
Jaw/chin	035	810	—	30	50	150	400	140	30	—	—
Mouth	036	3,170	—	90	450	520	1,190	700	140	50	30
Mouth, unspecified	0360	330	—	—	30	40	180	40	—	—	—
Lip(s)	0361	610	—	40	150	130	110	110	40	20	—
Tooth(teeth)	0363	1,960	—	50	150	290	870	500	70	20	—
Gum	0364	20	—	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	240	—	—	110	50	30	40	—	—	—
Mouth, n.e.c.	0369	20	—	—	—	—	—	—	—	—	—
Multiple face locations	038	2,510	—	120	180	780	590	510	250	60	20
Face, n.e.c.	039	410	—	—	60	50	40	210	30	—	—
Multiple head locations	08	850	—	—	100	240	230	140	40	80	—
Head, n.e.c.	09	50	—	—	—	—	—	20	—	—	—
Neck, including throat	1	15,890	—	90	1,690	3,850	4,420	3,660	1,820	320	50
Neck, except internal location of diseases or disorders ...	10	15,840	—	90	1,680	3,830	4,420	3,640	1,820	310	50
Internal neck location, unspecified	11	40	—	—	—	20	—	—	—	—	—
Trunk	2	366,710	80	7,160	32,780	81,660	91,360	92,440	47,490	9,090	4,650
Trunk, unspecified	20	1,660	—	20	120	290	380	380	430	20	30
Shoulder, including clavicle, scapula	21	74,100	50	1,420	5,320	12,810	17,860	20,180	13,100	2,550	810
Chest, including ribs, internal organs	22	18,020	—	400	1,220	2,780	4,840	4,670	3,030	890	190
Chest, except internal location of diseases or disorders	220	15,620	—	340	1,030	2,420	4,030	4,260	2,500	860	170
Internal chest location, unspecified	221	180	—	—	30	30	40	20	60	—	—
Heart	223	560	—	—	20	20	150	100	250	—	—
Bronchus	224	190	—	—	—	—	110	20	40	—	—
Lung(s), pleura	225	1,460	—	50	120	300	500	270	180	20	20
Back, including spine, spinal cord	23	222,290	—	4,430	22,440	54,590	56,620	54,240	22,930	3,830	3,210
Back, including spine, spinal cord, unspecified	230	90,140	—	1,790	8,930	21,160	22,930	22,030	10,010	1,360	1,940

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Age								
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Lumbar region	231	112,720	—	2,140	10,860	27,990	29,040	28,430	11,000	2,190	1,060
Thoracic region	232	8,600	—	210	1,310	2,700	1,970	1,470	700	70	170
Sacral region	233	1,090	—	—	350	220	210	210	80	—	—
Coccygeal region	234	1,950	—	30	110	620	450	410	300	30	—
Multiple back regions	238	6,720	—	260	690	1,620	1,720	1,460	790	150	30
Back, including spine, spinal cord, n.e.c.	239	1,060	—	—	180	270	300	230	50	—	—
Abdomen	24	25,310	—	490	1,800	5,740	6,400	6,380	3,700	520	290
Abdomen, except internal location of diseases or disorders	240	7,520	—	220	860	2,120	1,640	1,420	1,170	50	50
Internal abdominal location, unspecified	241	7,620	—	110	430	1,680	1,620	2,220	1,200	310	60
Stomach organ	242	480	—	—	—	150	120	150	40	—	—
Urinary organs	244	20	—	—	—	—	—	—	20	—	—
Bladder	2441	20	—	—	—	—	—	—	20	—	—
Intestines, peritoneum	245	9,570	—	160	500	1,750	3,000	2,580	1,250	150	180
Intestines, peritoneum, unspecified	2450	8,660	—	140	440	1,360	2,820	2,400	1,190	140	170
Peritoneum	2451	750	—	—	50	350	120	150	60	—	—
Large intestine/colon, rectum	2453	120	—	—	—	40	40	30	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—	—
Other digestive structures	246	30	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	30	—	—	—	—	—
Internal abdominal location, n.e.c.	249	40	—	—	—	—	20	—	—	—	—
Pelvic region	25	17,930	—	250	1,330	3,910	3,640	4,290	3,360	1,050	70
Pelvic region, unspecified	250	280	—	—	40	30	50	100	30	—	—
Hip(s)	251	7,900	—	80	280	1,580	1,220	1,950	2,030	750	20
Pelvis	252	1,060	—	20	280	130	170	180	110	140	—
Buttock(s)	253	1,330	—	30	80	330	420	220	210	20	—
Groin	254	6,930	—	110	610	1,710	1,710	1,710	950	110	30
External reproductive tract structures	255	240	—	—	30	80	30	80	30	—	—
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—	—	—	—
Scrotum	2551	100	—	—	—	50	—	30	—	—	—
Penis	2552	50	—	—	—	20	—	—	—	—	—
External female genital region	2553	50	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	20	—	—	—	—	—
Uterus	2564	20	—	—	—	20	—	—	—	—	—
Multiple pelvic region locations	258	130	—	—	—	30	40	40	—	—	—
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	7,230	—	150	540	1,450	1,620	2,270	920	230	50
Trunk, n.e.c.	29	150	—	—	—	90	—	—	20	—	—
Upper extremities	3	244,150	—	10,320	30,030	55,990	52,470	56,400	29,960	5,440	3,540
Upper extremities, unspecified	30	340	—	—	50	70	50	80	70	—	20
Arm(s)	31	48,420	—	2,100	4,290	9,140	11,930	12,140	6,530	1,710	570
Arm(s), unspecified	310	16,850	—	630	1,560	3,820	3,960	3,710	2,100	830	240
Upper arm(s)	311	4,270	—	30	340	480	910	1,300	1,080	110	20
Elbow(s)	312	16,230	—	530	1,090	2,980	4,550	4,340	2,060	470	210
Forearm(s)	313	8,160	—	850	1,110	1,360	1,750	2,040	870	90	80
Multiple arm(s) locations	318	2,410	—	50	140	430	670	620	340	110	30
Arm(s), n.e.c.	319	500	—	—	50	70	80	140	60	90	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Age								
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Wrist(s)	32	46,660	—	1,230	4,100	10,160	10,020	11,920	7,740	990	500
Hand(s), except finger(s)	33	41,940	—	2,130	5,910	10,340	8,870	9,170	4,240	810	470
Finger(s), fingernail(s)	34	95,080	—	4,390	14,600	23,240	19,230	20,250	9,930	1,550	1,900
Multiple upper extremities locations	38	11,620	—	470	1,080	3,010	2,350	2,810	1,440	370	80
Multiple upper extremities locations, unspecified	380	180	—	—	20	50	40	40	40	—	—
Hand(s) and finger(s)	381	3,800	—	220	480	930	680	930	340	190	30
Hand(s) and wrist(s)	382	2,630	—	100	210	620	520	780	350	50	—
Hand(s) and arm(s)	383	1,400	—	80	90	430	270	310	160	30	30
Multiple upper extremities locations, n.e.c.	389	3,600	—	60	290	980	850	760	550	100	—
Upper extremities, n.e.c.	39	90	—	—	—	20	—	30	20	—	—
Lower extremities	4	240,760	30	7,890	24,430	52,700	56,590	55,970	32,770	6,770	3,610
Lower extremities, unspecified	40	250	—	—	30	20	40	60	100	—	—
Leg(s)	41	127,820	20	3,640	10,150	25,160	30,590	31,820	20,620	4,270	1,570
Leg(s), unspecified	410	17,060	—	990	1,900	3,330	3,650	3,850	2,360	700	290
Thigh(s)	411	4,720	—	90	460	940	780	1,440	750	200	50
Knee(s)	412	91,830	—	2,350	6,780	17,730	23,100	23,020	14,880	2,930	1,040
Lower leg(s)	413	10,280	—	160	790	2,520	2,280	2,570	1,590	300	80
Multiple leg(s) locations	418	3,430	—	40	190	560	700	820	910	100	110
Leg(s), n.e.c.	419	500	—	—	30	80	90	120	130	50	—
Ankle(s)	42	55,270	—	1,980	6,100	14,450	13,850	11,400	5,330	970	1,170
Foot(foot), except toe(s)	43	38,690	—	1,640	5,540	8,810	7,920	8,740	4,300	1,040	700
Foot(foot), except toe(s), unspecified	430	33,710	—	1,550	5,030	7,490	6,820	7,570	3,830	910	510
Instep(s)	431	160	—	—	40	30	—	40	40	—	—
Sole	432	3,820	—	80	370	1,000	840	900	340	120	180
Sole(s), unspecified	4320	460	—	—	200	120	70	40	—	—	—
Ball(s) of foot	4321	420	—	—	—	410	—	—	—	—	—
Arch(es)	4322	70	—	—	20	—	—	—	—	—	—
Heel(s)	4323	2,840	—	70	150	460	720	850	330	110	150
Sole(s), n.e.c.	4329	20	—	—	—	—	20	—	—	—	—
Multiple foot(foot) locations	438	260	—	—	20	60	70	40	50	—	—
Foot(foot), n.e.c.	439	740	—	—	90	230	180	180	30	—	—
Toe(s), toenail(s)	44	10,700	—	440	1,650	2,560	2,270	2,310	1,150	220	100
Multiple lower extremities locations	48	7,970	—	180	950	1,690	1,920	1,620	1,260	270	60
Multiple lower extremities locations, unspecified	480	130	—	—	—	40	30	30	20	—	—
Foot(foot) and leg(s)	481	1,010	—	—	60	210	420	200	70	30	—
Foot(foot) and ankle(s)	482	2,830	—	40	470	610	520	630	370	170	20
Foot(foot) and toe(s)	483	1,070	—	80	160	230	140	210	220	—	20
Multiple lower extremities locations, n.e.c.	489	2,930	—	50	240	590	810	560	590	60	20
Lower extremities, n.e.c.	49	60	—	—	—	20	—	—	—	—	—
Body systems	5	15,860	—	330	1,350	4,440	3,360	3,710	2,150	290	250
Multiple body parts	8	112,200	—	2,110	7,670	19,980	24,190	32,070	20,420	4,580	1,180
Other body parts	9	50	—	—	—	—	—	—	30	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Age								
			14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	9,240	—	330	530	2,050	1,370	1,920	1,240	110	1,680

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies