

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2008

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Total		1,078,140	464,500	83,970	145,870	15,090	2,920	4,230	930	760	359,870
Head	0	73,270	32,560	6,040	11,210	1,130	200	340	50	30	21,700
Head, unspecified	00	16,340	7,730	1,580	1,730	180	30	50	—	—	5,010
Cranial region, including skull	01	10,550	4,680	610	1,730	130	20	20	—	—	3,360
Cranial region, unspecified	010	160	60	—	30	—	—	—	—	—	70
Brain	011	6,720	3,210	470	830	80	—	—	—	—	2,120
Scalp	012	2,740	1,080	120	720	40	—	—	—	—	760
Skull	013	640	200	—	70	—	—	—	—	—	360
Multiple cranial region locations	018	170	110	20	20	—	—	—	—	—	20
Cranial region, n.e.c.	019	120	30	—	—	—	—	—	—	—	30
Ear(s)	02	1,030	360	40	150	20	—	—	—	—	450
Face	03	44,450	19,430	3,750	7,510	720	150	260	30	20	12,570
Face, unspecified	030	3,450	1,280	360	630	100	—	20	—	—	1,030
Forehead	031	3,020	1,280	200	360	90	20	—	—	—	1,050
Eye(s)	032	27,450	12,700	2,100	4,600	470	60	220	30	—	7,270
Nose, nasal cavity	033	2,550	1,040	230	370	—	30	—	—	—	870
Nose, except internal location of diseases or disorders	0330	2,520	1,030	230	360	—	20	—	—	—	860
Cheek(s)	034	1,080	420	30	200	—	—	—	—	—	410
Jaw/chin	035	810	460	140	80	—	—	—	—	—	120
Mouth	036	3,170	1,160	460	700	—	—	—	—	—	830
Mouth, unspecified	0360	330	80	20	150	—	—	—	—	—	80
Lip(s)	0361	610	140	90	140	—	—	—	—	—	230
Tooth(teeth)	0363	1,960	870	300	370	—	—	—	—	—	410
Gum	0364	20	—	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	240	50	50	30	—	—	—	—	—	100
Mouth, n.e.c.	0369	20	—	—	—	—	—	—	—	—	—
Multiple face locations	038	2,510	990	220	570	20	—	—	—	—	700
Face, n.e.c.	039	410	100	—	—	—	—	—	—	—	280
Multiple head locations	08	850	330	50	100	80	—	—	—	—	280
Head, n.e.c.	09	50	20	—	—	—	—	—	—	—	20
Neck, including throat	1	15,890	7,560	1,450	1,590	170	50	30	—	—	5,040
Neck, except internal location of diseases or disorders ...	10	15,840	7,550	1,440	1,580	170	50	30	—	—	5,020
Internal neck location, unspecified	11	40	—	—	—	—	—	—	—	—	—
Trunk	2	366,710	158,740	28,070	45,360	4,710	1,090	1,480	530	240	126,490
Trunk, unspecified	20	1,660	780	120	200	—	—	—	—	—	540
Shoulder, including clavicle, scapula	21	74,100	31,560	5,820	7,250	1,220	180	230	—	50	27,770
Chest, including ribs, internal organs	22	18,020	8,010	1,140	3,020	230	90	50	—	—	5,470
Chest, except internal location of diseases or disorders	220	15,620	7,020	800	2,590	230	90	50	—	—	4,850

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								Not reported	
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace		
Internal chest location, unspecified	221	180	70	20	—	—	—	—	—	—	—	80
Heart	223	560	280	110	30	—	—	—	—	—	—	140
Bronchus	224	190	80	30	—	—	—	—	—	—	—	80
Lung(s), pleura	225	1,460	550	190	400	—	—	—	—	—	—	310
Back, including spine, spinal cord	23	222,290	95,260	18,330	28,290	2,790	640	980	490	170	75,350	75,350
Back, including spine, spinal cord, unspecified	230	90,140	39,660	8,980	10,830	910	180	390	430	70	28,690	28,690
Lumbar region	231	112,720	47,380	8,070	14,850	1,630	430	400	40	90	39,810	39,810
Thoracic region	232	8,600	3,490	600	830	80	20	100	—	—	—	3,490
Sacral region	233	1,090	340	60	380	—	—	—	—	—	—	300
Coccygeal region	234	1,950	1,040	160	170	20	—	—	—	—	—	550
Multiple back regions	238	6,720	2,910	440	940	110	—	40	—	—	—	2,260
Back, including spine, spinal cord, n.e.c.	239	1,060	430	20	300	30	—	50	—	—	—	240
Abdomen	24	25,310	11,630	860	3,850	160	20	100	20	20	8,650	8,650
Abdomen, except internal location of diseases or disorders	240	7,520	2,100	450	1,930	50	—	30	—	—	—	2,940
Internal abdominal location, unspecified	241	7,620	3,950	190	960	—	—	20	—	—	—	2,480
Stomach organ	242	480	150	20	60	—	—	—	—	—	—	200
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—
Bladder	2441	20	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	9,570	5,370	200	880	60	—	20	—	—	—	3,010
Intestines, peritoneum, unspecified	2450	8,660	4,830	190	760	20	—	20	—	—	—	2,820
Peritoneum	2451	750	470	—	80	40	—	—	—	—	—	160
Large intestine/colon, rectum	2453	120	50	—	40	—	—	—	—	—	—	30
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—	—	—
Other digestive structures	246	30	—	—	—	—	—	20	—	—	—	—
Liver	2461	20	—	—	—	—	—	20	—	—	—	—
Multiple internal abdominal locations	248	40	30	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	40	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	17,930	8,790	1,180	1,560	170	100	60	—	—	—	6,060
Pelvic region, unspecified	250	280	130	—	—	—	—	—	—	—	—	120
Hip(s)	251	7,900	4,260	540	420	60	20	—	—	—	—	2,580
Pelvis	252	1,060	520	20	60	—	—	40	—	—	—	420
Buttock(s)	253	1,330	530	100	120	70	—	—	—	—	—	500
Groin	254	6,930	3,150	460	890	30	80	—	—	—	—	2,310
External reproductive tract structures	255	240	130	30	20	—	—	—	—	—	—	70
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—	—	—	—	30
Scrotum	2551	100	60	—	—	—	—	—	—	—	—	20
Penis	2552	50	—	—	—	—	—	—	—	—	—	—
External female genital region	2553	50	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	130	50	—	30	—	—	—	—	—	—	30
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—	—	—	—	20
Multiple trunk locations	28	7,230	2,680	610	1,170	120	60	60	—	—	—	2,530

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Trunk, n.e.c.	29	150	—	—	—	—	—	—	—	—	—	120
Upper extremities	3	244,150	105,150	16,510	38,440	4,830	650	960	100	270	77,250	
Upper extremities, unspecified	30	340	120	20	40	—	—	—	—	—	140	
Arm(s)	31	48,420	21,090	3,120	5,840	560	100	170	20	—	17,510	
Arm(s), unspecified	310	16,850	6,350	1,480	2,370	200	40	30	—	—	6,380	
Upper arm(s)	311	4,270	1,890	170	560	20	—	—	—	—	1,610	
Elbow(s)	312	16,230	7,730	810	1,570	220	30	50	—	—	5,810	
Forearm(s)	313	8,160	3,940	470	990	70	30	60	—	—	2,580	
Multiple arm(s) locations	318	2,410	970	130	340	40	—	20	—	—	900	
Arm(s), n.e.c.	319	500	190	50	20	—	—	—	—	—	220	
Wrist(s)	32	46,660	20,680	3,960	5,660	890	170	230	30	30	15,000	
Hand(s), except finger(s)	33	41,940	16,810	2,850	8,070	890	90	220	20	20	12,970	
Finger(s), fingernail(s)	34	95,080	40,810	5,920	17,370	2,180	270	300	40	190	28,020	
Multiple upper extremities locations	38	11,620	5,620	640	1,440	300	—	40	—	—	3,570	
Multiple upper extremities locations, unspecified	380	180	50	—	30	—	—	—	—	—	90	
Hand(s) and finger(s)	381	3,800	1,910	160	610	100	—	20	—	—	990	
Hand(s) and wrist(s)	382	2,630	1,060	180	380	110	—	—	—	—	890	
Hand(s) and arm(s)	383	1,400	750	110	120	20	—	—	—	—	400	
Multiple upper extremities locations, n.e.c.	389	3,600	1,850	170	300	70	—	20	—	—	1,190	
Upper extremities, n.e.c.	39	90	30	—	—	—	—	—	—	—	40	
Lower extremities	4	240,760	104,180	18,290	31,670	2,290	600	960	160	160	82,440	
Lower extremities, unspecified	40	250	40	30	20	—	—	—	—	—	160	
Leg(s)	41	127,820	57,800	9,400	15,650	1,030	300	430	60	110	43,050	
Leg(s), unspecified	410	17,060	7,750	1,620	2,890	120	40	50	—	—	4,590	
Thigh(s)	411	4,720	2,190	320	620	40	20	20	—	—	1,500	
Knee(s)	412	91,830	41,920	6,460	9,760	730	220	330	50	100	32,270	
Lower leg(s)	413	10,280	4,550	640	1,530	80	—	40	—	—	3,420	
Multiple leg(s) locations	418	3,430	1,190	330	780	50	—	—	—	—	1,070	
Leg(s), n.e.c.	419	500	210	20	60	—	—	—	—	—	210	
Ankle(s)	42	55,270	23,150	4,140	6,980	850	160	240	20	30	19,670	
Foot(feet), except toe(s)	43	38,690	15,550	3,150	5,700	220	80	210	60	—	13,700	
Foot(feet), except toe(s), unspecified	430	33,710	13,000	2,490	5,170	200	80	200	60	—	12,510	
Instep(s)	431	160	60	40	—	—	—	—	—	—	40	
Sole	432	3,820	1,970	550	390	—	—	—	—	—	890	
Sole(s), unspecified	4320	460	260	20	20	—	—	—	—	—	150	
Ball(s) of foot	4321	420	20	—	—	—	—	—	—	—	—	
Arch(es)	4322	70	50	—	—	—	—	—	—	—	—	
Heel(s)	4323	2,840	1,630	120	350	—	—	—	—	—	720	
Sole(s), n.e.c.	4329	20	—	—	—	—	—	—	—	—	—	
Multiple foot(feet) locations	438	260	130	20	30	—	—	—	—	—	80	
Foot(feet), n.e.c.	439	740	390	60	110	—	—	—	—	—	180	
Toe(s), toenail(s)	44	10,700	4,350	930	1,960	100	20	40	20	—	3,280	
Multiple lower extremities locations	48	7,970	3,280	640	1,350	90	30	20	—	—	2,540	
Multiple lower extremities locations, unspecified	480	130	60	—	—	—	—	—	—	—	60	

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foot(feet) and leg(s)	481	1,010	350	60	210	—	—	—	—	—	360
Foot(feet) and ankle(s)	482	2,830	1,160	190	460	60	—	—	—	—	950
Foot(feet) and toe(s)	483	1,070	400	70	280	—	—	—	—	—	310
Multiple lower extremities locations, n.e.c.	489	2,930	1,300	310	410	20	20	—	—	—	860
Lower extremities, n.e.c.	49	60	20	—	—	—	—	—	—	—	30
Body systems	5	15,860	7,400	1,100	1,930	240	30	50	—	—	5,110
Multiple body parts	8	112,200	46,130	11,540	14,400	1,600	290	410	80	50	37,700
Other body parts	9	50	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,240	2,740	980	1,240	120	20	—	—	—	4,130

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies