

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2008

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total .....		1,078,140	688,790	384,930	4,420	117,130	218,510	388,160	338,320	16,020
<b>Head</b> .....	0	73,270	52,140	20,880	250	9,820	15,930	27,690	18,970	860
Head, unspecified .....	00	16,340	9,730	6,560	50	2,200	3,650	5,760	4,550	180
Cranial region, including skull .....	01	10,550	7,440	3,040	70	1,360	2,090	4,110	2,840	160
Cranial region, unspecified .....	010	160	120	50	-	-	20	70	40	20
Brain .....	011	6,720	4,610	2,080	30	670	1,330	2,910	1,760	60
Scalp .....	012	2,740	2,140	570	30	590	470	760	840	70
Skull .....	013	640	420	210	-	80	140	320	100	-
Multiple cranial region locations .....	018	170	60	110	-	-	110	30	30	-
Cranial region, n.e.c. ....	019	120	90	20	-	-	-	20	70	-
Ear(s) .....	02	1,030	700	320	-	70	190	350	410	-
Face .....	03	44,450	33,610	10,720	120	6,060	9,840	17,160	10,880	500
Face, unspecified .....	030	3,450	2,350	1,100	-	460	840	1,180	940	30
Forehead .....	031	3,020	2,030	960	30	410	610	900	1,070	40
Eye(s) .....	032	27,450	22,170	5,240	40	3,560	6,660	10,940	5,990	300
Nose, nasal cavity .....	033	2,550	1,420	1,110	20	370	420	970	730	50
Nose, except internal location of diseases or disorders .....	0330	2,520	1,400	1,100	20	360	420	960	720	50
Cheek(s) .....	034	1,080	880	200	-	110	390	330	240	-
Jaw/chin .....	035	810	550	260	-	70	130	400	200	-
Mouth .....	036	3,170	2,030	1,130	-	730	320	1,090	990	30
Mouth, unspecified .....	0360	330	150	170	-	140	50	90	50	-
Lip(s) .....	0361	610	470	140	-	160	90	170	190	-
Tooth(teeth) .....	0363	1,960	1,180	770	-	270	180	780	710	20
Gum .....	0364	20	-	-	-	-	-	-	-	-
Multiple mouth locations .....	0368	240	190	50	-	150	-	40	40	-
Mouth, n.e.c. ....	0369	20	-	-	-	-	-	-	-	-
Multiple face locations .....	038	2,510	1,850	660	-	320	440	1,240	500	-
Face, n.e.c. ....	039	410	330	60	-	40	20	100	230	-
Multiple head locations .....	08	850	600	240	-	120	150	310	260	-
Head, n.e.c. ....	09	50	50	-	-	-	-	-	30	-
<b>Neck, including throat</b> .....	1	15,890	8,830	6,930	130	1,700	3,240	6,010	4,730	210
Neck, except internal location of diseases or disorders ...	10	15,840	8,820	6,890	130	1,700	3,240	6,000	4,700	200
Internal neck location, unspecified .....	11	40	-	30	-	-	-	-	30	-
<b>Trunk</b> .....	2	366,710	239,280	126,140	1,290	32,140	72,470	135,940	121,660	4,500
Trunk, unspecified .....	20	1,660	1,130	520	-	120	290	540	650	60
Shoulder, including clavicle, scapula .....	21	74,100	47,890	25,860	350	5,810	13,520	24,900	28,850	1,020
Chest, including ribs, internal organs .....	22	18,020	13,410	4,520	90	2,140	3,610	6,510	5,540	220
Chest, except internal location of diseases or disorders .....	220	15,620	11,840	3,680	90	1,930	3,210	5,420	4,860	200
Internal chest location, unspecified .....	221	180	130	50	-	-	20	60	90	-
Heart .....	223	560	420	130	-	30	60	220	230	-
Bronchus .....	224	190	90	100	-	50	20	60	60	-

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Lung(s), pleura .....	225	1,460	910	550	—	110	310	750	290	—
Back, including spine, spinal cord .....	23	222,290	138,820	82,760	710	19,720	46,350	85,300	68,110	2,820
Back, including spine, spinal cord, unspecified .....	230	90,140	56,830	33,280	40	8,570	17,520	36,610	26,540	900
Lumbar region .....	231	112,720	71,060	41,060	600	9,130	24,440	41,520	35,970	1,650
Thoracic region .....	232	8,600	5,130	3,400	70	680	2,090	3,300	2,350	190
Sacral region .....	233	1,090	670	420	—	40	440	350	260	—
Coccygeal region .....	234	1,950	970	970	—	480	380	630	450	—
Multiple back regions .....	238	6,720	3,540	3,180	—	710	1,320	2,420	2,200	80
Back, including spine, spinal cord, n.e.c. ....	239	1,060	620	450	—	110	160	470	330	—
Abdomen .....	24	25,310	21,740	3,540	30	1,890	4,170	9,460	9,640	160
Abdomen, except internal location of diseases or disorders .....	240	7,520	5,050	2,470	—	520	1,550	3,090	2,320	40
Internal abdominal location, unspecified .....	241	7,620	7,120	480	20	470	1,350	2,840	2,890	70
Stomach organ .....	242	480	380	100	—	50	100	150	180	—
Urinary organs .....	244	20	—	—	—	—	—	—	20	—
Bladder .....	2441	20	—	—	—	—	—	—	20	—
Intestines, peritoneum .....	245	9,570	9,120	450	—	850	1,150	3,340	4,180	50
Intestines, peritoneum, unspecified .....	2450	8,660	8,290	370	—	800	1,040	3,090	3,680	50
Peritoneum .....	2451	750	710	40	—	30	90	170	460	—
Large intestine/colon, rectum .....	2453	120	100	20	—	—	20	70	20	—
Intestines, n.e.c. ....	2459	20	—	20	—	—	—	—	—	—
Other digestive structures .....	246	30	—	30	—	—	—	—	—	—
Liver .....	2461	20	—	20	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	40	30	—	—	—	—	—	30	—
Internal abdominal location, n.e.c. ....	249	40	30	—	—	—	—	—	20	—
Pelvic region .....	25	17,930	12,210	5,650	80	1,810	2,990	6,250	6,770	120
Pelvic region, unspecified .....	250	280	180	100	—	20	60	130	60	—
Hip(s) .....	251	7,900	4,140	3,710	40	620	980	2,600	3,640	60
Pelvis .....	252	1,060	610	450	—	160	360	200	340	—
Buttock(s) .....	253	1,330	550	780	—	330	230	410	350	—
Groin .....	254	6,930	6,490	440	—	640	1,290	2,740	2,230	20
External reproductive tract structures .....	255	240	170	50	20	20	40	70	100	20
External reproductive tract structures, unspecified ..	2550	30	—	—	20	—	—	—	—	20
Scrotum .....	2551	100	100	—	—	—	—	30	50	—
Penis .....	2552	50	50	—	—	—	20	30	—	—
External female genital region .....	2553	50	—	50	—	—	—	—	—	—
Internal reproductive tract structures .....	256	30	—	20	—	—	—	20	—	—
Uterus .....	2564	20	—	20	—	—	—	—	—	—
Multiple pelvic region locations .....	258	130	60	60	—	—	20	50	40	—
Pelvic region, n.e.c. ....	259	30	—	30	—	—	—	20	—	—
Multiple trunk locations .....	28	7,230	3,960	3,270	—	600	1,520	2,960	2,060	90
Trunk, n.e.c. ....	29	150	120	30	—	50	20	20	50	—
<b>Upper extremities</b> .....	<b>3</b>	<b>244,150</b>	<b>160,830</b>	<b>82,450</b>	<b>870</b>	<b>31,490</b>	<b>51,320</b>	<b>84,600</b>	<b>73,620</b>	<b>3,130</b>
Upper extremities, unspecified .....	30	340	180	140	20	40	20	140	120	20
Arm(s) .....	31	48,420	31,280	16,880	260	6,000	9,280	16,010	16,310	830
Arm(s), unspecified .....	310	16,850	10,650	6,170	30	2,300	3,320	5,720	5,200	320
Upper arm(s) .....	311	4,270	3,110	1,090	70	370	800	1,260	1,770	70

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Elbow(s) .....	312	16,230	10,330	5,810	90	1,660	3,090	5,340	5,850	290
Forearm(s) .....	313	8,160	5,510	2,580	70	1,380	1,530	2,790	2,330	130
Multiple arm(s) locations .....	318	2,410	1,430	980	—	250	440	760	950	20
Arm(s), n.e.c. ....	319	500	260	240	—	40	110	140	210	—
Wrist(s) .....	32	46,660	22,190	24,320	150	4,450	8,260	17,950	15,500	500
Hand(s), except finger(s) .....	33	41,940	28,990	12,830	120	5,930	9,910	13,770	11,750	580
Finger(s), fingernail(s) .....	34	95,080	71,800	22,960	330	13,490	21,270	32,930	26,240	1,160
Multiple upper extremities locations .....	38	11,620	6,360	5,260	—	1,580	2,550	3,770	3,670	50
Multiple upper extremities locations, unspecified .....	380	180	90	90	—	20	30	70	60	—
Hand(s) and finger(s) .....	381	3,800	2,920	880	—	670	950	1,060	1,110	—
Hand(s) and wrist(s) .....	382	2,630	1,200	1,430	—	260	490	920	950	—
Hand(s) and arm(s) .....	383	1,400	720	680	—	390	220	430	360	—
Multiple upper extremities locations, n.e.c. ....	389	3,600	1,420	2,180	—	240	850	1,300	1,190	20
Upper extremities, n.e.c. ....	39	90	40	50	—	—	30	20	40	—
<b>Lower extremities</b> .....	<b>4</b>	<b>240,760</b>	<b>158,340</b>	<b>81,300</b>	<b>1,120</b>	<b>29,290</b>	<b>47,710</b>	<b>85,370</b>	<b>74,340</b>	<b>4,050</b>
Lower extremities, unspecified .....	40	250	180	60	—	—	30	60	140	20
Leg(s) .....	41	127,820	84,970	42,200	640	14,150	23,670	45,570	42,600	1,830
Leg(s), unspecified .....	410	17,060	12,540	4,520	—	2,770	3,540	5,960	4,630	170
Thigh(s) .....	411	4,720	3,450	1,210	60	730	640	1,650	1,600	90
Knee(s) .....	412	91,830	59,120	32,260	460	8,640	17,180	33,130	31,660	1,210
Lower leg(s) .....	413	10,280	7,690	2,470	120	1,530	1,690	3,400	3,420	230
Multiple leg(s) locations .....	418	3,430	1,790	1,640	—	460	570	1,210	1,080	100
Leg(s), n.e.c. ....	419	500	390	110	—	20	40	220	210	—
Ankle(s) .....	42	55,270	33,330	21,650	290	7,490	11,760	18,940	15,750	1,340
Foot(foot), except toe(s) .....	43	38,690	27,380	11,180	120	5,080	8,530	14,020	10,330	720
Foot(foot), except toe(s), unspecified .....	430	33,710	23,280	10,320	110	4,570	7,660	12,260	8,690	530
Instep(s) .....	431	160	110	50	—	—	20	80	50	—
Sole .....	432	3,820	3,410	400	—	380	610	1,330	1,330	180
Sole(s), unspecified .....	4320	460	430	30	—	180	40	140	110	—
Ball(s) of foot .....	4321	420	410	—	—	—	—	410	—	—
Arch(es) .....	4322	70	30	40	—	30	—	—	20	—
Heel(s) .....	4323	2,840	2,520	310	—	170	550	750	1,190	180
Sole(s), n.e.c. ....	4329	20	20	—	—	—	—	—	—	—
Multiple foot(foot) locations .....	438	260	140	110	—	20	60	70	100	—
Foot(foot), n.e.c. ....	439	740	440	300	—	110	170	290	170	—
Toe(s), toenail(s) .....	44	10,700	8,060	2,610	30	1,580	2,140	3,790	3,060	130
Multiple lower extremities locations .....	48	7,970	4,380	3,570	—	980	1,580	2,970	2,420	20
Multiple lower extremities locations, unspecified .....	480	130	80	50	—	—	40	40	40	—
Foot(foot) and leg(s) .....	481	1,010	360	650	—	50	150	590	230	—
Foot(foot) and ankle(s) .....	482	2,830	1,620	1,190	—	460	570	1,000	780	—
Foot(foot) and toe(s) .....	483	1,070	770	300	—	110	270	330	350	—
Multiple lower extremities locations, n.e.c. ....	489	2,930	1,560	1,370	—	350	550	1,000	1,020	—
Lower extremities, n.e.c. ....	49	60	30	30	—	—	—	20	30	—
<b>Body systems</b> .....	<b>5</b>	<b>15,860</b>	<b>7,820</b>	<b>8,000</b>	<b>50</b>	<b>1,330</b>	<b>3,580</b>	<b>6,080</b>	<b>4,530</b>	<b>340</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>112,200</b>	<b>56,610</b>	<b>55,450</b>	<b>150</b>	<b>10,550</b>	<b>22,470</b>	<b>39,700</b>	<b>38,190</b>	<b>1,280</b>

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
<b>Other body parts</b> .....	9	50	40	—	—	—	—	—	40	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	9,240	4,900	3,760	580	800	1,790	2,770	2,230	1,650

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies