

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2008

| Part of body | Part of body code ² | Private industry ³ | Summary occupational groups | | | | | | | | | |
|---|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, Maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Total | | 1,078,140 | 26,310 | 80,790 | 235,340 | 69,410 | 80,410 | 13,510 | 120,890 | 93,880 | 138,890 | 217,070 |
| Head | 0 | 73,270 | 1,520 | 4,990 | 13,170 | 4,420 | 4,340 | 1,100 | 9,260 | 9,820 | 10,630 | 14,000 |
| Head, unspecified | 00 | 16,340 | 570 | 1,440 | 3,660 | 1,590 | 1,530 | 210 | 1,280 | 1,890 | 1,240 | 2,920 |
| Cranial region, including skull | 01 | 10,550 | 340 | 1,010 | 1,350 | 1,110 | 710 | 180 | 900 | 1,070 | 990 | 2,860 |
| Cranial region, unspecified | 010 | 160 | - | 20 | - | - | 30 | - | - | - | 40 | 30 |
| Brain | 011 | 6,720 | 200 | 750 | 930 | 650 | 490 | 80 | 610 | 750 | 680 | 1,580 |
| Scalp | 012 | 2,740 | 100 | 200 | 340 | 200 | 150 | 100 | 150 | 270 | 240 | 1,000 |
| Skull | 013 | 640 | 20 | 20 | 60 | 160 | 20 | - | 110 | 30 | 20 | 190 |
| Multiple cranial region locations | 018 | 170 | - | - | 20 | - | 20 | - | - | - | - | - |
| Cranial region, n.e.c. | 019 | 120 | - | - | - | - | - | - | - | - | - | 70 |
| Ear(s) | 02 | 1,030 | - | 40 | 280 | - | 40 | 20 | 140 | 180 | 120 | 200 |
| Face | 03 | 44,450 | 590 | 2,470 | 7,680 | 1,690 | 2,030 | 680 | 6,780 | 6,580 | 8,060 | 7,870 |
| Face, unspecified | 030 | 3,450 | 30 | 270 | 890 | 240 | 310 | 20 | 390 | 320 | 290 | 680 |
| Forehead | 031 | 3,020 | 20 | 150 | 710 | 260 | 200 | 50 | 240 | 280 | 380 | 720 |
| Eye(s) | 032 | 27,450 | 130 | 1,090 | 4,280 | 800 | 1,000 | 470 | 4,930 | 4,410 | 6,330 | 3,990 |
| Nose, nasal cavity | 033 | 2,550 | 60 | 370 | 430 | 160 | 220 | 50 | 190 | 200 | 280 | 600 |
| Nose, except internal location of diseases or disorders | 0330 | 2,520 | 60 | 360 | 420 | 160 | 210 | 50 | 190 | 200 | 280 | 590 |
| Cheek(s) | 034 | 1,080 | - | 70 | 120 | 30 | 30 | - | 120 | 130 | 120 | 450 |
| Jaw/chin | 035 | 810 | - | 150 | 120 | 20 | 30 | - | 170 | 40 | 50 | 210 |
| Mouth | 036 | 3,170 | 310 | 170 | 580 | 80 | 120 | 50 | 390 | 510 | 280 | 690 |
| Mouth, unspecified | 0360 | 330 | - | - | 150 | - | 20 | - | 50 | 40 | 20 | 30 |
| Lip(s) | 0361 | 610 | 30 | 30 | 100 | 30 | 30 | 50 | 50 | 50 | 100 | 140 |
| Tooth(teeth) | 0363 | 1,960 | 250 | 130 | 310 | 40 | 80 | - | 180 | 410 | 120 | 430 |
| Gum | 0364 | 20 | - | - | - | - | - | - | - | - | - | - |
| Multiple mouth locations | 0368 | 240 | 20 | - | - | - | - | - | 80 | - | 40 | 80 |
| Mouth, n.e.c. | 0369 | 20 | - | - | - | - | - | - | - | - | - | - |
| Multiple face locations | 038 | 2,510 | 20 | 170 | 530 | 110 | 110 | 30 | 330 | 460 | 250 | 500 |
| Face, n.e.c. | 039 | 410 | - | 20 | 30 | - | - | - | 20 | 230 | 70 | 30 |
| Multiple head locations | 08 | 850 | - | 30 | 200 | - | 30 | - | 140 | 70 | 210 | 140 |
| Head, n.e.c. | 09 | 50 | - | - | - | - | - | - | - | 20 | - | - |
| Neck, including throat | 1 | 15,890 | 590 | 1,720 | 3,300 | 910 | 1,300 | 180 | 1,240 | 1,610 | 1,260 | 3,780 |
| Neck, except internal location of diseases or disorders | 10 | 15,840 | 590 | 1,700 | 3,290 | 910 | 1,280 | 180 | 1,240 | 1,610 | 1,250 | 3,770 |
| Internal neck location, unspecified | 11 | 40 | - | - | - | - | - | - | - | - | - | - |
| Trunk | 2 | 366,710 | 7,610 | 29,020 | 81,950 | 23,340 | 26,870 | 4,020 | 38,750 | 32,420 | 40,430 | 82,150 |
| Trunk, unspecified | 20 | 1,660 | - | 90 | 320 | 60 | 50 | - | 180 | 220 | 230 | 500 |
| Shoulder, including clavicle, scapula | 21 | 74,100 | 1,510 | 5,180 | 15,580 | 5,180 | 4,680 | 700 | 6,230 | 6,200 | 10,130 | 18,690 |
| Chest, including ribs, internal organs | 22 | 18,020 | 450 | 850 | 3,570 | 650 | 1,070 | 450 | 2,650 | 1,560 | 1,700 | 5,050 |

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2008 — Continued

| Part of body | Part of body code ² | Private industry ³ | Summary occupational groups | | | | | | | | | |
|--|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, Maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Chest, except internal location of diseases or disorders | 220 | 15,620 | 310 | 550 | 2,830 | 580 | 810 | 440 | 2,470 | 1,420 | 1,470 | 4,730 |
| Internal chest location, unspecified | 221 | 180 | — | — | 30 | — | 20 | — | — | 50 | 60 | — |
| Heart | 223 | 560 | 80 | — | 90 | — | 80 | — | 40 | 20 | — | 220 |
| Bronchus | 224 | 190 | — | — | 70 | — | 40 | — | — | — | — | 20 |
| Lung(s), pleura | 225 | 1,460 | 30 | 280 | 560 | 50 | 120 | — | 130 | 70 | 150 | 80 |
| Back, including spine, spinal cord .. | 23 | 222,290 | 4,660 | 19,980 | 53,420 | 14,520 | 17,110 | 2,360 | 23,800 | 19,090 | 21,030 | 46,260 |
| Back, including spine, spinal cord, unspecified | 230 | 90,140 | 1,700 | 7,720 | 22,760 | 6,310 | 6,950 | 880 | 10,380 | 7,570 | 8,520 | 17,330 |
| Lumbar region | 231 | 112,720 | 2,640 | 10,160 | 25,540 | 6,910 | 8,400 | 990 | 12,340 | 10,030 | 10,520 | 25,150 |
| Thoracic region | 232 | 8,600 | 60 | 870 | 1,970 | 650 | 730 | 50 | 440 | 1,060 | 1,030 | 1,750 |
| Sacral region | 233 | 1,090 | — | 90 | 530 | 50 | 100 | — | 40 | 40 | 80 | 130 |
| Coccygeal region | 234 | 1,950 | 90 | 110 | 370 | 160 | 220 | 260 | 60 | 30 | 220 | 420 |
| Multiple back regions | 238 | 6,720 | 130 | 960 | 1,800 | 410 | 640 | 170 | 370 | 310 | 590 | 1,340 |
| Back, including spine, spinal cord, n.e.c. | 239 | 1,060 | 20 | 60 | 440 | 40 | 80 | — | 160 | 60 | 60 | 140 |
| Abdomen | 24 | 25,310 | 400 | 990 | 3,250 | 1,660 | 1,650 | 250 | 2,900 | 3,170 | 4,670 | 6,370 |
| Abdomen, except internal location of diseases or disorders | 240 | 7,520 | 120 | 560 | 1,370 | 430 | 680 | 110 | 570 | 690 | 1,090 | 1,920 |
| Internal abdominal location, unspecified | 241 | 7,620 | 160 | 140 | 680 | 670 | 450 | 60 | 1,050 | 680 | 1,660 | 2,060 |
| Stomach organ | 242 | 480 | 30 | 70 | 40 | 70 | 30 | — | 40 | 90 | 50 | 60 |
| Urinary organs | 244 | 20 | — | — | — | — | — | — | — | — | — | — |
| Bladder | 2441 | 20 | — | — | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 245 | 9,570 | 70 | 210 | 1,150 | 490 | 490 | 70 | 1,240 | 1,680 | 1,860 | 2,320 |
| Intestines, peritoneum, unspecified | 2450 | 8,660 | 50 | 130 | 770 | 440 | 480 | 60 | 1,140 | 1,610 | 1,790 | 2,190 |
| Peritoneum | 2451 | 750 | 20 | 60 | 350 | 50 | — | — | 90 | 40 | 50 | 80 |
| Large intestine/colon, rectum | 2453 | 120 | — | 20 | — | — | — | — | — | 20 | 20 | 50 |
| Intestines, n.e.c. | 2459 | 20 | — | — | 20 | — | — | — | — | — | — | — |
| Other digestive structures | 246 | 30 | 20 | — | — | — | — | — | — | — | — | — |
| Liver | 2461 | 20 | 20 | — | — | — | — | — | — | — | — | — |
| Multiple internal abdominal locations | 248 | 40 | — | — | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | 40 | — | — | — | — | — | — | — | — | — | 20 |
| Pelvic region | 25 | 17,930 | 380 | 1,260 | 3,790 | 860 | 1,840 | 140 | 2,160 | 1,610 | 2,070 | 3,800 |
| Pelvic region, unspecified | 250 | 280 | — | 20 | 80 | — | — | — | 50 | 30 | 30 | 50 |
| Hip(s) | 251 | 7,900 | 270 | 510 | 2,250 | 430 | 1,050 | 50 | 450 | 800 | 800 | 1,300 |
| Pelvis | 252 | 1,060 | — | 90 | 290 | 50 | 40 | 30 | 230 | 80 | 140 | 110 |
| Buttock(s) | 253 | 1,330 | — | 340 | 310 | 50 | 190 | — | 80 | 70 | 70 | 200 |
| Groin | 254 | 6,930 | 90 | 210 | 760 | 310 | 540 | 40 | 1,310 | 600 | 1,010 | 2,060 |

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2008 — Continued

| Part of body | Part of body code ² | Private industry ³ | Summary occupational groups | | | | | | | | | | |
|---|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|----|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, Maintenance, and repair occupations | Production occupations | Transportation and material moving occupations | |
| External reproductive tract structures | 255 | 240 | — | 60 | — | — | — | — | — | 40 | 30 | 20 | 60 |
| External reproductive tract structures, unspecified | 2550 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Scrotum | 2551 | 100 | — | — | — | — | — | — | — | — | — | — | 40 |
| Penis | 2552 | 50 | — | — | — | — | — | — | — | — | — | — | — |
| External female genital region | 2553 | 50 | — | — | — | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | 256 | 30 | — | — | 20 | — | — | — | — | — | — | — | — |
| Uterus | 2564 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations .. | 258 | 130 | — | 30 | 50 | — | — | — | — | — | — | — | — |
| Pelvic region, n.e.c. | 259 | 30 | — | — | 20 | — | — | — | — | — | — | — | — |
| Multiple trunk locations | 28 | 7,230 | 210 | 660 | 1,990 | 410 | 450 | 110 | 820 | 570 | 580 | 1,430 | |
| Trunk, n.e.c. | 29 | 150 | — | 20 | 30 | — | — | — | — | — | 20 | 50 | |
| Upper extremities | 3 | 244,150 | 4,070 | 12,730 | 55,740 | 12,670 | 15,380 | 3,210 | 28,160 | 23,080 | 49,450 | 39,390 | |
| Upper extremities, unspecified | 30 | 340 | — | 30 | 90 | — | 60 | — | — | — | 30 | 80 | |
| Arm(s) | 31 | 48,420 | 1,420 | 3,240 | 10,610 | 3,290 | 2,770 | 850 | 4,930 | 3,990 | 7,330 | 9,930 | |
| Arm(s), unspecified | 310 | 16,850 | 420 | 760 | 4,180 | 1,150 | 1,080 | 490 | 1,820 | 1,100 | 2,440 | 3,360 | |
| Upper arm(s) | 311 | 4,270 | 150 | 220 | 790 | 320 | 220 | 70 | 610 | 330 | 550 | 990 | |
| Elbow(s) | 312 | 16,230 | 740 | 1,480 | 2,960 | 1,320 | 980 | 170 | 1,260 | 1,640 | 2,090 | 3,600 | |
| Forearm(s) | 313 | 8,160 | 80 | 600 | 2,040 | 380 | 300 | 80 | 990 | 590 | 1,700 | 1,400 | |
| Multiple arm(s) locations | 318 | 2,410 | 20 | 170 | 410 | 90 | 170 | 20 | 200 | 300 | 510 | 520 | |
| Arm(s), n.e.c. | 319 | 500 | — | 20 | 230 | — | — | 20 | 40 | 40 | 50 | 60 | |
| Wrist(s) | 32 | 46,660 | 1,070 | 3,700 | 10,570 | 3,300 | 5,770 | 300 | 3,440 | 3,240 | 8,350 | 6,820 | |
| Hand(s), except finger(s) | 33 | 41,940 | 390 | 1,760 | 9,970 | 1,990 | 2,040 | 760 | 5,230 | 4,940 | 7,820 | 6,940 | |
| Finger(s), fingernail(s) | 34 | 95,080 | 890 | 3,280 | 21,770 | 3,530 | 3,680 | 1,200 | 13,230 | 10,030 | 23,530 | 13,940 | |
| Multiple upper extremities locations | 38 | 11,620 | 280 | 700 | 2,710 | 560 | 1,060 | 90 | 1,320 | 870 | 2,370 | 1,660 | |
| Multiple upper extremities locations, unspecified | 380 | 180 | — | — | 30 | — | 30 | — | 30 | — | 30 | 20 | |
| Hand(s) and finger(s) | 381 | 3,800 | 100 | 100 | 540 | 180 | 200 | 30 | 760 | 410 | 1,000 | 480 | |
| Hand(s) and wrist(s) | 382 | 2,630 | 100 | 130 | 740 | 90 | 320 | 20 | 170 | 120 | 510 | 420 | |
| Hand(s) and arm(s) | 383 | 1,400 | 40 | 60 | 460 | 90 | 80 | — | 80 | 140 | 310 | 120 | |
| Multiple upper extremities locations, n.e.c. | 389 | 3,600 | 30 | 410 | 930 | 200 | 420 | 30 | 270 | 180 | 520 | 610 | |
| Upper extremities, n.e.c. | 39 | 90 | — | — | — | — | — | — | — | — | 20 | 30 | |
| Lower extremities | 4 | 240,760 | 6,650 | 18,030 | 48,520 | 16,240 | 20,050 | 3,670 | 31,230 | 18,490 | 25,510 | 52,250 | |
| Lower extremities, unspecified | 40 | 250 | — | 20 | 30 | 20 | 20 | — | — | 70 | — | 70 | |
| Leg(s) | 41 | 127,820 | 3,810 | 9,840 | 25,800 | 7,780 | 9,110 | 1,700 | 16,970 | 10,990 | 14,080 | 27,670 | |
| Leg(s), unspecified | 410 | 17,060 | 590 | 790 | 3,860 | 750 | 1,210 | 360 | 2,180 | 1,220 | 1,700 | 4,380 | |
| Thigh(s) | 411 | 4,720 | 70 | 390 | 690 | 160 | 260 | 130 | 770 | 300 | 710 | 1,250 | |
| Knee(s) | 412 | 91,830 | 2,870 | 7,820 | 19,240 | 5,980 | 6,620 | 890 | 11,680 | 8,500 | 10,100 | 18,070 | |
| Lower leg(s) | 413 | 10,280 | 220 | 500 | 1,250 | 430 | 780 | 290 | 1,920 | 700 | 1,190 | 3,010 | |
| Multiple leg(s) locations | 418 | 3,430 | 60 | 330 | 670 | 420 | 190 | 30 | 300 | 230 | 350 | 830 | |

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2008 — Continued

| Part of body | Part of body code ² | Private industry ³ | Summary occupational groups | | | | | | | | | |
|---|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, Maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Leg(s), n.e.c. | 419 | 500 | — | — | 90 | 40 | 60 | — | 110 | 30 | 30 | 130 |
| Ankle(s) | 42 | 55,270 | 1,590 | 5,070 | 12,490 | 3,710 | 4,750 | 710 | 6,890 | 3,530 | 4,620 | 11,880 |
| Foot(feet), except toe(s) | 43 | 38,690 | 810 | 2,040 | 6,470 | 3,190 | 4,110 | 870 | 5,340 | 2,560 | 4,700 | 8,600 |
| Foot(feet), except toe(s), unspecified | 430 | 33,710 | 660 | 1,710 | 5,980 | 3,050 | 3,770 | 710 | 3,900 | 2,050 | 4,180 | 7,700 |
| Instep(s) | 431 | 160 | — | — | 20 | — | 30 | — | 50 | — | 30 | — |
| Sole | 432 | 3,820 | 140 | 240 | 280 | 90 | 190 | 40 | 1,320 | 500 | 330 | 680 |
| Sole(s), unspecified | 4320 | 460 | — | — | 60 | — | 60 | — | 230 | — | 20 | 70 |
| Ball(s) of foot | 4321 | 420 | — | — | — | — | — | — | — | — | — | — |
| Arch(es) | 4322 | 70 | — | — | 30 | — | — | — | — | — | — | — |
| Heel(s) | 4323 | 2,840 | 130 | 220 | 180 | 80 | 130 | 40 | 670 | 490 | 310 | 570 |
| Sole(s), n.e.c. | 4329 | 20 | — | — | — | — | — | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | 260 | — | 50 | 60 | — | 20 | — | 20 | — | 60 | 30 |
| Foot(feet), n.e.c. | 439 | 740 | — | 40 | 130 | 40 | 90 | 110 | 50 | — | 90 | 160 |
| Toe(s), toenail(s) | 44 | 10,700 | 110 | 440 | 1,770 | 980 | 1,110 | 200 | 1,300 | 850 | 1,430 | 2,520 |
| Multiple lower extremities locations | 48 | 7,970 | 320 | 620 | 1,950 | 560 | 940 | 190 | 730 | 480 | 670 | 1,500 |
| Multiple lower extremities locations, unspecified | 480 | 130 | — | — | 40 | — | — | — | 20 | — | — | 20 |
| Foot(feet) and leg(s) | 481 | 1,010 | 50 | 30 | 210 | 260 | 40 | — | 30 | 90 | 170 | 130 |
| Foot(feet) and ankle(s) | 482 | 2,830 | 40 | 220 | 700 | 140 | 410 | 110 | 240 | 100 | 190 | 680 |
| Foot(feet) and toe(s) | 483 | 1,070 | — | — | 290 | 30 | 100 | 20 | 170 | 150 | 110 | 180 |
| Multiple lower extremities locations, n.e.c. | 489 | 2,930 | 210 | 370 | 700 | 120 | 380 | 50 | 270 | 130 | 190 | 490 |
| Lower extremities, n.e.c. | 49 | 60 | — | — | — | — | — | — | — | — | — | — |
| Body systems | 5 | 15,860 | 710 | 2,060 | 3,870 | 1,660 | 2,060 | 170 | 1,470 | 800 | 1,450 | 1,600 |
| Multiple body parts | 8 | 112,200 | 4,840 | 11,650 | 26,770 | 9,660 | 9,840 | 1,030 | 10,310 | 7,260 | 9,350 | 21,380 |
| Other body parts | 9 | 50 | — | — | — | — | — | — | — | — | — | 30 |
| Other body parts, n.e.c. | 98 | 20 | — | — | — | — | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 9,240 | 310 | 570 | 2,010 | 500 | 560 | 130 | 470 | 410 | 820 | 2,480 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies