

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,078,140	160,190	14.9	118,600	11.0	192,180	17.8
Head	0	73,270	25,480	34.8	13,600	18.6	14,780	20.2
Head, unspecified	00	16,340	4,710	28.8	2,440	14.9	3,840	23.5
Cranial region, including skull	01	10,550	2,320	22.0	1,900	18.0	1,440	13.6
Cranial region, unspecified	010	160	30	18.8	—	—	50	31.2
Brain	011	6,720	1,160	17.3	1,470	21.9	930	13.8
Scalp	012	2,740	1,040	38.0	390	14.2	320	11.7
Skull	013	640	50	7.8	30	4.7	70	10.9
Multiple cranial region locations	018	170	—	—	—	—	60	35.3
Cranial region, n.e.c.	019	120	30	25.0	—	—	—	—
Ear(s)	02	1,030	270	26.2	150	14.6	320	31.1
Face	03	44,450	17,940	40.4	9,010	20.3	8,880	20.0
Face, unspecified	030	3,450	1,050	30.4	540	15.7	800	23.2
Forehead	031	3,020	1,420	47.0	450	14.9	440	14.6
Eye(s)	032	27,450	12,200	44.4	5,910	21.5	5,410	19.7
Nose, nasal cavity	033	2,550	500	19.6	510	20.0	610	23.9
Nose, except internal location of diseases or disorders	0330	2,520	490	19.4	500	19.8	590	23.4
Cheek(s)	034	1,080	290	26.9	190	17.6	260	24.1
Jaw/chin	035	810	280	34.6	180	22.2	60	7.4
Mouth	036	3,170	1,560	49.2	560	17.7	530	16.7
Mouth, unspecified	0360	330	50	15.2	50	15.2	190	57.6
Lip(s)	0361	610	350	57.4	140	23.0	50	8.2
Tooth(teeth)	0363	1,960	1,040	53.1	340	17.3	260	13.3
Gum	0364	20	—	—	—	—	—	—
Multiple mouth locations	0368	240	100	41.7	20	8.3	30	12.5
Mouth, n.e.c.	0369	20	—	—	—	—	—	—
Multiple face locations	038	2,510	570	22.7	600	23.9	710	28.3
Face, n.e.c.	039	410	70	17.1	60	14.6	50	12.2
Multiple head locations	08	850	230	27.1	100	11.8	260	30.6
Head, n.e.c.	09	50	—	—	—	—	30	60.0
Neck, including throat	1	15,890	2,690	16.9	2,110	13.3	3,120	19.6
Neck, except internal location of diseases or disorders ...	10	15,840	2,670	16.9	2,090	13.2	3,120	19.7
Internal neck location, unspecified	11	40	—	—	20	50.0	—	—
Trunk	2	366,710	42,110	11.5	36,250	9.9	68,530	18.7
Trunk, unspecified	20	1,660	320	19.3	160	9.6	260	15.7
Shoulder, including clavicle, scapula	21	74,100	6,130	8.3	5,360	7.2	9,550	12.9
Chest, including ribs, internal organs	22	18,020	3,190	17.7	1,900	10.5	4,050	22.5
Chest, except internal location of diseases or disorders	220	15,620	2,670	17.1	1,630	10.4	3,410	21.8
Internal chest location, unspecified	221	180	40	22.2	—	—	30	16.7
Heart	223	560	60	10.7	20	3.6	130	23.2
Bronchus	224	190	—	—	80	42.1	30	15.8
Lung(s), pleura	225	1,460	410	28.1	160	11.0	450	30.8

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	127,920	11.9	126,060	11.7	73,370	6.8	279,830	26.0	8
Head	6,140	8.4	4,740	6.5	2,040	2.8	6,480	8.8	2
Head, unspecified	1,620	9.9	1,200	7.3	420	2.6	2,100	12.9	3
Cranial region, including skull	1,110	10.5	950	9.0	570	5.4	2,260	21.4	5
Cranial region, unspecified	50	31.2	—	—	—	—	20	12.5	5
Brain	620	9.2	740	11.0	350	5.2	1,460	21.7	5
Scalp	330	12.0	130	4.7	70	2.6	460	16.8	2
Skull	20	3.1	80	12.5	150	23.4	250	39.1	23
Multiple cranial region locations	90	52.9	—	—	—	—	—	—	6
Cranial region, n.e.c.	—	—	—	—	—	—	60	50.0	180
Ear(s)	120	11.7	70	6.8	30	2.9	70	6.8	3
Face	3,220	7.2	2,400	5.4	1,010	2.3	1,990	4.5	2
Face, unspecified	310	9.0	350	10.1	100	2.9	310	9.0	3
Forehead	260	8.6	110	3.6	160	5.3	180	6.0	2
Eye(s)	1,650	6.0	1,170	4.3	330	1.2	770	2.8	2
Nose, nasal cavity	350	13.7	270	10.6	150	5.9	170	6.7	3
Nose, except internal location of diseases or disorders	340	13.5	270	10.7	140	5.6	170	6.7	3
Cheek(s)	170	15.7	80	7.4	20	1.9	60	5.6	3
Jaw/chin	130	16.0	60	7.4	20	2.5	80	9.9	2
Mouth	150	4.7	110	3.5	170	5.4	90	2.8	2
Mouth, unspecified	30	9.1	—	—	—	—	—	—	3
Lip(s)	40	6.6	20	3.3	—	—	—	—	1
Tooth(teeth)	70	3.6	50	2.6	150	7.7	40	2.0	1
Gum	—	—	—	—	—	—	—	—	10
Multiple mouth locations	—	—	—	—	—	—	30	12.5	2
Mouth, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple face locations	170	6.8	240	9.6	60	2.4	150	6.0	3
Face, n.e.c.	20	4.9	—	—	—	—	190	46.3	12
Multiple head locations	60	7.1	110	12.9	20	2.4	50	5.9	3
Head, n.e.c.	—	—	—	—	—	—	—	—	5
Neck, including throat	2,100	13.2	1,310	8.2	900	5.7	3,660	23.0	6
Neck, except internal location of diseases or disorders ...	2,090	13.2	1,310	8.3	900	5.7	3,650	23.0	6
Internal neck location, unspecified	—	—	—	—	—	—	—	—	2
Trunk	47,010	12.8	44,880	12.2	27,100	7.4	100,820	27.5	10
Trunk, unspecified	320	19.3	130	7.8	30	1.8	450	27.1	7
Shoulder, including clavicle, scapula	8,210	11.1	8,330	11.2	5,210	7.0	31,320	42.3	20
Chest, including ribs, internal organs	2,110	11.7	2,070	11.5	1,800	10.0	2,900	16.1	5
Chest, except internal location of diseases or disorders	1,880	12.0	1,910	12.2	1,670	10.7	2,450	15.7	6
Internal chest location, unspecified	—	—	60	33.3	—	—	40	22.2	16
Heart	—	—	20	3.6	70	12.5	250	44.6	21
Bronchus	60	31.6	—	—	—	—	—	—	3
Lung(s), pleura	140	9.6	80	5.5	50	3.4	170	11.6	4

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Back, including spine, spinal cord	23	222,290	27,740	12.5	25,350	11.4	48,400	21.8
Back, including spine, spinal cord, unspecified	230	90,140	11,740	13.0	10,170	11.3	18,880	20.9
Lumbar region	231	112,720	13,110	11.6	12,300	10.9	25,590	22.7
Thoracic region	232	8,600	1,580	18.4	1,530	17.8	1,790	20.8
Sacral region	233	1,090	100	9.2	130	11.9	150	13.8
Coccygeal region	234	1,950	350	17.9	120	6.2	300	15.4
Multiple back regions	238	6,720	830	12.4	850	12.6	1,440	21.4
Back, including spine, spinal cord, n.e.c.	239	1,060	40	3.8	260	24.5	260	24.5
Abdomen	24	25,310	1,470	5.8	1,390	5.5	2,490	9.8
Abdomen, except internal location of diseases or disorders	240	7,520	1,070	14.2	1,090	14.5	1,460	19.4
Internal abdominal location, unspecified	241	7,620	170	2.2	130	1.7	410	5.4
Stomach organ	242	480	50	10.4	40	8.3	80	16.7
Urinary organs	244	20	—	—	—	—	—	—
Bladder	2441	20	—	—	—	—	—	—
Intestines, peritoneum	245	9,570	160	1.7	100	1.0	530	5.5
Intestines, peritoneum, unspecified	2450	8,660	130	1.5	80	.9	490	5.7
Peritoneum	2451	750	—	—	—	—	40	5.3
Large intestine/colon, rectum	2453	120	30	25.0	—	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—
Other digestive structures	246	30	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	40	—	—	—	—	—	—
Pelvic region	25	17,930	2,430	13.6	1,270	7.1	2,430	13.6
Pelvic region, unspecified	250	280	—	—	—	—	20	7.1
Hip(s)	251	7,900	820	10.4	560	7.1	1,060	13.4
Pelvis	252	1,060	20	1.9	40	3.8	40	3.8
Buttock(s)	253	1,330	590	44.4	160	12.0	180	13.5
Groin	254	6,930	920	13.3	440	6.3	1,070	15.4
External reproductive tract structures	255	240	30	12.5	40	16.7	30	12.5
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—
Scrotum	2551	100	—	—	30	30.0	—	—
Penis	2552	50	—	—	—	—	—	—
External female genital region	2553	50	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—
Multiple pelvic region locations	258	130	—	—	20	15.4	20	15.4
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—
Multiple trunk locations	28	7,230	800	11.1	820	11.3	1,300	18.0
Trunk, n.e.c.	29	150	30	20.0	—	—	50	33.3
Upper extremities	3	244,150	41,750	17.1	27,050	11.1	41,060	16.8
Upper extremities, unspecified	30	340	40	11.8	90	26.5	50	14.7
Arm(s)	31	48,420	7,110	14.7	4,970	10.3	7,610	15.7
Arm(s), unspecified	310	16,850	2,690	16.0	1,490	8.8	2,850	16.9
Upper arm(s)	311	4,270	330	7.7	280	6.6	610	14.3
Elbow(s)	312	16,230	1,940	12.0	1,710	10.5	2,340	14.4
Forearm(s)	313	8,160	1,860	22.8	1,210	14.8	1,410	17.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Back, including spine, spinal cord	30,330	13.6	25,860	11.6	14,000	6.3	50,620	22.8	7
Back, including spine, spinal cord, unspecified	12,060	13.4	9,840	10.9	6,190	6.9	21,270	23.6	7
Lumbar region	15,780	14.0	13,770	12.2	6,880	6.1	25,280	22.4	7
Thoracic region	1,030	12.0	980	11.4	390	4.5	1,320	15.3	4
Sacral region	130	11.9	60	5.5	50	4.6	480	44.0	14
Coccygeal region	530	27.2	210	10.8	40	2.1	400	20.5	6
Multiple back regions	710	10.6	910	13.5	400	6.0	1,600	23.8	7
Back, including spine, spinal cord, n.e.c.	90	8.5	80	7.5	60	5.7	270	25.5	5
Abdomen	2,810	11.1	5,040	19.9	3,990	15.8	8,130	32.1	19
Abdomen, except internal location of diseases or disorders	730	9.7	740	9.8	800	10.6	1,630	21.7	6
Internal abdominal location, unspecified	580	7.6	1,850	24.3	1,590	20.9	2,890	37.9	26
Stomach organ	50	10.4	100	20.8	40	8.3	130	27.1	14
Urinary organs	—	—	—	—	—	—	—	—	18
Bladder	—	—	—	—	—	—	—	—	18
Intestines, peritoneum	1,440	15.0	2,330	24.3	1,560	16.3	3,440	35.9	21
Intestines, peritoneum, unspecified	1,410	16.3	1,920	22.2	1,390	16.1	3,250	37.5	22
Peritoneum	20	2.7	380	50.7	150	20.0	140	18.7	15
Large intestine/colon, rectum	—	—	20	16.7	20	16.7	40	33.3	21
Intestines, n.e.c.	—	—	—	—	—	—	—	—	14
Other digestive structures	—	—	—	—	—	—	20	66.7	72
Liver	—	—	—	—	—	—	20	100.0	84
Multiple internal abdominal locations	—	—	—	—	—	—	—	—	2
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	10
Pelvic region	2,360	13.2	2,210	12.3	1,590	8.9	5,640	31.5	13
Pelvic region, unspecified	90	32.1	20	7.1	20	7.1	100	35.7	15
Hip(s)	1,150	14.6	590	7.5	710	9.0	3,020	38.2	15
Pelvis	130	12.3	270	25.5	160	15.1	400	37.7	27
Buttock(s)	150	11.3	80	6.0	20	1.5	150	11.3	2
Groin	810	11.7	1,160	16.7	660	9.5	1,860	26.8	13
External reproductive tract structures	20	8.3	70	29.2	—	—	40	16.7	12
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	10
Scrotum	—	—	—	—	—	—	—	—	3
Penis	—	—	—	—	—	—	—	—	13
External female genital region	—	—	50	100.0	—	—	—	—	19
Internal reproductive tract structures	—	—	—	—	—	—	—	—	4
Uterus	—	—	—	—	—	—	—	—	7
Multiple pelvic region locations	—	—	—	—	—	—	60	46.2	30
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	5
Multiple trunk locations	860	11.9	1,230	17.0	480	6.6	1,730	23.9	10
Trunk, n.e.c.	20	13.3	—	—	—	—	30	20.0	4
Upper extremities	29,580	12.1	31,820	13.0	16,300	6.7	56,600	23.2	7
Upper extremities, unspecified	50	14.7	40	11.8	—	—	60	17.6	5
Arm(s)	5,000	10.3	6,150	12.7	3,650	7.5	13,920	28.7	10
Arm(s), unspecified	1,550	9.2	1,770	10.5	1,680	10.0	4,820	28.6	10
Upper arm(s)	440	10.3	580	13.6	210	4.9	1,820	42.6	18
Elbow(s)	1,700	10.5	2,680	16.5	1,310	8.1	4,560	28.1	13
Forearm(s)	1,040	12.7	800	9.8	260	3.2	1,580	19.4	4

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple arm(s) locations	318	2,410	220	9.1	250	10.4	330	13.7
Arm(s), n.e.c.	319	500	60	12.0	30	6.0	80	16.0
Wrist(s)	32	46,660	5,700	12.2	3,730	8.0	6,140	13.2
Hand(s), except finger(s)	33	41,940	7,980	19.0	5,000	11.9	7,590	18.1
Finger(s), fingernail(s)	34	95,080	19,350	20.4	12,250	12.9	17,690	18.6
Multiple upper extremities locations	38	11,620	1,570	13.5	1,010	8.7	1,970	17.0
Multiple upper extremities locations, unspecified	380	180	20	11.1	40	22.2	20	11.1
Hand(s) and finger(s)	381	3,800	620	16.3	400	10.5	610	16.1
Hand(s) and wrist(s)	382	2,630	330	12.5	200	7.6	410	15.6
Hand(s) and arm(s)	383	1,400	230	16.4	80	5.7	470	33.6
Multiple upper extremities locations, n.e.c.	389	3,600	370	10.3	280	7.8	450	12.5
Upper extremities, n.e.c.	39	90	-	-	-	-	-	-
Lower extremities	4	240,760	28,270	11.7	23,410	9.7	40,890	17.0
Lower extremities, unspecified	40	250	20	8.0	-	-	50	20.0
Leg(s)	41	127,820	13,290	10.4	11,480	9.0	19,050	14.9
Leg(s), unspecified	410	17,060	2,280	13.4	2,240	13.1	2,370	13.9
Thigh(s)	411	4,720	720	15.3	910	19.3	920	19.5
Knee(s)	412	91,830	8,190	8.9	7,180	7.8	13,430	14.6
Lower leg(s)	413	10,280	1,430	13.9	780	7.6	1,710	16.6
Multiple leg(s) locations	418	3,430	640	18.7	340	9.9	500	14.6
Leg(s), n.e.c.	419	500	30	6.0	20	4.0	130	26.0
Ankle(s)	42	55,270	6,850	12.4	5,800	10.5	10,680	19.3
Foot(foot), except toe(s)	43	38,690	5,330	13.8	4,230	10.9	7,360	19.0
Foot(foot), except toe(s), unspecified	430	33,710	4,500	13.3	3,830	11.4	6,440	19.1
Instep(s)	431	160	-	-	20	12.5	70	43.8
Sole	432	3,820	710	18.6	310	8.1	540	14.1
Sole(s), unspecified	4320	460	50	10.9	110	23.9	160	34.8
Ball(s) of foot	4321	420	400	95.2	-	-	-	-
Arch(es)	4322	70	-	-	-	-	20	28.6
Heel(s)	4323	2,840	250	8.8	180	6.3	350	12.3
Sole(s), n.e.c.	4329	20	-	-	20	100.0	-	-
Multiple foot(foot) locations	438	260	20	7.7	30	11.5	40	15.4
Foot(foot), n.e.c.	439	740	100	13.5	40	5.4	270	36.5
Toe(s), toenail(s)	44	10,700	1,860	17.4	1,090	10.2	2,270	21.2
Multiple lower extremities locations	48	7,970	920	11.5	800	10.0	1,480	18.6
Multiple lower extremities locations, unspecified	480	130	20	15.4	-	-	20	15.4
Foot(foot) and leg(s)	481	1,010	110	10.9	50	5.0	240	23.8
Foot(foot) and ankle(s)	482	2,830	250	8.8	280	9.9	670	23.7
Foot(foot) and toe(s)	483	1,070	160	15.0	190	17.8	130	12.1
Multiple lower extremities locations, n.e.c.	489	2,930	370	12.6	280	9.6	420	14.3
Lower extremities, n.e.c.	49	60	-	-	-	-	-	-
Body systems	5	15,860	3,640	23.0	2,170	13.7	3,840	24.2
Multiple body parts	8	112,200	14,590	13.0	12,340	11.0	18,740	16.7
Other body parts	9	50	-	-	-	-	-	-
Other body parts, n.e.c.	98	20	-	-	-	-	-	-

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple arm(s) locations	210	8.7	270	11.2	180	7.5	940	39.0	18
Arm(s), n.e.c.	50	10.0	50	10.0	20	4.0	210	42.0	16
Wrist(s)	5,100	10.9	6,540	14.0	3,630	7.8	15,820	33.9	14
Hand(s), except finger(s)	6,030	14.4	5,520	13.2	2,370	5.7	7,460	17.8	6
Finger(s), fingernail(s)	11,910	12.5	11,780	12.4	6,010	6.3	16,090	16.9	5
Multiple upper extremities locations	1,470	12.7	1,770	15.2	610	5.2	3,220	27.7	10
Multiple upper extremities locations, unspecified	20	11.1	20	11.1	20	11.1	40	22.2	8
Hand(s) and finger(s)	420	11.1	390	10.3	150	3.9	1,210	31.8	8
Hand(s) and wrist(s)	310	11.8	480	18.3	140	5.3	760	28.9	12
Hand(s) and arm(s)	180	12.9	110	7.9	50	3.6	270	19.3	5
Multiple upper extremities locations, n.e.c.	550	15.3	780	21.7	240	6.7	930	25.8	13
Upper extremities, n.e.c.	-	-	20	22.2	-	-	30	33.3	17
Lower extremities	27,520	11.4	29,030	12.1	18,730	7.8	72,910	30.3	11
Lower extremities, unspecified	20	8.0	40	16.0	20	8.0	110	44.0	20
Leg(s)	13,850	10.8	16,700	13.1	10,760	8.4	42,700	33.4	14
Leg(s), unspecified	1,550	9.1	2,190	12.8	870	5.1	5,570	32.6	11
Thigh(s)	540	11.4	440	9.3	160	3.4	1,030	21.8	5
Knee(s)	10,010	10.9	12,220	13.3	8,630	9.4	32,180	35.0	15
Lower leg(s)	1,420	13.8	1,400	13.6	860	8.4	2,670	26.0	10
Multiple leg(s) locations	230	6.7	420	12.2	190	5.5	1,110	32.4	11
Leg(s), n.e.c.	100	20.0	30	6.0	40	8.0	150	30.0	7
Ankle(s)	6,960	12.6	6,250	11.3	3,620	6.5	15,120	27.4	8
Foot(feet), except toe(s)	4,410	11.4	3,590	9.3	2,970	7.7	10,790	27.9	7
Foot(feet), except toe(s), unspecified	3,870	11.5	3,330	9.9	2,690	8.0	9,050	26.8	7
Instep(s)	-	-	-	-	20	12.5	30	18.8	4
Sole	460	12.0	190	5.0	160	4.2	1,450	38.0	10
Sole(s), unspecified	60	13.0	-	-	-	-	70	15.2	4
Ball(s) of foot	-	-	-	-	-	-	-	-	1
Arch(es)	-	-	-	-	-	-	30	42.9	23
Heel(s)	390	13.7	170	6.0	150	5.3	1,330	46.8	23
Sole(s), n.e.c.	-	-	-	-	-	-	-	-	2
Multiple foot(feet) locations	30	11.5	20	7.7	-	-	110	42.3	14
Foot(feet), n.e.c.	50	6.8	50	6.8	80	10.8	160	21.6	5
Toe(s), toenail(s)	1,370	12.8	1,430	13.4	770	7.2	1,910	17.9	6
Multiple lower extremities locations	900	11.3	1,020	12.8	590	7.4	2,250	28.2	10
Multiple lower extremities locations, unspecified	-	-	20	15.4	-	-	50	38.5	14
Foot(feet) and leg(s)	150	14.9	110	10.9	30	3.0	320	31.7	7
Foot(feet) and ankle(s)	290	10.2	390	13.8	180	6.4	780	27.6	9
Foot(feet) and toe(s)	100	9.3	170	15.9	30	2.8	280	26.2	9
Multiple lower extremities locations, n.e.c.	350	11.9	350	11.9	350	11.9	810	27.6	12
Lower extremities, n.e.c.	-	-	-	-	-	-	20	33.3	15
Body systems	1,730	10.9	1,160	7.3	1,100	6.9	2,220	14.0	4
Multiple body parts	12,820	11.4	12,100	10.8	6,620	5.9	34,990	31.2	9
Other body parts	-	-	-	-	-	-	40	80.0	165
Other body parts, n.e.c.	-	-	-	-	-	-	-	-	77

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	9,240	1,660	18.0	1,660	18.0	1,210	13.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nonclassifiable	1,020	11.0	1,020	11.0	570	6.2	2,100	22.7	6

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies