

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2008

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		1,078,140	7,910	84,480	103,190	218,650	171,750	150,910	74,560	19,210	6,360	920	240,200
<b>Head</b> .....	0	73,270	520	5,410	6,790	14,440	12,020	11,350	6,080	1,390	360	50	14,860
Head, unspecified .....	00	16,340	100	1,730	1,980	3,010	2,910	2,140	1,090	300	80	-	3,000
Cranial region, including skull .....	01	10,550	200	970	1,170	2,010	1,620	1,770	710	320	90	30	1,680
Cranial region, unspecified .....	010	160	-	-	-	30	20	-	-	-	-	-	70
Brain .....	011	6,720	180	660	750	1,250	1,130	1,010	420	240	70	30	990
Scalp .....	012	2,740	-	250	250	590	410	610	130	50	-	-	410
Skull .....	013	640	-	40	50	110	60	90	160	-	-	-	110
Multiple cranial region locations .....	018	170	-	-	100	-	-	20	-	-	-	-	30
Cranial region, n.e.c. ....	019	120	-	-	-	20	-	30	-	-	-	-	60
Ear(s) .....	02	1,030	-	70	60	270	90	270	30	-	-	-	220
Face .....	03	44,450	220	2,610	3,470	8,860	7,280	7,090	4,120	760	180	20	9,850
Face, unspecified .....	030	3,450	30	160	480	570	710	440	230	70	20	-	730
Forehead .....	031	3,020	100	230	330	750	440	290	190	110	20	-	570
Eye(s) .....	032	27,450	40	1,320	1,770	5,310	4,000	4,520	2,830	390	80	-	7,180
Nose, nasal cavity .....	033	2,550	20	260	250	470	440	380	260	-	20	-	440
Nose, except internal location of diseases or disorders .....	0330	2,520	20	250	250	450	440	380	260	-	20	-	440
Cheek(s) .....	034	1,080	-	100	50	140	250	250	80	-	-	-	190
Jaw/chin .....	035	810	-	30	120	60	150	160	60	-	-	-	210
Mouth .....	036	3,170	-	180	220	800	640	640	280	80	40	-	290
Mouth, unspecified .....	0360	330	-	-	20	-	180	20	-	-	-	-	70
Lip(s) .....	0361	610	-	30	20	270	60	120	30	-	-	-	60
Tooth(teeth) .....	0363	1,960	-	140	170	440	360	440	190	60	20	-	130
Gum .....	0364	20	-	-	-	-	-	-	-	-	-	-	-
Multiple mouth locations .....	0368	240	-	-	-	70	30	50	40	-	-	-	40
Mouth, n.e.c. ....	0369	20	-	-	-	-	-	-	-	-	-	-	-
Multiple face locations .....	038	2,510	-	300	220	750	420	390	140	70	-	-	210
Face, n.e.c. ....	039	410	-	30	30	20	230	-	50	-	-	-	20
Multiple head locations .....	08	850	-	30	90	290	110	100	120	-	-	-	90
Head, n.e.c. ....	09	50	-	-	20	-	-	-	-	-	-	-	20
<b>Neck, including throat</b> .....	1	15,890	160	1,340	1,600	3,430	1,950	1,970	1,110	230	140	-	3,960
Neck, except internal location of diseases or disorders .....	10	15,840	160	1,340	1,600	3,430	1,940	1,960	1,110	230	140	-	3,940
Internal neck location, unspecified .....	11	40	-	-	-	-	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	366,710	1,670	30,520	35,890	74,960	55,980	48,220	21,930	6,080	2,140	390	88,930
Trunk, unspecified .....	20	1,660	-	180	300	220	140	150	210	20	-	-	420
Shoulder, including clavicle, scapula .....	21	74,100	410	5,670	5,760	14,480	11,180	10,960	5,310	1,540	410	230	18,150
Chest, including ribs, internal organs .....	22	18,020	90	1,900	1,530	3,730	3,040	2,410	1,270	540	120	-	3,400
Chest, except internal location of diseases or disorders .....	220	15,620	90	1,610	1,300	3,180	2,600	2,170	1,190	520	110	-	2,850
Internal chest location, unspecified .....	221	180	-	-	-	20	30	-	-	-	-	-	100
Heart .....	223	560	-	30	80	120	180	50	30	-	-	-	70
Bronchus .....	224	190	-	50	-	-	60	40	-	-	-	-	30
Lung(s), pleura .....	225	1,460	-	200	130	390	170	140	50	20	-	-	360

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Back, including spine, spinal cord .....	23	222,290	910	18,470	23,590	47,180	33,530	27,960	12,220	2,980	1,200	140	54,130
Back, including spine, spinal cord, unspecified .....	230	90,140	370	7,160	9,100	18,350	13,760	9,780	5,390	1,070	480	50	24,620
Lumbar region .....	231	112,720	430	9,560	12,490	25,190	16,020	15,440	5,590	1,500	610	80	25,800
Thoracic region .....	232	8,600	20	710	840	1,740	1,740	1,190	480	290	70	—	1,530
Sacral region .....	233	1,090	20	30	370	190	170	90	—	40	—	—	190
Coccygeal region .....	234	1,950	50	110	160	280	630	260	160	20	—	—	260
Multiple back regions .....	238	6,720	20	670	510	1,190	1,040	1,050	550	60	40	—	1,590
Back, including spine, spinal cord, n.e.c. ....	239	1,060	—	230	110	230	170	140	40	—	—	—	130
Abdomen .....	24	25,310	20	1,470	2,150	4,450	4,090	3,460	1,170	530	240	—	7,740
Abdomen, except internal location of diseases or disorders .....	240	7,520	—	650	940	1,660	1,200	1,220	410	110	160	—	1,150
Internal abdominal location, unspecified .....	241	7,620	—	300	430	1,210	1,090	1,030	370	200	60	—	2,920
Stomach organ .....	242	480	—	20	40	70	50	60	30	—	—	—	210
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—	—	—
Bladder .....	2441	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,570	—	490	740	1,480	1,710	1,130	340	200	20	—	3,440
Intestines, peritoneum, unspecified .....	2450	8,660	—	470	690	1,320	1,660	1,050	320	180	20	—	2,940
Peritoneum .....	2451	750	—	—	20	150	40	70	20	—	—	—	450
Large intestine/colon, rectum .....	2453	120	—	—	30	—	—	—	—	—	—	—	40
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—	—	—	—
Other digestive structures .....	246	30	—	—	—	—	—	—	20	—	—	—	—
Liver .....	2461	20	—	—	—	—	—	—	20	—	—	—	—
Multiple internal abdominal locations ..	248	40	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	40	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	25	17,930	190	2,150	2,030	3,260	2,560	2,200	1,390	320	100	20	3,700
Pelvic region, unspecified .....	250	280	—	—	—	40	20	60	—	—	—	—	120
Hip(s) .....	251	7,900	90	1,030	760	1,360	1,140	1,030	490	120	70	—	1,810
Pelvis .....	252	1,060	—	90	280	200	260	80	70	—	—	—	80
Buttock(s) .....	253	1,330	80	370	40	310	140	130	60	20	—	—	180
Groin .....	254	6,930	—	590	930	1,280	930	860	720	160	20	20	1,390
External reproductive tract structures ..	255	240	—	40	—	20	40	20	20	—	—	—	80
External reproductive tract structures, unspecified .....	2550	30	—	—	—	—	—	—	—	—	—	—	20
Scrotum .....	2551	100	—	40	—	—	—	20	—	—	—	—	—
Penis .....	2552	50	—	—	—	—	—	—	20	—	—	—	—
External female genital region .....	2553	50	—	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures ..	256	30	—	—	—	—	—	—	—	—	—	—	—
Uterus .....	2564	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	130	—	—	—	40	20	20	—	—	—	—	20
Pelvic region, n.e.c. ....	259	30	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	7,230	50	680	480	1,600	1,430	1,060	360	140	60	—	1,380
Trunk, n.e.c. ....	29	150	—	—	60	30	20	20	—	—	—	—	20
<b>Upper extremities .....</b>	<b>3</b>	<b>244,150</b>	<b>840</b>	<b>17,050</b>	<b>24,470</b>	<b>51,070</b>	<b>39,320</b>	<b>34,450</b>	<b>16,990</b>	<b>4,140</b>	<b>1,230</b>	<b>70</b>	<b>54,510</b>
Upper extremities, unspecified .....	30	340	—	20	20	40	90	30	—	—	—	—	130

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Arm(s) .....	31	48,420	320	4,050	4,950	8,400	8,110	7,090	3,720	980	400	30	10,380
Arm(s), unspecified .....	310	16,850	130	1,360	1,800	2,870	3,230	2,320	1,040	150	280	—	3,660
Upper arm(s) .....	311	4,270	20	430	430	730	700	520	390	50	—	—	980
Elbow(s) .....	312	16,230	130	1,220	1,470	3,160	2,350	2,110	1,600	580	40	20	3,570
Forearm(s) .....	313	8,160	30	710	1,040	1,140	1,400	1,630	560	110	50	—	1,480
Multiple arm(s) locations .....	318	2,410	—	200	190	450	340	440	100	80	—	—	600
Arm(s), n.e.c. ....	319	500	—	120	30	60	90	70	20	—	—	—	90
Wrist(s) .....	32	46,660	290	3,610	4,140	8,450	5,500	5,180	2,920	650	180	30	15,710
Hand(s), except finger(s) .....	33	41,940	130	2,740	3,990	9,970	6,850	6,240	2,400	710	250	—	8,670
Finger(s), fingernail(s) .....	34	95,080	70	5,940	10,360	21,940	16,780	14,460	7,430	1,660	330	—	16,100
Multiple upper extremities locations .....	38	11,620	30	700	1,020	2,260	1,970	1,440	520	140	70	—	3,480
Multiple upper extremities locations, unspecified .....	380	180	—	—	40	30	—	—	—	—	—	—	60
Hand(s) and finger(s) .....	381	3,800	—	180	420	810	680	450	170	50	30	—	1,000
Hand(s) and wrist(s) .....	382	2,630	—	220	250	640	400	270	80	20	20	—	730
Hand(s) and arm(s) .....	383	1,400	—	60	100	270	180	170	90	—	—	—	520
Multiple upper extremities locations, n.e.c. ....	389	3,600	—	240	220	510	700	530	180	50	—	—	1,160
Upper extremities, n.e.c. ....	39	90	—	—	—	—	30	—	—	—	—	—	40
<b>Lower extremities</b> .....	<b>4</b>	<b>240,760</b>	<b>2,570</b>	<b>19,080</b>	<b>21,530</b>	<b>49,530</b>	<b>39,960</b>	<b>36,750</b>	<b>17,220</b>	<b>4,830</b>	<b>1,490</b>	<b>310</b>	<b>47,480</b>
Lower extremities, unspecified .....	40	250	—	20	20	80	40	20	—	—	—	—	50
Leg(s) .....	41	127,820	1,110	9,800	11,840	27,160	20,150	18,190	8,700	2,520	810	240	27,310
Leg(s), unspecified .....	410	17,060	100	1,400	1,570	3,410	2,660	2,380	920	320	110	180	4,000
Thigh(s) .....	411	4,720	20	320	560	1,110	760	720	320	50	40	—	830
Knee(s) .....	412	91,830	890	7,270	8,280	19,620	14,490	13,170	6,380	1,800	510	40	19,370
Lower leg(s) .....	413	10,280	50	540	1,150	2,270	1,590	1,300	810	200	120	—	2,230
Multiple leg(s) locations .....	418	3,430	40	230	260	650	550	540	250	140	30	—	750
Leg(s), n.e.c. ....	419	500	—	40	20	100	110	80	30	—	—	—	120
Ankle(s) .....	42	55,270	1,040	4,970	4,560	10,230	9,620	9,350	4,440	1,280	350	50	9,370
Foot(feet), except toe(s) .....	43	38,690	220	2,850	2,890	8,170	7,030	6,370	2,640	700	270	—	7,550
Foot(feet), except toe(s), unspecified ..	430	33,710	210	2,580	2,560	7,010	6,380	5,320	2,290	640	150	—	6,570
Instep(s) .....	431	160	—	30	—	30	—	30	—	—	—	—	30
Sole .....	432	3,820	—	160	250	930	490	770	250	50	120	—	800
Sole(s), unspecified .....	4320	460	—	—	30	70	80	—	80	—	—	—	170
Ball(s) of foot .....	4321	420	—	—	—	410	—	—	—	—	—	—	—
Arch(es) .....	4322	70	—	—	—	—	—	—	—	—	—	—	40
Heel(s) .....	4323	2,840	—	140	210	460	410	750	150	50	120	—	560
Sole(s), n.e.c. ....	4329	20	—	—	—	—	—	—	—	—	—	—	20
Multiple foot(feet) locations .....	438	260	—	50	20	80	50	20	—	—	—	—	40
Foot(feet), n.e.c. ....	439	740	—	30	60	120	110	230	80	—	—	—	110
Toe(s), toenail(s) .....	44	10,700	120	780	1,130	2,470	1,740	1,650	810	180	40	—	1,780
Multiple lower extremities locations .....	48	7,970	90	660	1,090	1,410	1,380	1,170	620	140	—	—	1,400
Multiple lower extremities locations, unspecified .....	480	130	—	—	—	40	20	—	—	—	—	—	40
Foot(feet) and leg(s) .....	481	1,010	—	170	30	100	160	180	60	70	—	—	240
Foot(feet) and ankle(s) .....	482	2,830	50	230	550	410	360	410	220	20	—	—	560
Foot(feet) and toe(s) .....	483	1,070	—	60	90	310	240	110	40	—	—	—	200

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Multiple lower extremities locations, n.e.c. ....	489	2,930	30	190	420	540	590	450	280	40	—	—	370
Lower extremities, n.e.c. ....	49	60	—	—	—	—	—	—	—	—	—	—	20
<b>Body systems</b> .....	5	15,860	20	990	1,250	2,560	2,170	1,620	980	170	130	—	5,970
<b>Multiple body parts</b> .....	8	112,200	2,070	9,570	10,850	21,480	19,190	15,610	10,020	2,300	830	80	20,200
<b>Other body parts</b> .....	9	50	—	—	—	—	—	—	—	—	—	—	40
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	9,240	60	520	810	1,170	1,150	950	230	70	40	—	4,250

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies