

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
<b>Total</b> .....		71,100	28,060	4,390	2,450	2,040	410	8,490	500	140
<b>Head</b> .....	0	5,640	—	330	570	560	—	1,360	20	90
Head, unspecified .....	00	1,230	—	—	130	130	—	440	—	—
Cranial region, including skull .....	01	800	—	—	30	30	—	100	—	—
Brain .....	011	590	—	—	—	—	—	—	—	—
Scalp .....	012	110	—	—	30	30	—	60	—	—
Skull .....	013	20	—	—	—	—	—	—	—	—
Multiple cranial region locations .....	018	30	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	019	40	—	—	—	—	—	—	—	—
Ear(s) .....	02	60	—	—	—	—	—	—	—	—
Face .....	03	3,450	—	330	400	400	—	800	—	80
Face, unspecified .....	030	510	—	—	30	30	—	180	—	—
Forehead .....	031	120	—	—	30	30	—	40	—	—
Eye(s) .....	032	1,470	—	—	70	70	—	290	—	70
Nose, nasal cavity .....	033	160	—	80	50	50	—	—	—	—
Nose, except internal location of diseases or disorders .....	0330	160	—	80	50	50	—	—	—	—
Cheek(s) .....	034	80	—	—	—	—	—	20	—	—
Jaw/chin .....	035	190	—	30	30	30	—	50	—	—
Mouth .....	036	360	—	210	100	100	—	—	—	—
Mouth, unspecified .....	0360	20	—	—	—	—	—	—	—	—
Lip(s) .....	0361	100	—	—	90	90	—	—	—	—
Tooth(teeth) .....	0363	210	—	210	—	—	—	—	—	—
Multiple mouth locations .....	0368	30	—	—	—	—	—	—	—	—
Multiple face locations .....	038	550	—	—	80	80	—	190	—	—
Face, n.e.c. ....	039	20	—	—	—	—	—	—	—	—
Multiple head locations .....	08	90	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	1	1,060	750	—	—	—	—	50	—	—
Neck, except internal location of diseases or disorders ...	10	1,050	750	—	—	—	—	50	—	—
<b>Trunk</b> .....	2	19,700	12,360	520	20	20	—	1,630	—	—
Trunk, unspecified .....	20	100	—	—	—	—	—	40	—	—
Shoulder, including clavicle, scapula .....	21	4,490	2,970	220	—	—	—	310	—	—
Chest, including ribs, internal organs .....	22	1,420	170	180	—	—	—	350	—	—
Chest, except internal location of diseases or disorders .....	220	1,000	170	180	—	—	—	350	—	—
Heart .....	223	230	—	—	—	—	—	—	—	—
Lung(s), pleura .....	225	180	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	11,130	8,250	60	—	—	—	210	—	—
Back, including spine, spinal cord, unspecified .....	230	4,370	3,180	50	—	—	—	90	—	—
Lumbar region .....	231	5,660	4,320	—	—	—	—	70	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total .....	40	820	150	4,570	520	2,070	8,610	2,130	12,870
<b>Head</b> .....	—	—	—	290	70	—	470	—	2,530
Head, unspecified .....	—	—	—	20	—	—	120	—	530
Cranial region, including skull .....	—	—	—	30	20	—	30	—	610
Brain .....	—	—	—	—	—	—	—	—	590
Scalp .....	—	—	—	—	—	—	—	—	—
Skull .....	—	—	—	—	—	—	—	—	—
Multiple cranial region locations .....	—	—	—	20	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—	—	—	50
Face .....	—	—	—	170	40	—	310	—	1,340
Face, unspecified .....	—	—	—	20	—	—	90	—	160
Forehead .....	—	—	—	—	—	—	—	—	30
Eye(s) .....	—	—	—	—	—	—	80	—	940
Nose, nasal cavity .....	—	—	—	—	—	—	—	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	—	—	—
Cheek(s) .....	—	—	—	—	—	—	—	—	40
Jaw/chin .....	—	—	—	—	—	—	60	—	—
Mouth .....	—	—	—	30	—	—	—	—	20
Mouth, unspecified .....	—	—	—	—	—	—	—	—	—
Lip(s) .....	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	—	—	—	—	—
Multiple mouth locations .....	—	—	—	30	—	—	—	—	—
Multiple face locations .....	—	—	—	90	—	—	50	—	120
Face, n.e.c. ....	—	—	—	—	—	—	—	—	—
Multiple head locations .....	—	—	—	70	—	—	—	—	—
<b>Neck, including throat</b> .....	—	—	—	—	—	—	190	—	40
Neck, except internal location of diseases or disorders ...	—	—	—	—	—	—	190	—	30
<b>Trunk</b> .....	—	—	30	130	—	90	3,150	2,130	1,830
Trunk, unspecified .....	—	—	—	—	—	—	40	—	—
Shoulder, including clavicle, scapula .....	—	—	30	20	—	—	540	—	390
Chest, including ribs, internal organs .....	—	—	—	20	—	20	170	—	510
Chest, except internal location of diseases or disorders .....	—	—	—	20	—	20	170	—	90
Heart .....	—	—	—	—	—	—	—	—	230
Lung(s), pleura .....	—	—	—	—	—	—	—	—	180
Back, including spine, spinal cord .....	—	—	—	40	—	30	2,130	2,130	440
Back, including spine, spinal cord, unspecified .....	—	—	—	30	—	30	870	870	140
Lumbar region .....	—	—	—	—	—	—	1,030	1,030	220

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Thoracic region .....	232	360	290	—	—	—	—	20	—	—
Coccygeal region .....	234	20	—	—	—	—	—	—	—	—
Multiple back regions .....	238	660	400	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c. ....	239	50	40	—	—	—	—	—	—	—
Abdomen .....	24	1,130	370	—	—	—	—	220	—	—
Abdomen, except internal location of diseases or disorders .....	240	840	370	—	—	—	—	220	—	—
Internal abdominal location, unspecified .....	241	160	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	120	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	2450	120	—	—	—	—	—	—	—	—
Pelvic region .....	25	840	310	50	—	—	—	340	—	—
Hip(s) .....	251	300	70	40	—	—	—	120	—	—
Pelvis .....	252	20	—	—	—	—	—	—	—	—
Buttock(s) .....	253	40	—	—	—	—	—	—	—	—
Groin .....	254	380	220	—	—	—	—	120	—	—
External reproductive tract structures .....	255	70	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	590	290	—	—	—	—	170	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>12,440</b>	<b>3,200</b>	<b>1,570</b>	<b>1,330</b>	<b>1,100</b>	<b>230</b>	<b>1,550</b>	<b>240</b>	<b>—</b>
Upper extremities, unspecified .....	30	50	—	—	—	—	—	—	—	—
Arm(s) .....	31	2,590	640	350	70	30	40	370	90	—
Arm(s), unspecified .....	310	820	240	100	—	—	—	100	40	—
Upper arm(s) .....	311	250	90	50	—	—	—	30	20	—
Elbow(s) .....	312	1,000	200	130	20	20	—	170	—	—
Forearm(s) .....	313	390	90	70	—	—	—	40	20	—
Multiple arm(s) locations .....	318	120	20	—	20	—	20	30	—	—
Wrist(s) .....	32	2,950	1,170	430	—	—	—	60	—	—
Hand(s), except finger(s) .....	33	2,050	260	200	400	320	80	440	120	—
Finger(s), fingernail(s) .....	34	3,620	670	540	830	720	110	580	20	—
Multiple upper extremities locations .....	38	1,040	390	50	30	30	—	80	—	—
Hand(s) and finger(s) .....	381	200	20	—	20	20	—	20	—	—
Hand(s) and wrist(s) .....	382	330	140	—	—	—	—	50	—	—
Hand(s) and arm(s) .....	383	170	80	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c. ....	389	330	150	20	—	—	—	—	—	—
Upper extremities, n.e.c. ....	39	130	50	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>16,040</b>	<b>8,070</b>	<b>1,900</b>	<b>360</b>	<b>220</b>	<b>140</b>	<b>1,990</b>	<b>130</b>	<b>30</b>
Lower extremities, unspecified .....	40	20	—	—	—	—	—	—	—	—
Leg(s) .....	41	9,250	4,270	750	300	190	110	1,470	60	20
Leg(s), unspecified .....	410	940	230	180	50	20	30	130	60	—
Thigh(s) .....	411	330	160	20	20	20	—	40	—	—
Knee(s) .....	412	7,220	3,600	420	190	130	60	1,120	—	—
Lower leg(s) .....	413	570	190	130	40	20	20	130	—	—
Multiple leg(s) locations .....	418	190	100	—	—	—	—	50	—	—
Ankle(s) .....	42	3,160	2,430	380	—	—	—	80	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Thoracic region .....	-	-	-	-	-	-	50	50	-
Coccygeal region .....	-	-	-	-	-	-	-	-	-
Multiple back regions .....	-	-	-	-	-	-	170	170	70
Back, including spine, spinal cord, n.e.c. ....	-	-	-	-	-	-	-	-	-
Abdomen .....	-	-	-	-	-	-	170	-	380
Abdomen, except internal location of diseases or disorders .....	-	-	-	-	-	-	170	-	80
Internal abdominal location, unspecified .....	-	-	-	-	-	-	-	-	160
Intestines, peritoneum .....	-	-	-	-	-	-	-	-	120
Intestines, peritoneum, unspecified .....	-	-	-	-	-	-	-	-	120
Pelvic region .....	-	-	-	20	-	-	100	-	20
Hip(s) .....	-	-	-	-	-	-	40	-	-
Pelvis .....	-	-	-	-	-	-	-	-	-
Buttock(s) .....	-	-	-	-	-	-	-	-	-
Groin .....	-	-	-	-	-	-	40	-	-
External reproductive tract structures .....	-	-	-	-	-	-	-	-	-
Multiple trunk locations .....	-	-	-	30	-	20	-	-	90
<b>Upper extremities</b> .....	40	820	100	370	100	130	1,210	-	1,990
Upper extremities, unspecified .....	-	-	-	-	-	-	-	-	30
Arm(s) .....	-	-	30	50	-	20	490	-	500
Arm(s), unspecified .....	-	-	-	-	-	-	210	-	100
Upper arm(s) .....	-	-	20	-	-	-	-	-	40
Elbow(s) .....	-	-	-	40	-	20	220	-	210
Forearm(s) .....	-	-	-	-	-	-	20	-	130
Multiple arm(s) locations .....	-	-	-	-	-	-	30	-	-
Wrist(s) .....	-	820	30	20	-	-	210	-	190
Hand(s), except finger(s) .....	-	-	-	100	-	50	90	-	430
Finger(s), fingernail(s) .....	40	-	30	60	20	-	220	-	630
Multiple upper extremities locations .....	-	-	-	120	50	20	170	-	190
Hand(s) and finger(s) .....	-	-	-	30	-	-	50	-	50
Hand(s) and wrist(s) .....	-	-	-	20	-	-	50	-	60
Hand(s) and arm(s) .....	-	-	-	-	-	-	-	-	50
Multiple upper extremities locations, n.e.c. ....	-	-	-	40	-	-	60	-	40
Upper extremities, n.e.c. ....	-	-	-	20	-	20	40	-	30
<b>Lower extremities</b> .....	-	-	-	340	40	200	1,990	-	1,230
Lower extremities, unspecified .....	-	-	-	-	-	-	-	-	-
Leg(s) .....	-	-	-	210	-	150	1,390	-	770
Leg(s), unspecified .....	-	-	-	40	-	20	140	-	100
Thigh(s) .....	-	-	-	-	-	-	60	-	30
Knee(s) .....	-	-	-	150	-	130	1,140	-	600
Lower leg(s) .....	-	-	-	-	-	-	20	-	40
Multiple leg(s) locations .....	-	-	-	-	-	-	30	-	-
Ankle(s) .....	-	-	-	-	-	-	150	-	110

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Foot(feet), except toe(s) .....	43	2,130	760	470	20	—	—	240	60	—
Foot(feet), except toe(s), unspecified .....	430	1,840	660	440	20	—	—	220	60	—
Sole .....	432	210	100	30	—	—	—	—	—	—
Arch(es) .....	4322	30	—	—	—	—	—	—	—	—
Heel(s) .....	4323	180	70	20	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	60	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	500	20	280	30	20	—	80	—	—
Multiple lower extremities locations .....	48	900	520	—	—	—	—	100	—	—
Foot(feet) and leg(s) .....	481	30	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s) .....	482	240	100	—	—	—	—	60	—	—
Foot(feet) and toe(s) .....	483	50	—	—	—	—	—	30	—	—
Multiple lower extremities locations, n.e.c. ....	489	580	420	—	—	—	—	—	—	—
Lower extremities, n.e.c. ....	49	80	60	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	1,910	—	—	—	—	—	—	—	—
<b>Multiple body parts</b> .....	8	13,940	3,670	70	150	120	30	1,890	100	20
<b>Nonclassifiable</b> .....	9999	380	—	—	20	20	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, State government, 2008 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Foot(feet), except toe(s) .....	—	—	—	—	—	—	340	—	230
Foot(feet), except toe(s), unspecified .....	—	—	—	—	—	—	280	—	160
Sole .....	—	—	—	—	—	—	60	—	—
Arch(es) .....	—	—	—	—	—	—	—	—	—
Heel(s) .....	—	—	—	—	—	—	60	—	—
Multiple foot(feet) locations .....	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	—	—	—	—	—	—	40	—	40
Multiple lower extremities locations .....	—	—	—	110	30	50	50	—	80
Foot(feet) and leg(s) .....	—	—	—	20	—	20	—	—	—
Foot(feet) and ankle(s) .....	—	—	—	—	—	—	20	—	20
Foot(feet) and toe(s) .....	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	—	—	—	80	30	20	—	—	50
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	—	—	—	—	—	—	—	—	1,910
<b>Multiple body parts</b> .....	—	—	—	3,430	300	1,630	1,600	—	3,000
<b>Nonclassifiable</b> .....	—	—	—	—	—	—	—	—	330

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies