

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		71,100	620	3,460	2,470	1,690	2,100
Head	0	5,640	180	100	230	200	200
Head, unspecified	00	1,230	—	40	130	80	40
Cranial region, including skull	01	800	—	—	40	20	—
Brain	011	590	—	—	—	20	—
Scalp	012	110	—	—	—	—	—
Skull	013	20	—	—	—	—	—
Multiple cranial region locations	018	30	—	—	—	—	—
Cranial region, n.e.c.	019	40	—	—	—	—	—
Ear(s)	02	60	—	—	—	—	—
Face	03	3,450	180	50	50	100	130
Face, unspecified	030	510	30	—	—	—	—
Forehead	031	120	—	—	—	20	20
Eye(s)	032	1,470	140	40	30	—	60
Nose, nasal cavity	033	160	—	—	—	—	—
Nose, except internal location of diseases or disorders	0330	160	—	—	—	—	—
Cheek(s)	034	80	—	—	—	—	—
Jaw/chin	035	190	—	—	—	—	—
Mouth	036	360	—	—	—	—	20
Mouth, unspecified	0360	20	—	—	—	—	—
Lip(s)	0361	100	—	—	—	—	—
Tooth(teeth)	0363	210	—	—	—	—	20
Multiple mouth locations	0368	30	—	—	—	—	—
Multiple face locations	038	550	—	—	—	—	20
Face, n.e.c.	039	20	—	—	—	—	—
Multiple head locations	08	90	—	—	—	—	—
Neck, including throat	1	1,060	—	30	30	30	40
Neck, except internal location of diseases or disorders ...	10	1,050	—	30	30	30	40
Trunk	2	19,700	90	2,020	970	760	690
Trunk, unspecified	20	100	—	—	—	—	—
Shoulder, including clavicle, scapula	21	4,490	—	440	180	140	140
Chest, including ribs, internal organs	22	1,420	80	50	50	20	50
Chest, except internal location of diseases or disorders	220	1,000	—	50	50	20	—
Heart	223	230	—	—	—	—	—
Lung(s), pleura	225	180	80	—	—	—	30
Back, including spine, spinal cord	23	11,130	—	1,320	660	560	400
Back, including spine, spinal cord, unspecified	230	4,370	—	530	270	230	110
Lumbar region	231	5,660	—	740	360	320	250
Thoracic region	232	360	—	40	—	—	—
Coccygeal region	234	20	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Total	16,630	1,150	5,980	11,460	10,520	16,310	9,180	9,240
Head	440	40	200	—	—	2,710	1,410	1,340
Head, unspecified	150	—	130	—	—	520	210	130
Cranial region, including skull	150	—	20	—	—	450	130	90
Brain	90	—	—	—	—	390	80	60
Scalp	40	—	—	—	—	20	—	30
Skull	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	20	20	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	40	—	20
Face	120	40	50	—	—	1,620	980	1,100
Face, unspecified	30	—	—	—	—	370	230	50
Forehead	—	—	—	—	—	—	—	50
Eye(s)	—	20	20	—	—	320	260	850
Nose, nasal cavity	—	—	—	—	—	80	60	20
Nose, except internal location of diseases or disorders	—	—	—	—	—	80	60	20
Cheek(s)	—	—	—	—	—	70	30	—
Jaw/chin	30	—	—	—	—	110	40	40
Mouth	—	—	—	—	—	260	150	70
Mouth, unspecified	—	—	—	—	—	20	—	—
Lip(s)	—	—	—	—	—	90	—	—
Tooth(teeth)	—	—	—	—	—	130	110	50
Multiple mouth locations	—	—	—	—	—	30	—	—
Multiple face locations	30	—	—	—	—	380	210	30
Face, n.e.c.	—	—	—	—	—	20	—	—
Multiple head locations	—	—	—	—	—	70	—	—
Neck, including throat	40	—	280	110	110	450	380	40
Neck, except internal location of diseases or disorders ...	40	—	280	110	110	450	380	30
Trunk	2,730	370	1,870	3,690	3,370	4,830	3,190	1,670
Trunk, unspecified	30	—	40	20	—	—	—	—
Shoulder, including clavicle, scapula	750	80	310	600	550	1,270	760	580
Chest, including ribs, internal organs	90	—	110	290	50	450	200	210
Chest, except internal location of diseases or disorders	90	—	110	80	50	420	190	150
Heart	—	—	—	200	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	70
Back, including spine, spinal cord	1,400	250	1,200	2,290	2,260	2,380	1,830	670
Back, including spine, spinal cord, unspecified	870	70	470	760	750	820	570	230
Lumbar region	430	170	490	1,280	1,260	1,270	1,020	350
Thoracic region	30	—	50	80	80	80	60	50
Coccygeal region	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple back regions	238	660	—	—	—	—	20
Back, including spine, spinal cord, n.e.c.	239	50	—	—	—	—	—
Abdomen	24	1,130	—	150	30	20	70
Abdomen, except internal location of diseases or disorders	240	840	—	40	—	—	—
Internal abdominal location, unspecified	241	160	—	70	—	—	60
Intestines, peritoneum	245	120	—	30	—	—	—
Intestines, peritoneum, unspecified	2450	120	—	30	—	—	—
Pelvic region	25	840	—	30	30	20	—
Hip(s)	251	300	—	—	—	—	—
Pelvis	252	20	—	—	—	—	—
Buttock(s)	253	40	—	—	—	—	—
Groin	254	380	—	20	30	—	—
External reproductive tract structures	255	70	—	—	—	—	—
Multiple trunk locations	28	590	—	30	30	—	—
Upper extremities	3	12,440	60	670	370	440	760
Upper extremities, unspecified	30	50	—	—	—	—	—
Arm(s)	31	2,590	20	200	70	60	190
Arm(s), unspecified	310	820	—	40	—	20	40
Upper arm(s)	311	250	—	—	—	—	30
Elbow(s)	312	1,000	—	100	30	—	100
Forearm(s)	313	390	—	40	—	30	—
Multiple arm(s) locations	318	120	—	20	20	—	—
Wrist(s)	32	2,950	—	110	70	—	20
Hand(s), except finger(s)	33	2,050	30	100	70	100	230
Finger(s), fingernail(s)	34	3,620	—	180	130	230	280
Multiple upper extremities locations	38	1,040	—	50	30	30	40
Hand(s) and finger(s)	381	200	—	—	—	—	30
Hand(s) and wrist(s)	382	330	—	20	—	—	—
Hand(s) and arm(s)	383	170	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	330	—	30	—	—	—
Upper extremities, n.e.c.	39	130	—	20	—	—	—
Lower extremities	4	16,040	30	370	600	120	320
Lower extremities, unspecified	40	20	—	—	—	—	—
Leg(s)	41	9,250	20	120	400	50	190
Leg(s), unspecified	410	940	—	—	30	—	50
Thigh(s)	411	330	—	—	—	—	40
Knee(s)	412	7,220	—	80	280	40	80
Lower leg(s)	413	570	—	20	70	—	—
Multiple leg(s) locations	418	190	—	—	—	—	—
Ankle(s)	42	3,160	—	30	50	—	20
Foot(feet), except toe(s)	43	2,130	—	120	60	30	90
Foot(feet), except toe(s), unspecified	430	1,840	—	110	50	30	80
Sole	432	210	—	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Multiple back regions	40	—	190	160	160	200	180	20
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	50	20	70	350	350	320	220	60
Abdomen, except internal location of diseases or disorders	40	—	60	340	330	290	190	40
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	—	20	20	—
Intestines, peritoneum, unspecified	—	—	—	—	—	20	20	—
Pelvic region	260	—	20	120	120	250	120	90
Hip(s)	150	—	—	30	30	60	40	30
Pelvis	—	—	—	—	—	—	—	—
Buttock(s)	30	—	—	—	—	—	—	—
Groin	—	—	—	90	90	160	70	60
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple trunk locations	140	—	120	30	30	170	60	60
Upper extremities	1,770	490	810	1,690	1,660	2,270	1,170	3,110
Upper extremities, unspecified	—	—	20	—	—	—	—	—
Arm(s)	640	40	120	290	260	440	290	510
Arm(s), unspecified	170	—	20	160	130	160	120	180
Upper arm(s)	70	—	—	20	20	50	50	40
Elbow(s)	320	20	100	70	70	90	20	170
Forearm(s)	50	—	—	30	30	110	90	100
Multiple arm(s) locations	20	—	—	—	—	30	20	20
Wrist(s)	560	50	360	980	980	590	260	200
Hand(s), except finger(s)	130	70	100	100	100	400	150	720
Finger(s), fingernail(s)	280	320	120	220	220	520	320	1,330
Multiple upper extremities locations	120	—	70	80	80	270	150	330
Hand(s) and finger(s)	—	—	20	—	—	30	—	90
Hand(s) and wrist(s)	70	—	—	30	30	130	80	60
Hand(s) and arm(s)	—	—	—	—	—	—	—	130
Multiple upper extremities locations, n.e.c.	30	—	50	40	40	100	60	40
Upper extremities, n.e.c.	40	—	20	—	—	30	—	20
Lower extremities	6,390	160	650	4,600	4,510	1,650	880	1,150
Lower extremities, unspecified	20	—	—	—	—	—	—	—
Leg(s)	3,780	100	430	2,300	2,240	1,260	630	600
Leg(s), unspecified	310	—	80	110	110	130	80	190
Thigh(s)	100	—	—	80	70	40	30	50
Knee(s)	3,130	80	260	1,960	1,910	1,020	480	290
Lower leg(s)	150	—	80	90	90	60	50	60
Multiple leg(s) locations	90	—	—	60	60	—	—	20
Ankle(s)	1,290	—	80	1,480	1,480	120	60	70
Foot(feet), except toe(s)	520	30	110	660	640	180	140	340
Foot(feet), except toe(s), unspecified	420	30	100	580	560	110	80	320
Sole	90	—	—	70	70	—	—	20
Arch(es)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Heel(s)	4323	180	—	—	—	—	—
Multiple foot(feet) locations	438	60	—	—	—	—	—
Toe(s), toenail(s)	44	500	—	90	90	20	20
Multiple lower extremities locations	48	900	—	—	—	—	—
Foot(feet) and leg(s)	481	30	—	—	—	—	—
Foot(feet) and ankle(s)	482	240	—	—	—	—	—
Foot(feet) and toe(s)	483	50	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	580	—	—	—	—	—
Lower extremities, n.e.c.	49	80	—	—	—	—	—
Body systems	5	1,910	200	—	—	30	—
Multiple body parts	8	13,940	40	280	260	110	80
Nonclassifiable	9999	380	20	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2008 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Heel(s)	60	—	—	70	70	—	—	20
Multiple foot(foot) locations	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	160	20	20	—	—	—	—	50
Multiple lower extremities locations	560	—	20	130	130	70	—	80
Foot(foot) and leg(s)	—	—	—	—	—	—	—	20
Foot(foot) and ankle(s)	140	—	—	70	70	—	—	—
Foot(foot) and toe(s)	—	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	410	—	—	50	50	70	—	40
Lower extremities, n.e.c.	60	—	—	20	20	—	—	—
Body systems	—	—	20	470	—	590	340	570
Multiple body parts	5,180	70	2,100	870	860	3,790	1,820	1,170
Nonclassifiable	80	—	40	—	—	30	—	190

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining

codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies