

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total		71,100	11,060	5,880	3,190	910	4,230	11,620	2,780	11,670	5,240
Head	0	5,640	2,200	1,130	700	—	70	440	—	—	—
Head, unspecified	00	1,230	400	180	220	—	20	170	—	—	—
Cranial region, including skull	01	800	390	60	330	—	30	150	—	—	—
Brain	011	590	320	40	280	—	—	90	—	—	—
Scalp	012	110	50	—	30	—	20	30	—	—	—
Skull	013	20	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	018	30	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	40	—	—	—	—	—	—	—	—	—
Ear(s)	02	60	—	—	—	—	—	—	—	—	—
Face	03	3,450	1,390	870	150	—	20	110	—	—	—
Face, unspecified	030	510	50	50	—	—	—	—	—	—	—
Forehead	031	120	80	40	40	—	—	—	—	—	—
Eye(s)	032	1,470	960	560	30	—	—	—	—	—	—
Nose, nasal cavity	033	160	70	30	40	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	0330	160	70	30	40	—	—	—	—	—	—
Cheek(s)	034	80	30	30	—	—	—	—	—	—	—
Jaw/chin	035	190	30	30	—	—	—	30	—	—	—
Mouth	036	360	70	60	—	—	—	—	—	—	—
Mouth, unspecified	0360	20	—	—	—	—	—	—	—	—	—
Lip(s)	0361	100	—	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	210	70	60	—	—	—	—	—	—	—
Multiple mouth locations	0368	30	—	—	—	—	—	—	—	—	—
Multiple face locations	038	550	100	—	30	—	—	30	—	—	—
Face, n.e.c.	039	20	—	—	—	—	—	—	—	—	—
Multiple head locations	08	90	—	—	—	—	—	—	—	—	—
Neck, including throat	1	1,060	80	30	50	—	—	40	—	200	40
Neck, except internal location of diseases or disorders ...	10	1,050	80	30	50	—	—	40	—	200	40
Trunk	2	19,700	1,150	720	290	—	610	2,250	560	8,000	3,930
Trunk, unspecified	20	100	—	—	—	—	20	30	—	20	—
Shoulder, including clavicle, scapula	21	4,490	310	250	60	—	140	680	100	1,920	700
Chest, including ribs, internal organs	22	1,420	220	160	40	—	30	100	—	140	60
Chest, except internal location of diseases or disorders	220	1,000	220	160	40	—	30	100	—	120	60
Heart	223	230	—	—	—	—	—	—	—	—	—
Lung(s), pleura	225	180	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	11,130	450	230	140	—	310	1,160	440	5,300	2,840
Back, including spine, spinal cord, unspecified	230	4,370	140	40	70	—	150	740	180	1,900	960
Lumbar region	231	5,660	270	160	50	—	90	340	220	2,990	1,690
Thoracic region	232	360	20	—	—	—	—	30	30	180	100

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Total	2,110	2,750	4,120	3,380	50	11,980	11,330	650	250	8,710
Head	-	330	120	100	-	2,390	2,230	150	30	80
Head, unspecified	-	-	80	70	-	520	450	60	-	20
Cranial region, including skull	-	-	30	30	-	180	180	-	-	-
Brain	-	-	30	30	-	120	120	-	-	-
Scalp	-	-	-	-	-	-	-	-	-	-
Skull	-	-	-	-	-	-	-	-	-	-
Multiple cranial region locations	-	-	-	-	-	20	20	-	-	-
Cranial region, n.e.c.	-	-	-	-	-	-	-	-	-	-
Ear(s)	-	20	-	-	-	40	40	-	-	-
Face	-	290	-	-	-	1,580	1,490	90	30	60
Face, unspecified	-	50	-	-	-	350	350	-	-	-
Forehead	-	20	-	-	-	-	-	-	-	-
Eye(s)	-	180	-	-	-	300	300	-	-	20
Nose, nasal cavity	-	-	-	-	-	90	80	-	-	-
Nose, except internal location of diseases or disorders	-	-	-	-	-	90	80	-	-	-
Cheek(s)	-	-	-	-	-	50	50	-	-	-
Jaw/chin	-	-	-	-	-	110	50	-	-	-
Mouth	-	20	-	-	-	250	250	-	-	-
Mouth, unspecified	-	-	-	-	-	20	20	-	-	-
Lip(s)	-	-	-	-	-	90	90	-	-	-
Tooth(teeth)	-	-	-	-	-	110	110	-	-	-
Multiple mouth locations	-	-	-	-	-	30	30	-	-	-
Multiple face locations	-	20	-	-	-	400	380	20	20	-
Face, n.e.c.	-	-	-	-	-	20	20	-	-	-
Multiple head locations	-	-	-	-	-	70	70	-	-	-
Neck, including throat	20	-	280	270	-	320	310	-	-	90
Neck, except internal location of diseases or disorders ...	20	-	280	270	-	320	310	-	-	90
Trunk	260	260	1,270	990	-	2,040	2,000	40	20	3,290
Trunk, unspecified	-	-	-	-	-	-	-	-	-	-
Shoulder, including clavicle, scapula	160	-	200	160	-	560	550	-	-	420
Chest, including ribs, internal organs	-	250	70	-	-	300	300	-	-	300
Chest, except internal location of diseases or disorders	-	50	70	-	-	300	300	-	-	100
Heart	-	-	-	-	-	-	-	-	-	200
Lung(s), pleura	-	180	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	80	-	830	730	-	560	550	20	-	1,990
Back, including spine, spinal cord, unspecified	-	-	320	270	-	280	270	-	-	640
Lumbar region	60	-	310	280	-	240	240	-	-	1,130
Thoracic region	-	-	20	20	-	20	20	-	-	50

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Coccygeal region	234	20	—	—	—	—	—	—	—	—	—
Multiple back regions	238	660	—	—	—	—	60	30	—	210	80
Back, including spine, spinal cord, n.e.c.	239	50	—	—	—	—	—	—	—	20	—
Abdomen	24	1,130	50	20	—	—	—	40	—	360	190
Abdomen, except internal location of diseases or disorders	240	840	40	20	—	—	—	40	—	100	40
Internal abdominal location, unspecified	241	160	—	—	—	—	—	—	—	140	70
Intestines, peritoneum	245	120	—	—	—	—	—	—	—	110	80
Intestines, peritoneum, unspecified	2450	120	—	—	—	—	—	—	—	110	80
Pelvic region	25	840	30	—	30	—	40	180	—	140	60
Hip(s)	251	300	30	—	20	—	30	120	—	20	—
Pelvis	252	20	—	—	—	—	—	—	—	—	—
Buttock(s)	253	40	—	—	—	—	—	30	—	—	—
Groin	254	380	—	—	—	—	—	—	—	110	50
External reproductive tract structures	255	70	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	590	80	60	—	—	60	60	—	120	70
Upper extremities	3	12,440	4,450	2,340	1,020	680	280	1,440	30	1,770	790
Upper extremities, unspecified	30	50	—	—	—	—	—	—	—	—	—
Arm(s)	31	2,590	460	150	240	30	90	490	—	610	270
Arm(s), unspecified	310	820	110	80	20	—	50	100	—	150	30
Upper arm(s)	311	250	50	20	—	—	—	60	—	60	50
Elbow(s)	312	1,000	260	30	220	—	—	260	—	280	110
Forearm(s)	313	390	30	20	—	—	—	40	—	80	40
Multiple arm(s) locations	318	120	—	—	—	—	—	30	—	40	30
Wrist(s)	32	2,950	240	70	140	20	90	480	—	710	450
Hand(s), except finger(s)	33	2,050	1,040	470	260	130	20	100	—	70	—
Finger(s), fingernail(s)	34	3,620	2,420	1,450	340	450	60	190	20	230	30
Multiple upper extremities locations	38	1,040	270	190	20	50	20	140	—	100	30
Hand(s) and finger(s)	381	200	110	80	—	20	—	—	—	—	—
Hand(s) and wrist(s)	382	330	20	—	—	—	—	100	—	30	20
Hand(s) and arm(s)	383	170	90	80	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	330	30	—	—	—	—	30	—	70	—
Upper extremities, n.e.c.	39	130	—	—	—	—	—	40	—	40	—
Lower extremities	4	16,040	2,390	1,230	880	180	1,730	3,810	1,870	620	200
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—	—
Leg(s)	41	9,250	1,090	440	510	60	900	2,640	810	540	170
Leg(s), unspecified	410	940	230	160	40	30	40	230	50	60	30
Thigh(s)	411	330	60	50	20	—	—	70	50	50	—
Knee(s)	412	7,220	670	200	380	20	800	2,170	640	340	70
Lower leg(s)	413	570	120	30	80	—	30	110	30	80	—
Multiple leg(s) locations	418	190	—	—	—	—	20	60	40	—	—
Ankle(s)	42	3,160	200	80	80	30	360	600	770	50	30
Foot(foot), except toe(s)	43	2,130	690	420	210	50	80	240	200	30	—
Foot(foot), except toe(s), unspecified	430	1,840	620	390	170	50	70	210	170	20	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Coccygeal region	-	-	-	-	-	-	-	-	-	-
Multiple back regions	-	-	190	160	-	-	-	-	-	160
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	-	-	-	-
Abdomen	20	-	60	60	-	240	240	-	-	340
Abdomen, except internal location of diseases or disorders	-	-	60	60	-	240	240	-	-	330
Internal abdominal location, unspecified	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	-	-
Pelvic region	-	-	20	-	-	220	220	-	-	200
Hip(s)	-	-	-	-	-	50	50	-	-	30
Pelvis	-	-	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	-	-	-	-
Groin	-	-	-	-	-	150	150	-	-	110
External reproductive tract structures	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	90	-	-	150	140	-	-	30
Upper extremities	1,460	540	170	80	-	1,810	1,650	160	110	470
Upper extremities, unspecified	-	-	20	20	-	-	-	-	-	-
Arm(s)	200	140	30	-	-	380	310	80	50	170
Arm(s), unspecified	120	50	20	-	-	130	120	-	-	90
Upper arm(s)	-	30	-	-	-	20	20	-	-	30
Elbow(s)	50	-	-	-	-	80	50	30	-	50
Forearm(s)	30	50	-	-	-	120	100	-	-	-
Multiple arm(s) locations	-	-	-	-	-	30	20	-	-	-
Wrist(s)	930	30	30	30	-	280	270	-	-	150
Hand(s), except finger(s)	90	230	20	-	-	430	390	40	40	50
Finger(s), fingernail(s)	180	80	-	-	-	380	350	30	-	40
Multiple upper extremities locations	50	60	50	-	-	300	300	-	-	50
Hand(s) and finger(s)	-	-	-	-	-	50	50	-	-	-
Hand(s) and wrist(s)	20	-	-	-	-	140	140	-	-	-
Hand(s) and arm(s)	-	40	-	-	-	-	-	-	-	-
Multiple upper extremities locations, n.e.c.	20	-	50	-	-	100	100	-	-	20
Upper extremities, n.e.c.	-	-	-	-	-	30	30	-	-	-
Lower extremities	230	190	250	150	-	1,460	1,390	60	50	3,490
Lower extremities, unspecified	-	-	-	-	-	-	-	-	-	-
Leg(s)	50	100	170	100	-	1,090	1,030	60	50	1,860
Leg(s), unspecified	-	70	20	20	-	110	80	30	30	110
Thigh(s)	-	-	-	-	-	30	30	-	-	70
Knee(s)	40	-	90	70	-	890	870	20	20	1,580
Lower leg(s)	-	20	60	-	-	50	50	-	-	70
Multiple leg(s) locations	-	-	-	-	-	-	-	-	-	20
Ankle(s)	-	-	30	30	-	120	120	-	-	1,020
Foot(feet), except toe(s)	190	80	40	20	-	160	160	-	-	430
Foot(feet), except toe(s), unspecified	180	70	40	20	-	90	90	-	-	350

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Sole	432	210	70	30	40	—	—	20	20	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—	—	—
Heel(s)	4323	180	60	20	40	—	—	20	20	—	—
Multiple foot(feet) locations	438	60	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	500	330	240	50	30	—	130	—	—	—
Multiple lower extremities locations	48	900	80	60	20	—	360	180	80	—	—
Foot(feet) and leg(s)	481	30	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	240	30	—	—	—	80	—	60	—	—
Foot(feet) and toe(s)	483	50	40	30	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	580	—	—	—	—	270	160	20	—	—
Lower extremities, n.e.c.	49	80	—	—	—	—	—	—	—	—	—
Body systems	5	1,910	—	—	—	—	—	—	—	—	—
Multiple body parts	8	13,940	790	420	250	50	1,520	3,580	310	1,070	270
Nonclassifiable	9999	380	—	—	—	—	—	70	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts			All other events ⁵	
			Total	Highway accident		Total	As-saults by person	All other assaults Total		Assaults by animal
Sole	-	-	-	-	-	-	-	-	-	80
Arch(es)	-	-	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	-	-	-	60
Multiple foot(feet) locations	-	-	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations	-	-	-	-	-	70	70	-	-	110
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	-	-	-	-	-	-	60
Foot(feet) and toe(s)	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	-	-	-	-	-	70	70	-	-	50
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-	60
Body systems	-	950	20	20	30	430	430	-	-	470
Multiple body parts	130	390	1,970	1,720	-	3,510	3,290	210	20	680
Nonclassifiable	-	70	50	40	-	30	20	-	-	140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies