

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		71,100	5,640	1,470	1,060	19,700	11,130	4,490	12,440	2,590	3,620	2,050	2,950
Contact with objects and equipment	0	11,060	2,200	960	80	1,150	450	310	4,450	460	2,420	1,040	240
Contact with objects and equipment, unspecified	00	420	40	30	-	20	-	-	310	-	140	150	-
Struck against object or equipment	01	3,190	700	30	50	290	140	60	1,020	240	340	260	140
Struck against object or equipment, unspecified	010	130	-	-	-	-	-	-	40	-	30	-	-
Stepped on object	011	200	-	-	-	40	-	-	-	-	-	-	-
Struck against stationary object or equipment	012	1,810	330	30	40	140	70	40	640	200	170	150	100
Struck against moving object or equipment	013	370	260	-	-	50	40	-	40	-	30	-	-
Struck against object or equipment, n.e.c.	019	670	100	-	-	50	-	-	310	40	120	100	-
Struck by object or equipment	02	5,880	1,130	560	30	720	230	250	2,340	150	1,450	470	70
Struck by object or equipment, unspecified	020	170	30	20	-	40	-	20	40	-	20	-	-
Struck by falling object or equipment	021	1,490	220	90	-	330	110	160	280	40	140	40	40
Struck by flying object	022	650	470	290	-	30	-	-	60	-	40	-	-
Struck by flying object, unspecified	0220	310	270	180	-	-	-	-	-	-	-	-	-
Struck by dislodged flying object, particle ...	0221	110	100	80	-	-	-	-	-	-	-	-	-
Struck by discharged object or substance ...	0222	90	-	-	-	-	-	-	40	-	-	-	-
Struck by flying object, n.e.c.	0229	150	90	20	-	30	-	-	-	-	-	-	-
Struck by swinging or slipping object	023	2,630	270	100	-	170	80	30	1,790	80	1,200	340	30
Struck by swinging or slipping object, unspecified	0230	20	-	-	-	-	-	-	-	-	-	-	-
Struck by or slammed in swinging door or gate	0231	1,570	130	20	-	120	30	30	1,140	70	710	270	20
Struck by slipping handheld object	0232	900	110	70	-	-	-	-	610	-	460	70	-
Struck by swinging or slipping object, n.e.c.	0239	140	30	-	-	-	-	-	30	-	20	-	-
Struck by rolling, sliding objects or equipment on floor or ground level	024	240	-	-	-	50	-	-	20	-	-	-	-
Struck by object or equipment, n.e.c.	029	700	150	60	20	110	20	-	170	30	50	70	-
Caught in or compressed by equipment or objects	03	910	-	-	-	-	-	-	670	30	450	130	20
Caught in or compressed by equipment or objects, unspecified	030	80	-	-	-	-	-	-	50	-	20	-	-
Caught in running equipment or machinery	031	100	-	-	-	-	-	-	90	-	90	-	-
Compressed or pinched by rolling, sliding, or shifting objects	032	250	-	-	-	-	-	-	150	-	120	20	-
Caught in or compressed by equipment or objects, n.e.c.	039	480	-	-	-	-	-	-	380	20	220	100	-
Rubbed or abraded by friction or pressure	05	390	340	340	-	-	-	-	-	-	-	-	-
Rubbed or abraded by kneeling on surface	051	20	-	-	-	-	-	-	-	-	-	-	-
Rubbed or abraded by objects being handled	052	20	-	-	-	-	-	-	-	-	-	-	-
Rubbed or abraded by foreign matter in eye ...	053	340	340	340	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	70	-	-	-	50	40	-	-	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	60	-	-	-	40	40	-	-	-	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	16,040	7,220	3,160	2,630	1,910	13,940	380
Contact with objects and equipment	2,390	670	200	1,010	—	790	—
Contact with objects and equipment, unspecified	40	20	—	—	—	—	—
Struck against object or equipment	880	380	80	260	—	250	—
Struck against object or equipment, unspecified	50	20	—	—	—	—	—
Stepped on object	160	30	30	90	—	—	—
Struck against stationary object or equipment	480	280	40	70	—	190	—
Struck against moving object or equipment	—	—	—	—	—	—	—
Struck against object or equipment, n.e.c.	180	50	—	90	—	30	—
Struck by object or equipment	1,230	200	80	660	—	420	—
Struck by object or equipment, unspecified	60	—	—	—	—	—	—
Struck by falling object or equipment	490	50	40	340	—	160	—
Struck by flying object	40	—	—	—	—	60	—
Struck by flying object, unspecified	—	—	—	—	—	—	—
Struck by dislodged flying object, particle ...	—	—	—	—	—	—	—
Struck by discharged object or substance ...	—	—	—	—	—	30	—
Struck by flying object, n.e.c.	—	—	—	—	—	20	—
Struck by swinging or slipping object	300	100	20	150	—	100	—
Struck by swinging or slipping object, unspecified	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	110	20	20	60	—	70	—
Struck by slipping handheld object	120	70	—	30	—	—	—
Struck by swinging or slipping object, n.e.c.	60	—	—	50	—	20	—
Struck by rolling, sliding objects or equipment on floor or ground level	120	—	—	90	—	60	—
Struck by object or equipment, n.e.c.	220	50	—	80	—	40	—
Caught in or compressed by equipment or objects	180	20	30	80	—	50	—
Caught in or compressed by equipment or objects, unspecified	20	—	—	—	—	—	—
Caught in running equipment or machinery	—	—	—	—	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	100	—	20	40	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	50	—	—	30	—	50	—
Rubbed or abraded by friction or pressure	30	20	—	—	—	—	—
Rubbed or abraded by kneeling on surface	20	20	—	—	—	—	—
Rubbed or abraded by objects being handled	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Contact with objects and equipment, n.e.c.	09	200	—	—	—	40	—	—	70	—	20	30	—
Falls	1	16,310	510	—	40	2,980	1,490	860	1,760	580	260	130	580
Fall, unspecified	10	230	—	—	—	100	20	—	40	—	—	—	—
Fall to lower level	11	4,230	70	—	—	610	310	140	280	90	60	20	90
Fall down stairs or steps	111	2,820	50	—	—	280	130	80	110	30	40	—	20
Fall from floor, dock, or ground level	112	70	—	—	—	20	—	—	—	—	—	—	—
Fall from ground level to lower level	1124	20	—	—	—	—	—	—	—	—	—	—	—
Fall from floor, dock, or ground level, n.e.c.	1129	20	—	—	—	—	—	—	—	—	—	—	—
Fall from ladder	113	270	—	—	—	70	30	—	30	—	—	—	—
Fall from nonmoving vehicle	118	370	—	—	—	40	—	—	20	—	—	—	—
Fall to lower level, n.e.c.	119	660	—	—	—	200	130	40	110	30	—	—	60
Jump to lower level	12	110	—	—	—	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	123	60	—	—	—	—	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	20	—	—	—	—	—	—	—	—	—	—	—
Fall on same level	13	11,620	440	—	40	2,250	1,160	680	1,440	490	190	100	480
Fall on same level, unspecified	130	170	—	—	—	120	—	120	—	—	—	—	—
Fall to floor, walkway, or other surface	131	10,590	350	—	30	1,850	1,070	470	1,320	450	190	90	450
Fall onto or against objects	132	750	80	—	—	260	70	90	100	30	—	20	20
Fall on same level, n.e.c.	139	120	—	—	—	20	—	—	—	—	—	—	—
Fall, n.e.c.	19	110	—	—	—	20	—	20	—	—	—	—	—
Bodily reaction and exertion	2	23,900	—	—	320	11,840	7,710	2,550	3,560	920	460	190	1,760
Bodily reaction and exertion, unspecified	20	840	—	—	—	490	330	90	120	20	—	20	70
Bodily reaction	21	8,830	—	—	80	2,900	2,000	390	190	70	40	—	50
Bodily reaction, unspecified	210	950	—	—	20	520	160	100	30	20	—	—	—
Bending, climbing, crawling, reaching, twisting	211	2,500	—	—	50	1,280	1,070	160	100	30	20	—	30
Sudden reaction when surprised, frightened,	212	60	—	—	—	30	20	—	—	—	—	—	—
startled	213	560	—	—	—	150	70	—	—	—	—	—	—
Running without other incident	214	60	—	—	—	30	30	—	—	—	—	—	—
Sitting	215	2,780	—	—	—	560	440	100	30	—	20	—	—
Slip, trip, loss of balance without fall	216	80	—	—	—	40	—	—	—	—	—	—	—
Standing	217	570	—	—	—	20	20	—	—	—	—	—	—
Walking without other incident	219	1,260	—	—	—	270	180	20	20	—	—	—	—
Bodily reaction, n.e.c.	22	11,670	—	—	200	8,000	5,300	1,920	1,770	610	230	70	710
Overexertion	220	1,020	—	—	30	670	390	170	180	80	20	20	60
Overexertion, unspecified	221	5,240	—	—	40	3,930	2,840	700	790	270	30	—	450
Overexertion in pulling or pushing objects	222	1,640	—	—	20	1,130	640	350	200	50	30	—	60
Overexertion in holding, carrying, turning, or	223	3,040	—	—	110	1,920	1,180	620	390	180	40	20	110
wielding objects	224	30	—	—	—	—	—	—	—	—	—	—	—
Overexertion in throwing objects	229	710	—	—	—	330	240	80	190	20	110	30	30
Overexertion, n.e.c.	23	2,110	—	—	20	260	80	160	1,460	200	180	90	930
Repetitive motion	230	690	—	—	—	60	20	40	430	80	80	40	230
Repetitive motion, unspecified	231	680	—	—	—	—	—	—	620	30	60	20	470
Typing or key entry	232	190	—	—	—	60	30	—	120	40	20	—	50
Repetitive use of tools													

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Contact with objects and equipment, n.e.c.	30	30	—	—	—	60	—
Falls	5,700	3,060	990	480	—	5,220	90
Fall, unspecified	40	20	—	—	—	50	—
Fall to lower level	1,730	800	360	90	—	1,520	—
Fall down stairs or steps	1,390	620	280	60	—	960	—
Fall from floor, dock, or ground level	30	—	—	—	—	20	—
Fall from ground level to lower level	—	—	—	—	—	—	—
Fall from floor, dock, or ground level, n.e.c.	—	—	—	—	—	—	—
Fall from ladder	80	30	20	—	—	90	—
Fall from nonmoving vehicle	130	100	30	—	—	180	—
Fall to lower level, n.e.c.	90	40	30	—	—	240	—
Jump to lower level	90	60	20	—	—	—	—
Jump from nonmoving vehicle	60	—	—	—	—	—	—
Jump to lower level, n.e.c.	20	—	—	—	—	—	—
Fall on same level	3,810	2,170	600	370	—	3,580	70
Fall on same level, unspecified	20	—	—	—	—	20	—
Fall to floor, walkway, or other surface	3,560	2,020	590	350	—	3,400	70
Fall onto or against objects	180	140	—	—	—	130	—
Fall on same level, n.e.c.	50	20	—	20	—	30	—
Fall, n.e.c.	30	—	—	—	—	60	—
Bodily reaction and exertion	5,910	2,440	1,800	820	290	1,960	—
Bodily reaction and exertion, unspecified	180	60	30	70	20	30	—
Bodily reaction	4,880	1,990	1,720	540	40	730	—
Bodily reaction, unspecified	190	90	20	30	30	170	—
Bending, climbing, crawling, reaching, twisting	880	510	150	90	—	190	—
Sudden reaction when surprised, frightened,	—	—	—	—	—	—	—
startled	—	—	—	—	—	—	—
Running without other incident	410	230	70	30	—	—	—
Sitting	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	1,870	640	770	210	—	310	—
Standing	40	—	—	30	—	—	—
Walking without other incident	530	220	200	80	—	20	—
Bodily reaction, n.e.c.	940	300	480	70	—	20	—
Overexertion	620	340	50	30	—	1,070	—
Overexertion, unspecified	50	—	—	—	—	90	—
Overexertion in lifting	200	70	30	—	—	270	—
Overexertion in pulling or pushing objects	110	50	—	—	—	170	—
Overexertion in holding, carrying, turning, or	—	—	—	—	—	—	—
wielding objects	190	160	—	—	—	410	—
Overexertion in throwing objects	—	—	—	—	—	—	—
Overexertion, n.e.c.	70	50	—	—	—	120	—
Repetitive motion	230	40	—	190	—	130	—
Repetitive motion, unspecified	180	—	—	—	—	20	—
Typing or key entry	—	—	—	—	—	50	—
Repetitive use of tools	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Repetitive placing, grasping, or moving objects, except tools	233	390	—	—	—	110	20	90	230	40	—	30	160
Repetitive motion, n.e.c.	239	160	—	—	—	30	—	20	60	—	20	—	20
Bodily conditions, n.e.c.	25	440	—	—	—	180	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	20	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	3	2,750	330	180	—	260	—	—	540	140	80	230	30
Exposure to harmful substances or environments, unspecified	30	50	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current	31	90	—	—	—	—	—	—	50	—	—	30	—
Contact with electric current of machine, tool, appliance, or light fixture	311	60	—	—	—	—	—	—	40	—	—	30	—
Contact with temperature extremes	32	610	—	—	—	—	—	—	240	80	30	120	—
Exposure to environmental heat	321	110	—	—	—	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	470	—	—	—	—	—	—	230	80	20	120	—
Exposure to caustic, noxious, or allergenic substances	34	1,680	290	170	—	230	—	—	250	50	50	80	20
Exposure to caustic, noxious, or allergenic substances, unspecified	340	360	—	—	—	60	—	—	40	—	—	40	—
Inhalation of substance	341	290	—	—	—	60	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	160	—	—	—	40	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	120	—	—	—	20	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	410	180	150	—	—	—	—	90	30	30	—	20
Injections, stings, venomous bites	343	390	50	—	—	—	—	—	110	20	30	30	—
Injections, stings, venomous bites, unspecified	3430	30	20	—	—	—	—	—	—	—	—	—	—
Needle sticks	3431	30	—	—	—	—	—	—	—	—	—	—	—
Bee, wasp, hornet sting	3432	120	30	—	—	—	—	—	30	—	—	20	—
Other stings or venomous bites	3433	110	—	—	—	—	—	—	60	—	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	80	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	220	40	—	—	90	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	270	—	—	—	20	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	20	—	—	—	—	—	—	—	—	—	—	—
Transportation accidents	4	4,120	120	—	280	1,270	830	200	170	30	—	20	30
Transportation accident, unspecified	40	100	—	—	—	40	20	—	—	—	—	—	—
Highway accident	41	3,380	100	—	270	990	730	160	80	—	—	—	30
Highway accident, unspecified	410	720	30	—	100	120	110	—	—	—	—	—	—
Collision between vehicles, mobile equipment	411	2,070	70	—	140	690	560	40	40	—	—	—	—
Collision between vehicles, mobile equipment, unspecified	4110	410	—	—	—	170	140	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Repetitive placing, grasping, or moving objects, except tools	—	—	—	—	—	20	—
Repetitive motion, n.e.c.	40	40	—	—	—	30	—
Bodily conditions, n.e.c.	—	—	—	—	230	—	—
Bodily reaction and exertion, n.e.c.	—	—	—	—	—	—	—
Exposure to harmful substances or environments	190	—	—	80	950	390	70
Exposure to harmful substances or environments, unspecified	—	—	—	—	20	—	—
Contact with electric current	—	—	—	—	40	—	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	20	—	—
Contact with temperature extremes	130	—	—	70	130	100	—
Exposure to environmental heat	—	—	—	—	110	—	—
Contact with hot objects or substances	130	—	—	70	—	100	—
Exposure to caustic, noxious, or allergenic substances	60	—	—	—	500	270	70
Exposure to caustic, noxious, or allergenic substances, unspecified	—	—	—	—	120	90	30
Inhalation of substance	—	—	—	—	230	—	—
Inhalation of substance, unspecified	—	—	—	—	130	—	—
Inhalation in open or nonconfined space	—	—	—	—	90	—	—
Contact with skin or other exposed tissue	20	—	—	—	30	80	—
Injections, stings, venomous bites	30	—	—	—	70	80	40
Injections, stings, venomous bites, unspecified	—	—	—	—	—	—	—
Needle sticks	—	—	—	—	—	—	—
Bee, wasp, hornet sting	—	—	—	—	—	30	—
Other stings or venomous bites	20	—	—	—	—	—	20
Injections, stings, venomous bites, n.e.c.	—	—	—	—	30	50	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	50	20	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	240	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—
Transportation accidents	250	90	30	40	20	1,970	50
Transportation accident, unspecified	—	—	—	—	—	50	—
Highway accident	150	70	30	20	20	1,720	40
Highway accident, unspecified	30	—	—	20	20	410	—
Collision between vehicles, mobile equipment	30	—	—	—	—	1,050	40
Collision between vehicles, mobile equipment, unspecified	—	—	—	—	—	190	30

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Moving in same direction	4112	630	-	-	50	130	110	-	-	-	-	-	-
Moving in opposite directions, oncoming	4113	240	-	-	-	80	80	-	-	-	-	-	-
Moving in intersection	4114	140	-	-	-	70	-	-	-	-	-	-	-
Moving and standing vehicle, mobile equipment in roadway	4115	240	-	-	30	100	90	-	-	-	-	-	-
Moving and standing vehicle, mobile equipment side of road	4116	100	-	-	40	-	-	-	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	4119	300	20	-	-	130	120	-	-	-	-	-	-
Vehicle struck object in roadway	412	20	-	-	-	-	-	-	-	-	-	-	-
Vehicle struck object on side of road	413	260	-	-	-	140	-	130	-	-	-	-	-
Noncollision accident	414	300	-	-	20	40	40	-	30	-	-	-	-
Noncollision accident, unspecified	4140	50	-	-	-	-	-	-	30	-	-	-	-
Jack-knifed or overturned no collision	4141	60	-	-	-	-	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4144	150	-	-	-	30	30	-	-	-	-	-	-
Noncollision accident, n.e.c.	4149	30	-	-	-	-	-	-	-	-	-	-	-
Nonhighway accident, except rail, air, water	42	490	-	-	-	210	60	20	60	-	-	-	-
Collision between vehicles or mobile equipment	421	70	-	-	-	40	20	-	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	422	40	-	-	-	-	-	-	-	-	-	-	-
Noncollision accident	423	340	-	-	-	160	20	-	50	-	-	-	-
Fall from moving vehicle, mobile equipment	4231	70	-	-	-	-	-	-	-	-	-	-	-
Overtaken	4233	70	-	-	-	40	-	-	-	-	-	-	-
Loss of control	4234	80	-	-	-	-	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4236	80	-	-	-	80	-	-	-	-	-	-	-
Noncollision accident, n.e.c.	4239	30	-	-	-	20	-	-	-	-	-	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	130	-	-	-	20	-	-	20	-	-	-	-
Pedestrian struck by vehicle, mobile equipment, unspecified	430	30	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in roadway	431	40	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment on side of road	432	20	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	40	-	-	-	-	-	-	-	-	-	-	-
Fires and explosions	5	50	-	-	-	-	-	-	-	-	-	-	-
Fire unintended or uncontrolled	51	40	-	-	-	-	-	-	-	-	-	-	-
Fire in residence, building, or other structure ..	511	30	-	-	-	-	-	-	-	-	-	-	-
Assaults and violent acts	6	11,980	2,390	300	320	2,040	560	560	1,810	380	380	430	280

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Moving in same direction	—	—	—	—	—	430	—
Moving in opposite directions, oncoming	20	—	—	—	—	120	—
Moving in intersection	—	—	—	—	—	50	—
Moving and standing vehicle, mobile equipment in roadway	—	—	—	—	—	90	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	20	—
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	—	—	140	—
Vehicle struck object in roadway	—	—	—	—	—	—	—
Vehicle struck object on side of road	—	—	—	—	—	110	—
Noncollision accident	80	—	20	—	—	140	—
Noncollision accident, unspecified	—	—	—	—	—	30	—
Jack-knifed or overturned no collision	—	—	—	—	—	50	—
Sudden start or stop, n.e.c.	—	—	—	—	—	40	—
Noncollision accident, n.e.c.	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	70	—	—	—	—	130	—
Collision between vehicles or mobile equipment	—	—	—	—	—	30	—
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	—	—
Noncollision accident	30	—	—	—	—	90	—
Fall from moving vehicle, mobile equipment	—	—	—	—	—	30	—
Overturned	—	—	—	—	—	—	—
Loss of control	—	—	—	—	—	30	—
Sudden start or stop, n.e.c.	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	30	—	—	20	—	60	—
Pedestrian struck by vehicle, mobile equipment, unspecified	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	20	—	—	—	—	20	—
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	—	—	—	—	—	20	—
Fires and explosions	—	—	—	—	30	—	—
Fire unintended or uncontrolled	—	—	—	—	30	—	—
Fire in residence, building, or other structure ..	—	—	—	—	20	—	—
Assaults and violent acts	1,460	890	120	170	430	3,510	30

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Assaults and violent acts, unspecified	60	390	120	—	—	20	—	—	50	—	20	—	—
Assaults and violent acts by person(s)	61	11,330	2,230	300	310	2,000	550	550	1,650	310	350	390	270
Assaults and violent acts by person(s), unspecified	610	2,570	220	20	40	380	170	130	400	60	80	130	60
Biting	611	270	—	—	—	—	—	—	190	100	20	30	20
Hitting, kicking, beating	612	4,470	1,610	260	100	920	200	160	340	40	40	100	40
Squeezing, pinching, scratching, twisting	614	670	80	—	50	90	20	60	290	50	80	40	100
Stabbing	615	60	—	—	—	—	—	—	—	—	—	—	—
Threats or verbal assaults	617	70	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,210	320	20	120	590	160	200	420	60	120	80	40
Assaults by animals	63	250	30	—	—	20	—	—	110	50	—	40	—
Assaults by animals, unspecified	630	20	—	—	—	—	—	—	—	—	—	—	—
Nonvenomous bites	631	170	—	—	—	—	—	—	90	40	—	40	—
Assaults by animals, n.e.c.	639	70	20	—	—	—	—	—	—	—	—	—	—
Other events or exposures	9	90	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	840	60	20	—	150	70	—	130	60	—	20	20

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2008 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Assaults and violent acts, unspecified	—	—	—	—	—	190	—
Assaults and violent acts by person(s)	1,390	870	120	170	430	3,290	20
Assaults and violent acts by person(s), unspecified	500	310	30	30	—	1,020	—
Biting	30	—	—	—	—	30	—
Hitting, kicking, beating	360	240	30	50	—	1,140	—
Squeezing, pinching, scratching, twisting	40	30	—	—	—	120	—
Stabbing	—	—	—	—	—	30	—
Threats or verbal assaults	—	—	—	—	60	—	—
Assaults and violent acts by person(s), n.e.c.	450	250	60	100	350	950	—
Assaults by animals	50	20	—	—	—	20	—
Assaults by animals, unspecified	—	—	—	—	—	—	—
Nonvenomous bites	30	—	—	—	—	—	—
Assaults by animals, n.e.c.	20	20	—	—	—	—	—
Other events or exposures	—	—	—	—	60	—	—
Nonclassifiable	140	80	—	20	120	100	130

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999

(Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies