

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, State government, 2008

Part of body	Part of body code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		71,100	450	3,320	13,340	17,560	20,950	11,310	1,510	2,660
Head	0	5,640	20	460	1,410	1,310	1,290	820	70	270
Head, unspecified	00	1,230	—	120	190	200	330	320	30	30
Cranial region, including skull	01	800	—	20	310	220	160	70	—	—
Brain	011	590	—	—	280	120	140	20	—	—
Scalp	012	110	—	—	20	30	—	40	—	—
Skull	013	20	—	—	—	—	—	—	—	—
Multiple cranial region locations	018	30	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	40	—	—	—	40	—	—	—	—
Ear(s)	02	60	—	—	20	20	20	—	—	—
Face	03	3,450	—	320	890	800	760	410	40	230
Face, unspecified	030	510	—	80	160	90	120	20	—	30
Forehead	031	120	—	—	40	—	30	20	—	—
Eye(s)	032	1,470	—	40	400	500	300	150	—	60
Nose, nasal cavity	033	160	—	—	20	30	60	40	—	—
Nose, except internal location of diseases or disorders	0330	160	—	—	20	30	60	40	—	—
Cheek(s)	034	80	—	—	20	30	—	—	—	—
Jaw/chin	035	190	—	30	100	—	—	—	—	40
Mouth	036	360	—	140	—	20	60	80	—	40
Mouth, unspecified	0360	20	—	—	—	—	—	—	—	—
Lip(s)	0361	100	—	—	—	—	—	80	—	—
Tooth(teeth)	0363	210	—	130	—	—	—	—	—	40
Multiple mouth locations	0368	30	—	—	—	—	30	—	—	—
Multiple face locations	038	550	—	—	140	110	160	80	—	50
Face, n.e.c.	039	20	—	—	—	—	—	—	—	—
Multiple head locations	08	90	—	—	—	70	—	—	—	—
Neck, including throat	1	1,060	—	70	270	240	240	160	—	70
Neck, except internal location of diseases or disorders ...	10	1,050	—	70	270	230	240	160	—	70
Trunk	2	19,700	140	900	3,080	4,940	6,060	3,300	470	810
Trunk, unspecified	20	100	—	—	—	—	20	60	—	—
Shoulder, including clavicle, scapula	21	4,490	—	180	610	950	1,550	940	120	130
Chest, including ribs, internal organs	22	1,420	—	50	160	280	400	320	70	140
Chest, except internal location of diseases or disorders	220	1,000	—	50	140	260	280	130	60	70
Heart	223	230	—	—	—	—	20	170	—	20
Lung(s), pleura	225	180	—	—	—	—	90	—	—	50
Back, including spine, spinal cord	23	11,130	130	520	1,890	2,950	3,440	1,570	180	450
Back, including spine, spinal cord, unspecified	230	4,370	20	190	700	1,070	1,400	620	70	310
Lumbar region	231	5,660	110	280	980	1,610	1,790	680	100	120
Thoracic region	232	360	—	20	70	140	60	50	—	20
Coccygeal region	234	20	—	—	—	—	—	—	—	—
Multiple back regions	238	660	—	40	130	90	160	220	—	—
Back, including spine, spinal cord, n.e.c.	239	50	—	—	—	20	20	—	—	—
Abdomen	24	1,130	—	20	140	450	330	120	—	60

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Abdomen, except internal location of diseases or disorders	240	840	—	20	120	420	130	100	—	50	
Internal abdominal location, unspecified	241	160	—	—	—	—	120	—	—	—	
Intestines, peritoneum	245	120	—	—	—	20	80	—	—	—	
Intestines, peritoneum, unspecified	2450	120	—	—	—	20	80	—	—	—	
Pelvic region	25	840	—	20	170	210	180	140	90	20	
Hip(s)	251	300	—	—	20	70	80	110	—	—	
Pelvis	252	20	—	—	—	—	—	—	—	—	
Buttock(s)	253	40	—	—	—	—	—	—	—	—	
Groin	254	380	—	—	140	110	80	20	—	20	
External reproductive tract structures	255	70	—	—	—	—	—	—	—	—	
Multiple trunk locations	28	590	—	110	100	90	140	140	—	—	
Upper extremities	3	12,440	130	770	2,210	3,320	3,590	1,970	110	340	
Upper extremities, unspecified	30	50	—	—	—	30	—	—	—	—	
Arm(s)	31	2,590	—	80	320	720	950	440	20	50	
Arm(s), unspecified	310	820	—	30	130	200	270	150	—	30	
Upper arm(s)	311	250	—	—	30	40	90	80	—	—	
Elbow(s)	312	1,000	—	20	80	340	410	130	—	20	
Forearm(s)	313	390	—	—	50	110	140	50	—	—	
Multiple arm(s) locations	318	120	—	—	20	30	40	—	—	—	
Wrist(s)	32	2,950	20	220	400	770	910	470	40	120	
Hand(s), except finger(s)	33	2,050	—	190	470	670	430	210	30	50	
Finger(s), fingernail(s)	34	3,620	60	250	860	750	860	730	20	80	
Multiple upper extremities locations	38	1,040	—	30	130	330	400	100	—	—	
Hand(s) and finger(s)	381	200	—	20	30	80	50	—	—	—	
Hand(s) and wrist(s)	382	330	—	—	40	100	110	40	—	—	
Hand(s) and arm(s)	383	170	—	—	—	40	100	—	—	—	
Multiple upper extremities locations, n.e.c.	389	330	—	—	40	100	140	40	—	—	
Upper extremities, n.e.c.	39	130	—	—	20	40	40	20	—	—	
Lower extremities	4	16,040	80	720	3,020	3,990	4,970	2,170	380	710	
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—	
Leg(s)	41	9,250	—	300	1,880	2,160	2,760	1,410	280	440	
Leg(s), unspecified	410	940	—	40	100	150	330	160	100	60	
Thigh(s)	411	330	—	—	20	110	100	80	—	—	
Knee(s)	412	7,220	—	250	1,600	1,730	2,080	1,020	170	350	
Lower leg(s)	413	570	—	—	120	110	180	130	—	—	
Multiple leg(s) locations	418	190	—	—	40	60	60	30	—	—	
Ankle(s)	42	3,160	—	180	660	740	990	390	50	130	
Foot(feet), except toe(s)	43	2,130	20	200	320	680	560	280	20	40	
Foot(feet), except toe(s), unspecified	430	1,840	20	160	290	610	430	260	20	40	
Sole	432	210	—	40	30	70	60	—	—	—	
Arch(es)	4322	30	—	—	—	—	—	—	—	—	
Heel(s)	4323	180	—	—	30	70	50	—	—	—	
Multiple foot(feet) locations	438	60	—	—	—	—	60	—	—	—	
Toe(s), toenail(s)	44	500	—	—	60	240	150	30	—	—	
Multiple lower extremities locations	48	900	—	20	90	160	420	60	—	90	
Foot(feet) and leg(s)	481	30	—	—	—	—	—	—	—	—	
Foot(feet) and ankle(s)	482	240	—	—	60	40	110	20	—	—	

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Foot(feet) and toe(s)	483	50	-	-	-	30	-	-	-	-
Multiple lower extremities locations, n.e.c.	489	580	-	-	30	90	300	40	-	80
Lower extremities, n.e.c.	49	80	-	-	-	-	60	-	-	-
Body systems	5	1,910	-	90	300	510	510	350	80	70
Multiple body parts	8	13,940	60	310	2,970	3,200	4,160	2,470	400	370
Nonclassifiable	9999	380	-	-	90	60	130	70	-	20

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies