

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2008

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		71,100	36,670	34,220	210	2,090	5,910	20,090	41,010	1,990
Head	0	5,640	2,810	2,810	20	100	680	2,130	2,560	170
Head, unspecified	00	1,230	500	730	-	-	210	230	760	30
Cranial region, including skull	01	800	480	320	-	-	60	400	320	-
Brain	011	590	380	210	-	-	40	320	210	-
Scalp	012	110	50	60	-	-	-	20	90	-
Skull	013	20	-	-	-	-	-	-	-	-
Multiple cranial region locations	018	30	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	40	30	-	-	-	-	20	-	-
Ear(s)	02	60	50	-	-	-	30	-	20	-
Face	03	3,450	1,760	1,670	20	70	370	1,430	1,440	140
Face, unspecified	030	510	180	320	-	-	30	210	240	30
Forehead	031	120	70	40	-	-	-	60	40	-
Eye(s)	032	1,470	810	650	-	40	80	770	510	60
Nose, nasal cavity	033	160	90	70	-	-	-	20	120	-
Nose, except internal location of diseases or disorders	0330	160	90	70	-	-	-	20	120	-
Cheek(s)	034	80	40	30	-	-	-	30	50	-
Jaw/chin	035	190	120	70	-	-	30	90	40	40
Mouth	036	360	240	120	-	-	120	70	150	-
Mouth, unspecified	0360	20	-	-	-	-	-	-	-	-
Lip(s)	0361	100	90	20	-	-	-	-	90	-
Tooth(teeth)	0363	210	110	90	-	-	110	60	20	-
Multiple mouth locations	0368	30	30	-	-	-	-	-	30	-
Multiple face locations	038	550	190	360	-	-	90	180	270	-
Face, n.e.c.	039	20	20	-	-	-	-	-	-	-
Multiple head locations	08	90	20	70	-	-	-	60	20	-
Neck, including throat	1	1,060	480	570	-	40	90	270	590	70
Neck, except internal location of diseases or disorders ...	10	1,050	470	570	-	40	80	270	590	70
Trunk	2	19,700	10,830	8,820	50	580	1,590	5,600	11,280	660
Trunk, unspecified	20	100	70	30	-	-	-	30	60	-
Shoulder, including clavicle, scapula	21	4,490	2,540	1,930	20	120	290	1,200	2,820	60
Chest, including ribs, internal organs	22	1,420	870	540	-	-	180	450	740	40
Chest, except internal location of diseases or disorders	220	1,000	620	380	-	-	170	410	390	20
Heart	223	230	190	40	-	-	-	-	200	-
Lung(s), pleura	225	180	60	120	-	-	-	30	140	-
Back, including spine, spinal cord	23	11,130	5,820	5,280	30	350	940	3,130	6,290	420
Back, including spine, spinal cord, unspecified	230	4,370	2,280	2,080	-	110	370	1,230	2,370	290
Lumbar region	231	5,660	2,950	2,690	20	190	520	1,510	3,330	110
Thoracic region	232	360	160	200	-	40	30	110	170	20
Coccygeal region	234	20	-	-	-	-	-	-	-	-
Multiple back regions	238	660	380	290	-	-	-	260	380	-
Back, including spine, spinal cord, n.e.c.	239	50	40	-	-	-	-	20	20	-

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Abdomen	24	1,130	700	430	—	40	70	260	660	110
Abdomen, except internal location of diseases or disorders	240	840	470	370	—	30	60	210	490	50
Internal abdominal location, unspecified	241	160	100	—	—	—	—	—	80	60
Intestines, peritoneum	245	120	120	—	—	—	—	40	80	—
Intestines, peritoneum, unspecified	2450	120	120	—	—	—	—	40	80	—
Pelvic region	25	840	480	350	—	—	70	280	460	30
Hip(s)	251	300	100	200	—	—	30	90	170	—
Pelvis	252	20	20	—	—	—	—	—	—	—
Buttock(s)	253	40	—	30	—	—	—	—	20	—
Groin	254	380	330	50	—	—	30	170	170	20
External reproductive tract structures	255	70	—	—	—	—	—	—	70	—
Multiple trunk locations	28	590	350	250	—	30	40	260	250	—
Upper extremities	3	12,440	6,550	5,860	20	370	980	3,460	7,320	300
Upper extremities, unspecified	30	50	30	20	—	—	—	20	20	—
Arm(s)	31	2,590	1,380	1,210	—	70	200	570	1,700	50
Arm(s), unspecified	310	820	250	570	—	40	80	160	510	20
Upper arm(s)	311	250	150	110	—	—	20	60	170	—
Elbow(s)	312	1,000	770	230	—	20	60	190	710	—
Forearm(s)	313	390	170	220	—	—	30	130	210	—
Multiple arm(s) locations	318	120	40	80	—	—	—	—	90	—
Wrist(s)	32	2,950	1,160	1,780	—	70	170	770	1,840	110
Hand(s), except finger(s)	33	2,050	1,240	810	—	90	200	560	1,130	70
Finger(s), fingernail(s)	34	3,620	2,070	1,540	—	120	350	1,240	1,880	30
Multiple upper extremities locations	38	1,040	600	440	—	20	60	270	660	30
Hand(s) and finger(s)	381	200	100	110	—	20	—	50	120	—
Hand(s) and wrist(s)	382	330	190	140	—	—	40	60	210	30
Hand(s) and arm(s)	383	170	130	40	—	—	—	120	40	—
Multiple upper extremities locations, n.e.c.	389	330	170	160	—	—	—	30	280	—
Upper extremities, n.e.c.	39	130	70	60	—	—	—	30	100	—
Lower extremities	4	16,040	8,740	7,210	90	560	1,470	4,000	9,530	480
Lower extremities, unspecified	40	20	—	20	—	—	—	—	—	—
Leg(s)	41	9,250	5,570	3,610	70	300	710	2,190	5,740	300
Leg(s), unspecified	410	940	520	420	—	60	100	120	650	—
Thigh(s)	411	330	220	110	—	—	20	50	250	20
Knee(s)	412	7,220	4,380	2,770	70	220	500	1,890	4,350	260
Lower leg(s)	413	570	330	240	—	—	100	110	330	—
Multiple leg(s) locations	418	190	120	70	—	—	—	20	150	—
Ankle(s)	42	3,160	1,440	1,710	—	110	340	890	1,740	80
Foot(feet), except toe(s)	43	2,130	1,200	930	—	130	190	640	1,130	40
Foot(feet), except toe(s), unspecified	430	1,840	980	850	—	110	180	570	940	40
Sole	432	210	150	60	—	—	—	70	120	—
Arch(es)	4322	30	—	30	—	—	—	30	—	—
Heel(s)	4323	180	150	30	—	—	—	30	120	—
Multiple foot(feet) locations	438	60	60	—	—	—	—	—	60	—
Toe(s), toenail(s)	44	500	190	310	—	—	150	120	220	—
Multiple lower extremities locations	48	900	270	630	—	—	70	160	600	40

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2008 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Foot(feet) and leg(s)	481	30	20	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	240	90	140	—	—	20	80	130	—
Foot(feet) and toe(s)	483	50	—	30	—	—	—	—	40	—
Multiple lower extremities locations, n.e.c.	489	580	150	440	—	—	50	70	430	40
Lower extremities, n.e.c.	49	80	70	—	—	—	—	—	80	—
Body systems	5	1,910	930	980	—	70	150	730	960	20
Multiple body parts	8	13,940	6,070	7,860	20	380	930	3,830	8,530	270
Nonclassifiable	9999	380	260	110	—	—	30	80	250	20

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies