

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		71,100	9,980	14.0	6,350	8.9	13,590	19.1
Head	0	5,640	1,710	30.3	910	16.1	1,220	21.6
Head, unspecified	00	1,230	390	31.7	140	11.4	260	21.1
Cranial region, including skull	01	800	100	12.5	60	7.5	360	45.0
Brain	011	590	30	5.1	30	5.1	300	50.8
Scalp	012	110	40	36.4	—	—	40	36.4
Skull	013	20	—	—	—	—	—	—
Multiple cranial region locations	018	30	—	—	—	—	—	—
Cranial region, n.e.c.	019	40	30	75.0	—	—	—	—
Ear(s)	02	60	20	33.3	—	—	—	—
Face	03	3,450	1,180	34.2	710	20.6	590	17.1
Face, unspecified	030	510	160	31.4	50	9.8	90	17.6
Forehead	031	120	30	25.0	30	25.0	40	33.3
Eye(s)	032	1,470	490	33.3	430	29.3	280	19.0
Nose, nasal cavity	033	160	40	25.0	—	—	20	12.5
Nose, except internal location of diseases or disorders	0330	160	40	25.0	—	—	20	12.5
Cheek(s)	034	80	—	—	—	—	30	37.5
Jaw/chin	035	190	70	36.8	—	—	60	31.6
Mouth	036	360	190	52.8	—	—	30	8.3
Mouth, unspecified	0360	20	—	—	—	—	—	—
Lip(s)	0361	100	—	—	—	—	—	—
Tooth(teeth)	0363	210	170	81.0	—	—	—	—
Multiple mouth locations	0368	30	—	—	—	—	—	—
Multiple face locations	038	550	200	36.4	160	29.1	50	9.1
Face, n.e.c.	039	20	—	—	—	—	—	—
Multiple head locations	08	90	—	—	—	—	—	—
Neck, including throat	1	1,060	110	10.4	190	17.9	260	24.5
Neck, except internal location of diseases or disorders ..	10	1,050	100	9.5	190	18.1	260	24.8
Trunk	2	19,700	2,290	11.6	1,420	7.2	3,670	18.6
Trunk, unspecified	20	100	50	50.0	—	—	30	30.0
Shoulder, including clavicle, scapula	21	4,490	390	8.7	240	5.3	580	12.9
Chest, including ribs, internal organs	22	1,420	170	12.0	160	11.3	410	28.9
Chest, except internal location of diseases or disorders	220	1,000	140	14.0	140	14.0	200	20.0
Heart	223	230	—	—	—	—	130	56.5
Lung(s), pleura	225	180	20	11.1	—	—	80	44.4
Back, including spine, spinal cord	23	11,130	1,460	13.1	800	7.2	2,150	19.3
Back, including spine, spinal cord, unspecified	230	4,370	530	12.1	340	7.8	760	17.4
Lumbar region	231	5,660	820	14.5	370	6.5	1,180	20.8
Thoracic region	232	360	60	16.7	30	8.3	110	30.6
Coccygeal region	234	20	—	—	—	—	—	—
Multiple back regions	238	660	30	4.5	60	9.1	80	12.1
Back, including spine, spinal cord, n.e.c.	239	50	—	—	—	—	20	40.0
Abdomen	24	1,130	80	7.1	150	13.3	130	11.5

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	10,230	14.4	9,060	12.7	4,870	6.8	17,020	23.9	8
Head	550	9.8	380	6.7	170	3.0	710	12.6	3
Head, unspecified	80	6.5	60	4.9	70	5.7	240	19.5	3
Cranial region, including skull	60	7.5	100	12.5	40	5.0	80	10.0	3
Brain	40	6.8	100	16.9	30	5.1	60	10.2	3
Scalp	—	—	—	—	—	—	20	18.2	3
Skull	—	—	—	—	—	—	—	—	3
Multiple cranial region locations	—	—	—	—	—	—	—	—	6
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	1
Ear(s)	—	—	—	—	—	—	20	33.3	7
Face	390	11.3	220	6.4	60	1.7	290	8.4	2
Face, unspecified	120	23.5	30	5.9	—	—	60	11.8	4
Forehead	—	—	—	—	—	—	—	—	2
Eye(s)	80	5.4	130	8.8	20	1.4	40	2.7	2
Nose, nasal cavity	30	18.8	30	18.8	30	18.8	—	—	8
Nose, except internal location of diseases or disorders	30	18.8	30	18.8	30	18.8	—	—	8
Cheek(s)	30	37.5	—	—	—	—	—	—	5
Jaw/chin	30	15.8	—	—	—	—	—	—	4
Mouth	50	13.9	—	—	—	—	90	25.0	1
Mouth, unspecified	—	—	—	—	—	—	—	—	4
Lip(s)	—	—	—	—	—	—	—	—	39
Tooth(teeth)	—	—	—	—	—	—	—	—	1
Multiple mouth locations	—	—	—	—	—	—	—	—	10
Multiple face locations	40	7.3	20	3.6	—	—	90	16.4	2
Face, n.e.c.	—	—	—	—	—	—	—	—	10
Multiple head locations	—	—	—	—	—	—	70	77.8	38
Neck, including throat	210	19.8	70	6.6	50	4.7	170	16.0	5
Neck, except internal location of diseases or disorders ...	210	20.0	70	6.7	50	4.8	170	16.2	5
Trunk	3,050	15.5	2,610	13.2	1,090	5.5	5,570	28.3	10
Trunk, unspecified	—	—	—	—	—	—	—	—	3
Shoulder, including clavicle, scapula	590	13.1	660	14.7	270	6.0	1,760	39.2	15
Chest, including ribs, internal organs	160	11.3	310	21.8	40	2.8	170	12.0	5
Chest, except internal location of diseases or disorders	120	12.0	260	26.0	30	3.0	110	11.0	6
Heart	—	—	20	8.7	—	—	50	21.7	4
Lung(s), pleura	30	16.7	30	16.7	—	—	—	—	4
Back, including spine, spinal cord	1,700	15.3	1,450	13.0	650	5.8	2,920	26.2	8
Back, including spine, spinal cord, unspecified	680	15.6	610	14.0	290	6.6	1,160	26.5	9
Lumbar region	880	15.5	740	13.1	310	5.5	1,350	23.9	7
Thoracic region	50	13.9	50	13.9	—	—	60	16.7	5
Coccygeal region	—	—	—	—	—	—	—	—	3
Multiple back regions	70	10.6	50	7.6	40	6.1	340	51.5	34
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	5
Abdomen	280	24.8	90	8.0	60	5.3	340	30.1	10

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen, except internal location of diseases or disorders	240	840	80	9.5	150	17.9	130	15.5
Internal abdominal location, unspecified	241	160	—	—	—	—	—	—
Intestines, peritoneum	245	120	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	120	—	—	—	—	—	—
Pelvic region	25	840	110	13.1	50	6.0	310	36.9
Hip(s)	251	300	—	—	30	10.0	80	26.7
Pelvis	252	20	—	—	—	—	—	—
Buttock(s)	253	40	—	—	—	—	—	—
Groin	254	380	20	5.3	20	5.3	200	52.6
External reproductive tract structures	255	70	70	100.0	—	—	—	—
Multiple trunk locations	28	590	40	6.8	—	—	70	11.9
Upper extremities	3	12,440	1,930	15.5	1,040	8.4	2,420	19.5
Upper extremities, unspecified	30	50	—	—	—	—	—	—
Arm(s)	31	2,590	390	15.1	240	9.3	580	22.4
Arm(s), unspecified	310	820	110	13.4	80	9.8	140	17.1
Upper arm(s)	311	250	40	16.0	20	8.0	60	24.0
Elbow(s)	312	1,000	160	16.0	50	5.0	290	29.0
Forearm(s)	313	390	80	20.5	70	17.9	70	17.9
Multiple arm(s) locations	318	120	—	—	20	16.7	—	—
Wrist(s)	32	2,950	520	17.6	140	4.7	420	14.2
Hand(s), except finger(s)	33	2,050	250	12.2	280	13.7	380	18.5
Finger(s), fingernail(s)	34	3,620	620	17.1	310	8.6	680	18.8
Multiple upper extremities locations	38	1,040	140	13.5	70	6.7	320	30.8
Hand(s) and finger(s)	381	200	20	10.0	—	—	30	15.0
Hand(s) and wrist(s)	382	330	20	6.1	—	—	170	51.5
Hand(s) and arm(s)	383	170	90	52.9	40	23.5	—	—
Multiple upper extremities locations, n.e.c.	389	330	20	6.1	—	—	110	33.3
Upper extremities, n.e.c.	39	130	—	—	—	—	40	30.8
Lower extremities	4	16,040	1,800	11.2	1,170	7.3	2,660	16.6
Lower extremities, unspecified	40	20	—	—	—	—	—	—
Leg(s)	41	9,250	1,050	11.4	620	6.7	1,390	15.0
Leg(s), unspecified	410	940	140	14.9	60	6.4	100	10.6
Thigh(s)	411	330	50	15.2	30	9.1	80	24.2
Knee(s)	412	7,220	750	10.4	450	6.2	1,100	15.2
Lower leg(s)	413	570	80	14.0	50	8.8	90	15.8
Multiple leg(s) locations	418	190	30	15.8	40	21.1	30	15.8
Ankle(s)	42	3,160	380	12.0	280	8.9	600	19.0
Foot(feet), except toe(s)	43	2,130	250	11.7	140	6.6	420	19.7
Foot(feet), except toe(s), unspecified	430	1,840	230	12.5	110	6.0	310	16.8
Sole	432	210	—	—	30	14.3	50	23.8
Arch(es)	4322	30	—	—	—	—	—	—
Heel(s)	4323	180	—	—	30	16.7	20	11.1
Multiple foot(feet) locations	438	60	—	—	—	—	—	—
Toe(s), toenail(s)	44	500	40	8.0	30	6.0	90	18.0
Multiple lower extremities locations	48	900	80	8.9	90	10.0	130	14.4
Foot(feet) and leg(s)	481	30	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	240	—	—	60	25.0	30	12.5

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen, except internal location of diseases or disorders	270	32.1	60	7.1	30	3.6	130	15.5	10
Internal abdominal location, unspecified	—	—	—	—	—	—	140	87.5	43
Intestines, peritoneum	—	—	20	16.7	20	16.7	70	58.3	32
Intestines, peritoneum, unspecified	—	—	20	16.7	20	16.7	70	58.3	32
Pelvic region	80	9.5	40	4.8	50	6.0	200	23.8	5
Hip(s)	40	13.3	20	6.7	20	6.7	100	33.3	10
Pelvis	—	—	—	—	—	—	—	—	5
Buttock(s)	—	—	—	—	—	—	—	—	5
Groin	30	7.9	20	5.3	—	—	80	21.1	3
External reproductive tract structures	—	—	—	—	—	—	—	—	1
Multiple trunk locations	220	37.3	60	10.2	20	3.4	170	28.8	8
Upper extremities	1,700	13.7	1,480	11.9	980	7.9	2,880	23.2	7
Upper extremities, unspecified	20	40.0	—	—	—	—	—	—	6
Arm(s)	360	13.9	350	13.5	60	2.3	610	23.6	6
Arm(s), unspecified	120	14.6	110	13.4	30	3.7	230	28.0	8
Upper arm(s)	30	12.0	—	—	—	—	100	40.0	8
Elbow(s)	120	12.0	160	16.0	20	2.0	200	20.0	5
Forearm(s)	70	17.9	50	12.8	—	—	50	12.8	4
Multiple arm(s) locations	—	—	30	25.0	—	—	40	33.3	15
Wrist(s)	270	9.2	370	12.5	220	7.5	1,020	34.6	14
Hand(s), except finger(s)	380	18.5	220	10.7	190	9.3	360	17.6	6
Finger(s), fingernail(s)	510	14.1	420	11.6	400	11.0	680	18.8	7
Multiple upper extremities locations	130	12.5	100	9.6	90	8.7	180	17.3	5
Hand(s) and finger(s)	60	30.0	30	15.0	—	—	40	20.0	7
Hand(s) and wrist(s)	30	9.1	20	6.1	60	18.2	30	9.1	5
Hand(s) and arm(s)	—	—	—	—	—	—	20	11.8	1
Multiple upper extremities locations, n.e.c.	40	12.1	40	12.1	20	6.1	100	30.3	6
Upper extremities, n.e.c.	30	23.1	20	15.4	—	—	30	23.1	9
Lower extremities	2,740	17.1	2,300	14.3	1,310	8.2	4,060	25.3	10
Lower extremities, unspecified	—	—	—	—	—	—	—	—	3
Leg(s)	1,600	17.3	1,280	13.8	650	7.0	2,660	28.8	10
Leg(s), unspecified	150	16.0	130	13.8	110	11.7	260	27.7	11
Thigh(s)	20	6.1	40	12.1	50	15.2	70	21.2	10
Knee(s)	1,300	18.0	1,050	14.5	450	6.2	2,110	29.2	11
Lower leg(s)	130	22.8	50	8.8	30	5.3	130	22.8	6
Multiple leg(s) locations	—	—	—	—	—	—	80	42.1	5
Ankle(s)	660	20.9	360	11.4	240	7.6	630	19.9	6
Foot(feet), except toe(s)	270	12.7	220	10.3	290	13.6	550	25.8	10
Foot(feet), except toe(s), unspecified	270	14.7	150	8.2	280	15.2	490	26.6	11
Sole	—	—	70	33.3	—	—	50	23.8	13
Arch(es)	—	—	—	—	—	—	—	—	5
Heel(s)	—	—	60	33.3	—	—	50	27.8	18
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	5
Toe(s), toenail(s)	150	30.0	100	20.0	40	8.0	50	10.0	8
Multiple lower extremities locations	60	6.7	330	36.7	50	5.6	160	17.8	13
Foot(feet) and leg(s)	—	—	—	—	—	—	20	66.7	37
Foot(feet) and ankle(s)	—	—	70	29.2	—	—	70	29.2	13

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot(feet) and toe(s)	483	50	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	580	60	10.3	30	5.2	90	15.5
Lower extremities, n.e.c.	49	80	—	—	—	—	—	—
Body systems	5	1,910	310	16.2	140	7.3	420	22.0
Multiple body parts	8	13,940	1,780	12.8	1,450	10.4	2,760	19.8
Nonclassifiable	9999	380	60	15.8	40	10.5	170	44.7

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot(feet) and toe(s)	—	—	—	—	—	—	—	—	7
Multiple lower extremities locations, n.e.c.	40	6.9	260	44.8	40	6.9	60	10.3	13
Lower extremities, n.e.c.	—	—	—	—	—	—	20	25.0	29
Body systems	250	13.1	170	8.9	140	7.3	480	25.1	7
Multiple body parts	1,700	12.2	2,020	14.5	1,110	8.0	3,110	22.3	8
Nonclassifiable	30	7.9	20	5.3	—	—	30	7.9	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies