

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		71,100	2,460	8,180	20,240	16,230	9,700	5,360	8,930
Contact with objects and equipment	0	11,060	220	950	3,130	3,270	1,580	800	1,090
Contact with objects and equipment, unspecified	00	420	—	—	190	70	60	60	30
Struck against object or equipment	01	3,190	80	400	820	870	430	180	400
Struck against object or equipment, unspecified	010	130	20	—	40	—	—	30	20
Stepped on object	011	200	—	50	50	—	60	30	—
Struck against stationary object or equipment	012	1,810	40	240	420	450	240	90	340
Struck against moving object or equipment	013	370	—	20	70	260	—	—	—
Struck against object or equipment, n.e.c.	019	670	—	80	240	140	120	40	30
Struck by object or equipment	02	5,880	130	420	1,680	1,910	780	460	500
Struck by object or equipment, unspecified	020	170	—	—	50	60	—	—	20
Struck by falling object or equipment ...	021	1,490	20	110	440	600	160	80	80
Struck by flying object	022	650	—	80	150	150	60	180	40
Struck by flying object, unspecified ..	0220	310	—	—	30	—	20	—	—
Struck by dislodged flying object, particle	0221	110	—	—	60	30	—	—	—
Struck by discharged object or substance	0222	90	—	—	30	30	—	—	—
Struck by flying object, n.e.c.	0229	150	—	—	30	70	30	—	—
Struck by swinging or slipping object ...	023	2,630	50	160	730	910	400	140	240
Struck by swinging or slipping object, unspecified	0230	20	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	0231	1,570	50	100	360	570	240	70	180
Struck by slipping handheld object ..	0232	900	—	40	330	320	150	—	50
Struck by swinging or slipping object, n.e.c.	0239	140	—	—	40	20	—	70	—
Struck by rolling, sliding objects or equipment on floor or ground level	024	240	—	—	50	30	20	—	110
Struck by object or equipment, n.e.c. ..	029	700	30	70	250	150	130	50	20
Caught in or compressed by equipment or objects	03	910	—	100	290	250	80	50	120
Caught in or compressed by equipment or objects, unspecified	030	80	—	—	30	20	—	—	—
Caught in running equipment or machinery	031	100	—	—	20	30	—	—	50
Compressed or pinched by rolling, sliding, or shifting objects	032	250	—	30	80	70	—	—	40
Caught in or compressed by equipment or objects, n.e.c.	039	480	—	60	160	130	50	30	40
Rubbed or abraded by friction or pressure	05	390	—	—	80	70	190	20	—

See footnotes at end of table.

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Rubbed or abraded by kneeling on surface	051	20	—	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	20	—	—	20	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	340	—	—	50	70	190	—	—
Rubbed, abraded, or jarred by vibration ..	06	70	—	—	20	—	—	—	20
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	60	—	—	—	—	—	—	20
Contact with objects and equipment, n.e.c.	09	200	—	—	50	80	20	30	—
Falls	1	16,310	840	2,260	4,880	3,820	1,600	1,260	1,640
Fall, unspecified	10	230	—	—	130	40	20	—	—
Fall to lower level	11	4,230	330	420	1,280	1,080	410	280	420
Fall down stairs or steps	111	2,820	300	280	810	730	240	160	310
Fall from floor, dock, or ground level ...	112	70	—	—	—	—	—	20	—
Fall from ground level to lower level	1124	20	—	—	—	—	—	—	—
Fall from floor, dock, or ground level, n.e.c.	1129	20	—	—	—	—	—	—	—
Fall from ladder	113	270	—	—	110	100	30	—	20
Fall from nonmoving vehicle	118	370	—	70	110	50	80	—	50
Fall to lower level, n.e.c.	119	660	20	60	220	190	60	80	30
Jump to lower level	12	110	—	—	30	20	—	—	50
Jump from nonmoving vehicle	123	60	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	20	—	—	—	—	—	—	—
Fall on same level	13	11,620	500	1,810	3,390	2,650	1,170	960	1,140
Fall on same level, unspecified	130	170	—	—	30	130	—	—	—
Fall to floor, walkway, or other surface	131	10,590	480	1,710	3,070	2,250	1,110	900	1,060
Fall onto or against objects	132	750	20	70	270	230	50	40	70
Fall on same level, n.e.c.	139	120	—	20	30	40	—	—	—
Fall, n.e.c.	19	110	—	—	50	30	—	—	—
Bodily reaction and exertion	2	23,900	820	3,170	6,890	4,970	2,940	1,510	3,590
Bodily reaction and exertion, unspecified	20	840	30	120	200	160	50	110	160
Bodily reaction	21	8,830	310	1,250	2,540	1,990	1,280	560	890
Bodily reaction, unspecified	210	950	—	150	260	70	370	20	80
Bending, climbing, crawling, reaching, twisting	211	2,500	100	330	640	730	230	110	360
Sudden reaction when surprised, frightened, startled	212	60	—	20	20	—	—	—	—
Running without other incident	213	560	20	120	100	160	120	30	20
Sitting	214	60	—	—	—	20	—	—	20
Slip, trip, loss of balance without fall ...	215	2,780	80	390	850	550	360	290	270
Standing	216	80	—	—	30	—	—	—	—
Walking without other incident	217	570	40	40	140	160	40	40	100
Bodily reaction, n.e.c.	219	1,260	40	200	490	310	130	70	30
Overexertion	22	11,670	470	1,350	3,580	2,470	1,540	810	1,450
Overexertion, unspecified	220	1,020	30	130	220	240	140	90	180
Overexertion in lifting	221	5,240	210	520	1,750	1,040	640	420	660

See footnotes at end of table.

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Overexertion in pulling or pushing objects	222	1,640	110	180	570	310	220	70	170
Overexertion in holding, carrying, turning, or welding objects	223	3,040	100	370	860	720	440	220	330
Overexertion in throwing objects	224	30	—	—	20	—	—	—	—
Overexertion, n.e.c.	229	710	20	160	170	150	110	20	110
Repetitive motion	23	2,110	—	410	290	290	60	—	1,040
Repetitive motion, unspecified	230	690	—	210	30	—	20	—	410
Typing or key entry	231	680	—	70	130	100	—	—	370
Repetitive use of tools	232	190	—	40	40	40	—	—	70
Repetitive placing, grasping, or moving objects, except tools	233	390	—	80	80	120	20	—	80
Repetitive motion, n.e.c.	239	160	—	—	20	20	—	—	110
Bodily conditions, n.e.c.	25	440	—	40	260	50	—	20	40
Bodily reaction and exertion, n.e.c.	29	20	—	—	—	—	—	—	—
Exposure to harmful substances or environments	3	2,750	30	320	790	530	360	170	550
Exposure to harmful substances or environments, unspecified	30	50	—	—	—	—	—	—	—
Contact with electric current	31	90	—	—	50	20	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	60	—	—	40	—	—	—	—
Contact with temperature extremes	32	610	20	50	130	150	140	20	100
Exposure to environmental heat	321	110	—	—	20	—	—	—	70
Contact with hot objects or substances	323	470	20	50	110	140	110	—	30
Exposure to caustic, noxious, or allergenic substances	34	1,680	—	200	520	300	170	130	360
Exposure to caustic, noxious, or allergenic substances, unspecified	340	360	—	70	110	40	30	20	100
Inhalation of substance	341	290	—	30	100	50	20	—	70
Inhalation of substance, unspecified	3410	160	—	20	70	—	—	—	60
Inhalation in open or nonconfined space	3412	120	—	20	30	30	20	—	—
Contact with skin or other exposed tissue	342	410	—	30	110	130	40	50	50
Injections, stings, venomous bites	343	390	—	20	120	90	40	30	100
Injections, stings, venomous bites, unspecified	3430	30	—	—	—	20	—	—	—
Needle sticks	3431	30	—	—	—	—	—	—	—
Bee, wasp, hornet sting	3432	120	—	—	50	30	—	—	30
Other stings or venomous bites	3433	110	—	—	40	40	30	—	—
Injections, stings, venomous bites, n.e.c.	3439	80	—	—	20	—	—	20	40
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	220	—	50	70	—	40	20	30
Exposure to traumatic or stressful event, n.e.c.	37	270	—	40	70	50	30	—	70

See footnotes at end of table.

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Exposure to harmful substances or environments, n.e.c.	39	20	—	—	—	—	—	—	—
Transportation accidents	4	4,120	130	380	1,250	920	610	230	600
Transportation accident, unspecified	40	100	—	—	—	40	—	—	30
Highway accident	41	3,380	120	280	1,070	780	460	190	470
Highway accident, unspecified	410	720	—	130	200	80	130	80	100
Collision between vehicles, mobile equipment	411	2,070	50	120	660	630	300	100	220
Collision between vehicles, mobile equipment, unspecified	4110	410	—	—	140	140	40	—	50
Moving in same direction	4112	630	—	40	150	240	100	30	70
Moving in opposite directions, oncoming	4113	240	—	—	100	30	30	—	—
Moving in intersection	4114	140	—	—	70	40	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	240	—	—	90	70	20	—	30
Moving and standing vehicle, mobile equipment side of road	4116	100	—	40	30	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	300	—	—	70	100	100	20	—
Vehicle struck object in roadway	412	20	—	—	—	—	—	—	—
Vehicle struck object on side of road ...	413	260	40	30	110	20	—	—	60
Noncollision accident	414	300	40	—	110	50	20	—	80
Noncollision accident, unspecified ...	4140	50	—	—	50	—	—	—	—
Jack-knifed or overturned no collision	4141	60	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	150	—	—	30	30	—	—	70
Noncollision accident, n.e.c.	4149	30	—	—	20	—	—	—	—
Nonhighway accident, except rail, air, water	42	490	—	70	110	80	130	—	90
Collision between vehicles or mobile equipment	421	70	—	40	20	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	40	—	20	20	—	—	—	—
Noncollision accident	423	340	—	—	70	70	130	—	50
Fall from moving vehicle, mobile equipment	4231	70	—	—	—	40	—	—	—
Overtaken	4233	70	—	—	—	—	—	—	40
Loss of control	4234	80	—	—	40	—	—	—	—
Sudden start or stop, n.e.c.	4236	80	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4239	30	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	130	—	20	50	20	20	—	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	30	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	40	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	40	—	—	30	—	—	—	—
Fires and explosions	5	50	—	—	—	—	—	—	20
Fire unintended or uncontrolled	51	40	—	—	—	—	—	—	20
Fire in residence, building, or other structure	511	30	—	—	—	—	—	—	20
Assaults and violent acts	6	11,980	390	1,040	3,140	2,530	2,500	1,350	1,040
Assaults and violent acts, unspecified	60	390	—	—	110	20	50	70	70
Assaults and violent acts by person(s)	61	11,330	330	1,000	2,940	2,470	2,410	1,280	910
Assaults and violent acts by person(s), unspecified	610	2,570	110	130	580	530	610	200	410
Biting	611	270	—	40	110	70	40	—	—
Hitting, kicking, beating	612	4,470	80	460	1,480	730	840	630	240
Squeezing, pinching, scratching, twisting	614	670	—	60	110	170	80	100	140
Stabbing	615	60	—	—	30	—	—	—	—
Threats or verbal assaults	617	70	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,210	110	300	640	950	810	340	50
Assaults by animals	63	250	—	40	80	40	30	—	50

See footnotes at end of table.

TABLE S95. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and time of day event occurred, State government, 2008 — Continued

Event or exposure	Event code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Assaults by animals, unspecified	630	20	—	—	—	—	—	—	—
Nonvenomous bites	631	170	—	40	60	20	20	—	20
Assaults by animals, n.e.c.	639	70	—	—	20	—	—	—	20
Other events or exposures	9	90	—	—	—	—	60	—	—
Nonclassifiable	9999	840	—	30	130	170	40	40	410

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies