

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		206,580	87,910	13,060	9,290	7,750	1,540	18,490	1,910	450
Head	0	13,030	30	780	1,840	1,750	90	1,860	210	340
Head, unspecified	00	2,880	—	—	520	510	—	1,140	—	—
Cranial region, including skull	01	1,850	—	170	140	130	—	80	—	—
Brain	011	1,430	—	—	—	—	—	—	—	—
Scalp	012	180	—	—	140	130	—	20	—	—
Skull	013	220	—	170	—	—	—	40	—	—
Multiple cranial region locations	018	20	—	—	—	—	—	—	—	—
Ear(s)	02	310	—	—	150	150	—	—	50	—
Face	03	7,210	20	600	1,030	950	80	570	160	330
Face, unspecified	030	730	—	—	120	90	20	160	40	—
Forehead	031	490	—	—	330	330	—	90	—	—
Eye(s)	032	4,060	—	—	300	260	40	70	20	320
Nose, nasal cavity	033	420	—	160	80	80	—	50	—	—
Nose, except internal location of diseases or disorders	0330	360	—	160	80	80	—	50	—	—
Cheek(s)	034	70	—	20	—	—	—	20	—	—
Jaw/chin	035	310	—	30	—	—	—	50	—	—
Mouth	036	550	—	340	100	90	—	—	—	—
Mouth, unspecified	0360	30	—	—	—	—	—	—	—	—
Lip(s)	0361	90	—	—	70	70	—	—	—	—
Tooth(teeth)	0363	350	—	340	—	—	—	—	—	—
Multiple mouth locations	0368	70	—	—	—	—	—	—	—	—
Multiple face locations	038	520	—	40	70	70	—	120	80	—
Face, n.e.c.	039	50	—	—	20	20	—	—	—	—
Multiple head locations	08	790	—	—	—	—	—	60	—	—
Neck, including throat	1	3,060	2,280	30	20	20	—	90	—	—
Neck, except internal location of diseases or disorders ...	10	3,030	2,280	30	20	20	—	90	—	—
Trunk	2	63,510	40,740	1,420	90	30	60	3,300	100	—
Trunk, unspecified	20	280	100	—	—	—	—	90	—	—
Shoulder, including clavicle, scapula	21	14,810	9,930	500	—	—	—	800	20	—
Chest, including ribs, internal organs	22	4,120	680	370	—	—	—	830	—	—
Chest, except internal location of diseases or disorders	220	2,840	680	370	—	—	—	830	—	—
Internal chest location, unspecified	221	120	—	—	—	—	—	—	—	—
Heart	223	540	—	—	—	—	—	—	—	—
Bronchus	224	20	—	—	—	—	—	—	—	—
Lung(s), pleura	225	600	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	36,030	27,020	270	—	—	—	710	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	600	1,040	480	10,760	1,610	4,630	24,550	6,630	38,030
Head	—	—	—	800	230	40	790	—	6,390
Head, unspecified	—	—	—	100	—	30	260	—	860
Cranial region, including skull	—	—	—	20	—	—	—	—	1,440
Brain	—	—	—	—	—	—	—	—	1,410
Scalp	—	—	—	—	—	—	—	—	20
Skull	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	100
Face	—	—	—	230	30	—	480	—	3,790
Face, unspecified	—	—	—	—	—	—	60	—	330
Forehead	—	—	—	—	—	—	20	—	40
Eye(s)	—	—	—	20	—	—	150	—	3,170
Nose, nasal cavity	—	—	—	40	—	—	—	—	60
Nose, except internal location of diseases or disorders	—	—	—	40	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—	—	—	20
Jaw/chin	—	—	—	—	—	—	130	—	50
Mouth	—	—	—	20	—	—	50	—	30
Mouth, unspecified	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	20	—	—	—	—	—
Multiple face locations	—	—	—	80	—	—	40	—	80
Face, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	450	200	—	50	—	200
Neck, including throat	—	—	—	—	—	—	360	—	250
Neck, except internal location of diseases or disorders ...	—	—	—	—	—	—	360	—	230
Trunk	—	—	110	1,090	80	730	9,890	6,630	6,770
Trunk, unspecified	—	—	—	—	—	—	50	—	20
Shoulder, including clavicle, scapula	—	—	110	680	—	450	1,450	—	1,320
Chest, including ribs, internal organs	—	—	—	40	—	20	650	—	1,510
Chest, except internal location of diseases or disorders	—	—	—	40	—	20	650	—	230
Internal chest location, unspecified	—	—	—	—	—	—	—	—	120
Heart	—	—	—	—	—	—	—	—	540
Bronchus	—	—	—	—	—	—	—	—	20
Lung(s), pleura	—	—	—	—	—	—	—	—	600
Back, including spine, spinal cord	—	—	—	140	—	110	6,630	6,630	1,260

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Back, including spine, spinal cord, unspecified	230	15,220	11,090	130	—	—	—	350	—	—
Lumbar region	231	17,680	13,670	40	—	—	—	220	—	—
Thoracic region	232	1,130	900	—	—	—	—	—	—	—
Sacral region	233	90	70	—	—	—	—	—	—	—
Coccygeal region	234	260	110	40	—	—	—	70	—	—
Multiple back regions	238	1,500	1,070	40	—	—	—	50	—	—
Back, including spine, spinal cord, n.e.c.	239	150	110	—	—	—	—	—	—	—
Abdomen	24	2,770	440	—	—	—	—	110	70	—
Abdomen, except internal location of diseases or disorders	240	910	440	—	—	—	—	110	70	—
Internal abdominal location, unspecified	241	610	—	—	—	—	—	—	—	—
Stomach organ	242	30	—	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	960	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	910	—	—	—	—	—	—	—	—
Peritoneum	2451	60	—	—	—	—	—	—	—	—
Pelvic region	25	3,720	1,780	260	60	—	60	600	—	—
Hip(s)	251	1,830	700	200	—	—	—	330	—	—
Pelvis	252	50	—	40	—	—	—	—	—	—
Buttock(s)	253	470	170	—	60	—	60	180	—	—
Groin	254	1,280	880	—	—	—	—	60	—	—
External reproductive tract structures	255	20	—	—	—	—	—	20	—	—
Multiple pelvic region locations	258	40	30	—	—	—	—	—	—	—
Multiple trunk locations	28	1,730	760	20	—	—	—	140	—	—
Trunk, n.e.c.	29	50	20	—	—	—	—	20	—	—
Upper extremities	3	33,170	7,410	5,320	5,450	4,550	900	3,200	930	30
Upper extremities, unspecified	30	50	—	—	—	—	—	—	—	—
Arm(s)	31	8,870	3,130	1,280	610	540	70	780	450	—
Arm(s), unspecified	310	2,890	760	420	200	180	20	280	220	—
Upper arm(s)	311	800	500	130	30	—	30	30	—	—
Elbow(s)	312	3,330	1,540	590	130	130	—	350	—	—
Forearm(s)	313	1,470	210	140	240	230	20	110	220	—
Multiple arm(s) locations	318	330	100	—	—	—	—	—	—	—
Arm(s), n.e.c.	319	50	20	—	—	—	—	—	—	—
Wrist(s)	32	6,410	2,260	1,540	50	40	—	270	20	—
Hand(s), except finger(s)	33	6,280	340	930	1,690	1,240	440	1,210	390	—
Finger(s), fingernail(s)	34	9,340	1,170	1,440	2,960	2,590	370	620	60	—
Multiple upper extremities locations	38	2,060	470	100	140	140	—	290	—	—
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	30	—	120	120	—	90	—	—
Hand(s) and wrist(s)	382	660	160	60	20	20	—	100	—	—
Hand(s) and arm(s)	383	130	20	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	740	250	40	—	—	—	90	—	—
Upper extremities, n.e.c.	39	150	30	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Back, including spine, spinal cord, unspecified	—	—	—	40	—	30	3,080	3,080	540
Lumbar region	—	—	—	50	—	40	3,110	3,110	580
Thoracic region	—	—	—	—	—	—	180	180	20
Sacral region	—	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	30	30	—
Multiple back regions	—	—	—	40	—	40	210	210	90
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	200	—	1,930
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	200	—	70
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	610
Stomach organ	—	—	—	—	—	—	—	—	30
Urinary organs	—	—	—	—	—	—	—	—	20
Intestines, peritoneum	—	—	—	—	—	—	—	—	960
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	910
Peritoneum	—	—	—	—	—	—	—	—	60
Pelvic region	—	—	—	—	—	—	790	—	220
Hip(s)	—	—	—	—	—	—	410	—	180
Pelvis	—	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	50	—	—
Groin	—	—	—	—	—	—	330	—	20
External reproductive tract structures	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	190	60	110	110	—	510
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—
Upper extremities	590	1,040	200	610	190	70	3,110	—	5,280
Upper extremities, unspecified	—	—	—	—	—	—	—	—	—
Arm(s)	—	—	110	140	20	—	890	—	1,410
Arm(s), unspecified	—	—	60	30	—	—	360	—	490
Upper arm(s)	—	—	—	—	—	—	—	—	80
Elbow(s)	—	—	30	30	20	—	310	—	340
Forearm(s)	—	—	—	60	—	—	90	—	390
Multiple arm(s) locations	—	—	—	—	—	—	90	—	120
Arm(s), n.e.c.	—	—	—	—	—	—	20	—	—
Wrist(s)	—	1,040	50	30	—	—	710	—	440
Hand(s), except finger(s)	—	—	—	120	—	20	460	—	1,130
Finger(s), fingernail(s)	520	—	—	230	130	—	470	—	1,870
Multiple upper extremities locations	—	—	30	80	20	20	510	—	420
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	—	—	20	—	—	110	—	120
Hand(s) and wrist(s)	—	—	30	20	—	—	220	—	50
Hand(s) and arm(s)	—	—	—	—	—	—	40	—	60
Multiple upper extremities locations, n.e.c.	—	—	—	40	—	—	150	—	170
Upper extremities, n.e.c.	—	—	—	—	—	—	80	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Lower extremities	4	54,160	28,300	5,200	1,540	1,120	420	5,790	210	50
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—
Leg(s)	41	31,550	16,620	1,400	990	870	120	3,570	100	50
Leg(s), unspecified	410	3,630	1,250	810	240	230	—	250	50	30
Thigh(s)	411	980	400	30	50	40	—	290	—	—
Knee(s)	412	23,960	13,860	280	430	420	—	2,570	—	—
Lower leg(s)	413	2,120	780	220	260	170	90	220	50	—
Multiple leg(s) locations	418	810	310	50	—	—	—	230	—	—
Leg(s), n.e.c.	419	40	—	—	—	—	—	—	—	—
Ankle(s)	42	13,030	9,080	2,130	—	—	—	360	20	—
Foot(feet), except toe(s)	43	5,540	1,350	1,100	360	60	300	1,140	60	—
Foot(feet), except toe(s), unspecified	430	5,170	1,220	1,050	330	40	300	1,080	60	—
Sole	432	320	120	30	20	20	—	50	—	—
Ball(s) of foot	4321	20	—	—	—	—	—	—	—	—
Heel(s)	4323	290	100	30	20	20	—	50	—	—
Foot(feet), n.e.c.	439	40	20	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,460	70	460	180	180	—	200	—	—
Multiple lower extremities locations	48	2,150	900	90	—	—	—	460	20	—
Foot(feet) and leg(s)	481	200	20	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	610	330	30	—	—	—	20	—	—
Foot(feet) and toe(s)	483	220	50	—	—	—	—	100	—	—
Multiple lower extremities locations, n.e.c.	489	1,120	490	30	—	—	—	340	—	—
Lower extremities, n.e.c.	49	400	270	—	—	—	—	50	—	—
Body systems	5	5,500	—	—	—	—	—	—	—	—
Multiple body parts	8	32,130	8,960	310	290	280	—	4,210	440	20
Nonclassifiable	9999	2,020	190	—	70	—	70	50	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Lower extremities	—	—	160	1,970	300	990	5,900	—	5,030
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—
Leg(s)	—	—	50	1,370	160	790	3,760	—	3,640
Leg(s), unspecified	—	—	—	110	—	60	300	—	580
Thigh(s)	—	—	—	—	—	—	20	—	190
Knee(s)	—	—	40	1,130	120	680	3,100	—	2,540
Lower leg(s)	—	—	—	30	—	—	270	—	270
Multiple leg(s) locations	—	—	—	100	40	40	60	—	60
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—
Ankle(s)	—	—	—	110	20	70	960	—	350
Foot(feet), except toe(s)	—	—	110	120	—	—	810	—	480
Foot(feet), except toe(s), unspecified	—	—	110	120	—	—	740	—	450
Sole	—	—	—	—	—	—	70	—	30
Ball(s) of foot	—	—	—	—	—	—	—	—	—
Heel(s)	—	—	—	—	—	—	60	—	20
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	—	—	—	—	—	—	60	—	460
Multiple lower extremities locations	—	—	—	310	100	110	280	—	80
Foot(feet) and leg(s)	—	—	—	80	20	60	70	—	—
Foot(feet) and ankle(s)	—	—	—	110	50	—	70	—	30
Foot(feet) and toe(s)	—	—	—	—	—	—	20	—	20
Multiple lower extremities locations, n.e.c.	—	—	—	110	30	50	120	—	20
Lower extremities, n.e.c.	—	—	—	40	—	—	20	—	20
Body systems	—	—	—	—	—	—	—	—	5,500
Multiple body parts	—	—	—	6,280	800	2,780	4,490	—	7,120
Nonclassifiable	—	—	—	—	—	—	—	—	1,680

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies