

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		206,580	2,630	12,610	7,770	4,620	8,440
Head	0	13,030	610	290	300	270	600
Head, unspecified	00	2,880	—	70	190	130	160
Cranial region, including skull	01	1,850	20	30	70	40	70
Brain	011	1,430	20	20	—	30	40
Scalp	012	180	—	—	20	—	30
Skull	013	220	—	—	30	—	—
Multiple cranial region locations	018	20	—	—	—	—	—
Ear(s)	02	310	—	—	—	—	—
Face	03	7,210	580	140	40	100	350
Face, unspecified	030	730	20	20	—	—	60
Forehead	031	490	—	—	—	20	30
Eye(s)	032	4,060	530	80	—	40	80
Nose, nasal cavity	033	420	—	20	—	—	—
Nose, except internal location of diseases or disorders	0330	360	—	20	—	—	—
Cheek(s)	034	70	—	—	—	—	—
Jaw/chin	035	310	—	—	—	—	—
Mouth	036	550	—	—	20	—	170
Mouth, unspecified	0360	30	—	—	—	—	20
Lip(s)	0361	90	—	—	—	—	—
Tooth(teeth)	0363	350	—	—	—	—	140
Multiple mouth locations	0368	70	—	—	—	—	—
Multiple face locations	038	520	20	—	—	—	—
Face, n.e.c.	039	50	—	—	—	—	—
Multiple head locations	08	790	—	60	—	—	—
Neck, including throat	1	3,060	—	130	50	50	40
Neck, except internal location of diseases or disorders ...	10	3,030	—	130	50	50	40
Trunk	2	63,510	150	6,870	2,800	1,710	4,040
Trunk, unspecified	20	280	—	—	—	—	—
Shoulder, including clavicle, scapula	21	14,810	—	1,630	670	310	1,540
Chest, including ribs, internal organs	22	4,120	140	140	100	40	30
Chest, except internal location of diseases or disorders	220	2,840	—	140	100	40	30
Internal chest location, unspecified	221	120	—	—	—	—	—
Heart	223	540	—	—	—	—	—
Bronchus	224	20	20	—	—	—	—
Lung(s), pleura	225	600	100	—	—	—	—
Back, including spine, spinal cord	23	36,030	—	4,080	1,710	1,150	1,750
Back, including spine, spinal cord, unspecified	230	15,220	—	1,990	540	260	600
Lumbar region	231	17,680	—	1,880	900	840	960

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	50,310	5,140	21,910	36,450	34,080	23,490	8,260	33,190
Head	1,970	300	1,140	120	40	2,290	330	5,130
Head, unspecified	860	60	290	—	—	300	40	820
Cranial region, including skull	600	60	280	50	—	290	30	340
Brain	370	50	250	50	—	270	—	300
Scalp	50	—	20	—	—	—	—	20
Skull	170	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	90	—	170
Face	300	190	560	40	—	1,380	240	3,530
Face, unspecified	40	—	40	—	—	220	30	300
Forehead	20	—	230	—	—	80	20	90
Eye(s)	20	60	200	—	—	300	150	2,730
Nose, nasal cavity	20	70	—	—	—	140	—	110
Nose, except internal location of diseases or disorders	20	70	—	—	—	140	—	60
Cheek(s)	—	—	—	—	—	40	—	—
Jaw/chin	30	—	—	—	—	260	—	—
Mouth	90	30	30	—	—	170	—	30
Mouth, unspecified	—	—	—	—	—	—	—	—
Lip(s)	40	—	—	—	—	20	—	—
Tooth(teeth)	30	30	30	—	—	100	—	—
Multiple mouth locations	—	—	—	—	—	40	—	—
Multiple face locations	60	—	50	—	—	160	20	210
Face, n.e.c.	—	—	—	—	—	20	—	40
Multiple head locations	210	—	—	—	—	240	20	260
Neck, including throat	110	30	1,290	360	320	530	200	450
Neck, except internal location of diseases or disorders ...	110	30	1,290	360	320	530	200	430
Trunk	10,010	1,640	5,350	12,500	11,520	10,480	5,810	7,970
Trunk, unspecified	100	—	60	—	—	30	20	60
Shoulder, including clavicle, scapula	3,030	370	1,290	2,100	1,950	2,290	1,010	1,560
Chest, including ribs, internal organs	510	40	230	870	280	480	90	1,540
Chest, except internal location of diseases or disorders	510	40	230	370	230	480	90	890
Internal chest location, unspecified	—	—	—	90	—	—	—	20
Heart	—	—	—	400	40	—	—	130
Bronchus	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	490
Back, including spine, spinal cord	4,250	1,080	3,360	8,140	7,940	6,890	4,320	3,630
Back, including spine, spinal cord, unspecified	1,960	420	1,810	3,670	3,550	2,600	1,620	1,360
Lumbar region	1,730	640	1,150	3,830	3,760	3,710	2,340	2,040

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Thoracic region	232	1,130	—	80	70	—	110
Sacral region	233	90	—	—	—	—	30
Coccygeal region	234	260	—	—	—	—	—
Multiple back regions	238	1,500	—	100	190	30	50
Back, including spine, spinal cord, n.e.c.	239	150	—	20	20	—	—
Abdomen	24	2,770	—	600	150	110	360
Abdomen, except internal location of diseases or disorders	240	910	—	80	30	80	110
Internal abdominal location, unspecified	241	610	—	110	50	20	100
Stomach organ	242	30	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—
Intestines, peritoneum	245	960	—	170	60	—	140
Intestines, peritoneum, unspecified	2450	910	—	160	60	—	140
Peritoneum	2451	60	—	—	—	—	—
Pelvic region	25	3,720	—	350	110	40	330
Hip(s)	251	1,830	—	80	20	20	80
Pelvis	252	50	—	—	—	—	—
Buttock(s)	253	470	—	—	60	—	—
Groin	254	1,280	—	270	20	20	240
External reproductive tract structures	255	20	—	—	—	—	—
Multiple pelvic region locations	258	40	—	—	—	—	—
Multiple trunk locations	28	1,730	—	60	50	60	20
Trunk, n.e.c.	29	50	—	—	—	—	—
Upper extremities	3	33,170	400	2,380	1,240	1,480	2,020
Upper extremities, unspecified	30	50	—	—	—	—	—
Arm(s)	31	8,870	60	690	240	410	410
Arm(s), unspecified	310	2,890	60	210	70	330	60
Upper arm(s)	311	800	—	160	30	—	—
Elbow(s)	312	3,330	—	180	70	50	250
Forearm(s)	313	1,470	—	120	70	—	60
Multiple arm(s) locations	318	330	—	—	—	—	20
Arm(s), n.e.c.	319	50	—	—	—	—	—
Wrist(s)	32	6,410	—	270	150	180	90
Hand(s), except finger(s)	33	6,280	320	280	250	200	460
Finger(s), fingernail(s)	34	9,340	—	950	440	570	1,020
Multiple upper extremities locations	38	2,060	—	190	150	110	30
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—
Hand(s) and finger(s)	381	500	—	120	90	30	20
Hand(s) and wrist(s)	382	660	—	—	20	60	—
Hand(s) and arm(s)	383	130	—	—	—	20	—
Multiple upper extremities locations, n.e.c.	389	740	—	70	40	—	—
Upper extremities, n.e.c.	39	150	—	—	—	—	—
Lower extremities	4	54,160	60	2,070	2,050	720	1,300
Lower extremities, unspecified	40	20	—	—	—	—	—
Leg(s)	41	31,550	50	1,100	990	320	780

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Thoracic region	50	—	40	380	370	270	200	110
Sacral region	—	—	—	30	30	—	—	—
Coccygeal region	220	—	—	—	—	—	—	30
Multiple back regions	240	—	340	200	200	280	140	50
Back, including spine, spinal cord, n.e.c.	40	—	—	30	30	—	—	30
Abdomen	20	80	90	320	300	420	260	610
Abdomen, except internal location of diseases or disorders	—	—	80	160	150	180	40	160
Internal abdominal location, unspecified	—	—	—	100	100	50	50	170
Stomach organ	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—	—	—
Intestines, peritoneum	—	70	—	40	30	180	180	270
Intestines, peritoneum, unspecified	—	60	—	40	30	170	170	250
Peritoneum	—	—	—	—	—	—	—	20
Pelvic region	1,570	30	150	590	590	180	50	360
Hip(s)	1,090	—	120	210	210	40	30	140
Pelvis	40	—	—	—	—	—	—	—
Buttock(s)	360	—	—	—	—	—	—	20
Groin	20	20	—	370	370	120	20	200
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple pelvic region locations	40	—	—	—	—	—	—	—
Multiple trunk locations	510	20	140	470	460	190	70	200
Trunk, n.e.c.	—	—	30	—	—	—	—	—
Upper extremities	6,140	2,200	2,950	3,550	3,360	3,270	560	7,540
Upper extremities, unspecified	30	—	—	—	—	—	—	—
Arm(s)	2,180	260	590	1,170	1,100	610	170	2,240
Arm(s), unspecified	550	50	210	320	310	230	50	810
Upper arm(s)	80	40	50	70	70	100	—	240
Elbow(s)	1,320	60	170	610	580	110	40	520
Forearm(s)	150	100	80	90	70	150	50	630
Multiple arm(s) locations	70	—	80	90	70	30	20	20
Arm(s), n.e.c.	—	—	—	—	—	—	—	20
Wrist(s)	2,450	120	600	1,460	1,350	700	180	390
Hand(s), except finger(s)	640	700	540	250	250	900	60	1,730
Finger(s), fingernail(s)	420	960	1,040	390	390	780	70	2,760
Multiple upper extremities locations	390	110	160	270	260	250	50	390
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	20	20	20	20	50	—	120
Hand(s) and wrist(s)	120	20	80	130	130	100	20	100
Hand(s) and arm(s)	20	—	—	30	30	30	—	20
Multiple upper extremities locations, n.e.c.	230	80	40	80	80	60	20	140
Upper extremities, n.e.c.	20	40	—	—	—	30	20	20
Lower extremities	18,550	490	3,780	16,740	16,530	2,690	650	5,720
Lower extremities, unspecified	20	—	—	—	—	—	—	—
Leg(s)	10,830	260	2,410	9,840	9,670	1,930	600	3,060

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Leg(s), unspecified	410	3,630	30	50	240	40	170
Thigh(s)	411	980	—	130	20	—	20
Knee(s)	412	23,960	—	750	630	150	550
Lower leg(s)	413	2,120	—	150	30	40	30
Multiple leg(s) locations	418	810	—	—	60	100	—
Leg(s), n.e.c.	419	40	—	—	—	—	—
Ankle(s)	42	13,030	—	490	100	50	40
Foot(feet), except toe(s)	43	5,540	—	260	660	130	310
Foot(feet), except toe(s), unspecified	430	5,170	—	260	650	120	300
Sole	432	320	—	—	—	—	—
Ball(s) of foot	4321	20	—	—	—	—	—
Heel(s)	4323	290	—	—	—	—	—
Foot(feet), n.e.c.	439	40	—	—	—	—	—
Toe(s), toenail(s)	44	1,460	—	130	200	200	90
Multiple lower extremities locations	48	2,150	—	—	90	30	80
Foot(feet) and leg(s)	481	200	—	—	—	—	—
Foot(feet) and ankle(s)	482	610	—	—	—	—	—
Foot(feet) and toe(s)	483	220	—	—	70	—	—
Multiple lower extremities locations, n.e.c.	489	1,120	—	—	—	—	50
Lower extremities, n.e.c.	49	400	—	—	—	—	—
Body systems	5	5,500	1,130	—	—	70	110
Multiple body parts	8	32,130	260	850	1,320	320	330
Nonclassifiable	9999	2,020	20	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2008 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Leg(s), unspecified	1,230	30	330	850	840	260	70	400
Thigh(s)	120	30	50	190	190	90	50	330
Knee(s)	8,650	90	1,780	8,030	7,880	1,440	460	1,880
Lower leg(s)	410	100	210	640	640	90	—	400
Multiple leg(s) locations	400	—	40	130	120	30	20	50
Leg(s), n.e.c.	20	—	—	—	—	—	—	—
Ankle(s)	5,120	150	300	5,530	5,500	320	—	920
Foot(foot), except toe(s)	980	60	410	1,000	990	340	—	1,380
Foot(foot), except toe(s), unspecified	840	60	360	890	890	340	—	1,350
Sole	110	—	40	110	100	—	—	30
Ball(s) of foot	—	—	—	20	20	—	—	—
Heel(s)	110	—	40	90	80	—	—	30
Foot(foot), n.e.c.	20	—	—	—	—	—	—	—
Toe(s), toenail(s)	270	—	380	20	—	60	—	110
Multiple lower extremities locations	1,060	—	270	330	330	40	—	240
Foot(foot) and leg(s)	130	—	—	40	40	—	—	—
Foot(foot) and ankle(s)	310	—	20	90	90	—	—	130
Foot(foot) and toe(s)	70	—	20	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	540	—	220	190	190	30	—	80
Lower extremities, n.e.c.	270	—	—	20	20	—	—	—
Body systems	—	—	60	910	90	690	20	2,490
Multiple body parts	13,110	380	7,170	2,180	2,120	3,290	690	2,920
Nonclassifiable	420	90	170	90	80	250	—	970

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining

codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies