

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total		206,580	36,930	17,910	11,720	3,620	11,580	37,960	7,650	38,560	19,280
Head	0	13,030	6,360	3,910	1,100	–	250	2,100	–	–	–
Head, unspecified	00	2,880	1,290	720	550	–	80	1,020	–	–	–
Cranial region, including skull	01	1,850	560	450	100	–	120	530	–	–	–
Brain	011	1,430	460	400	60	–	110	280	–	–	–
Scalp	012	180	70	40	30	–	–	60	–	–	–
Skull	013	220	–	–	–	–	–	190	–	–	–
Multiple cranial region locations	018	20	–	–	–	–	–	–	–	–	–
Ear(s)	02	310	20	20	–	–	–	40	–	–	–
Face	03	7,210	4,170	2,400	450	–	30	290	–	–	–
Face, unspecified	030	730	180	180	–	–	–	50	–	–	–
Forehead	031	490	350	250	100	–	–	30	–	–	–
Eye(s)	032	4,060	2,930	1,340	290	–	–	20	–	–	–
Nose, nasal cavity	033	420	200	190	–	–	–	20	–	–	–
Nose, except internal location of diseases or disorders	0330	360	200	190	–	–	–	20	–	–	–
Cheek(s)	034	70	30	30	–	–	–	–	–	–	–
Jaw/chin	035	310	20	–	–	–	–	30	–	–	–
Mouth	036	550	300	280	20	–	–	100	–	–	–
Mouth, unspecified	0360	30	–	–	–	–	–	–	–	–	–
Lip(s)	0361	90	20	–	–	–	–	40	–	–	–
Tooth(teeth)	0363	350	220	200	20	–	–	40	–	–	–
Multiple mouth locations	0368	70	50	50	–	–	–	–	–	–	–
Multiple face locations	038	520	130	120	–	–	20	50	–	–	–
Face, n.e.c.	039	50	30	–	20	–	–	–	–	–	–
Multiple head locations	08	790	320	310	–	–	–	210	–	–	–
Neck, including throat	1	3,060	440	220	200	–	50	100	–	350	150
Neck, except internal location of diseases or disorders ...	10	3,030	440	220	200	–	50	100	–	350	150
Trunk	2	63,510	3,780	1,880	1,150	130	2,080	8,480	1,490	27,830	15,390
Trunk, unspecified	20	280	60	–	50	–	–	90	–	50	–
Shoulder, including clavicle, scapula	21	14,810	1,760	1,220	330	50	450	2,680	160	5,760	2,830
Chest, including ribs, internal organs	22	4,120	360	140	140	30	370	420	–	580	350
Chest, except internal location of diseases or disorders	220	2,840	360	140	140	30	370	420	–	580	350
Internal chest location, unspecified	221	120	–	–	–	–	–	–	–	–	–
Heart	223	540	–	–	–	–	–	–	–	–	–
Bronchus	224	20	–	–	–	–	–	–	–	–	–
Lung(s), pleura	225	600	–	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	23	36,030	1,050	310	320	20	950	3,320	1,100	18,290	10,110
Back, including spine, spinal cord, unspecified	230	15,220	410	100	160	–	460	1,490	500	6,830	3,890

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts			All other assaults	
			Total	Highway accident		Total	As-saults by person	Total		
Total	3,500	9,460	14,430	11,110	690	13,400	11,640	1,760	1,320	32,420
Head	—	1,230	480	370	120	2,120	2,030	90	60	360
Head, unspecified	—	—	160	80	—	230	230	—	—	80
Cranial region, including skull	—	30	250	230	—	300	300	—	—	50
Brain	—	20	220	200	—	280	280	—	—	50
Scalp	—	—	—	—	—	20	20	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	110	—	—	20	90	90	—	—	20
Face	—	1,080	70	50	100	1,250	1,190	60	60	210
Face, unspecified	—	260	—	—	—	220	210	—	—	—
Forehead	—	20	—	—	—	90	90	—	—	—
Eye(s)	—	660	—	—	30	220	170	—	—	200
Nose, nasal cavity	—	60	—	—	—	130	130	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	130	130	—	—	—
Cheek(s)	—	—	—	—	—	30	30	—	—	—
Jaw/chin	—	—	—	—	—	260	260	—	—	—
Mouth	—	—	30	—	—	100	100	—	—	—
Mouth, unspecified	—	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	20	20	—	—	—
Tooth(teeth)	—	—	20	—	—	70	70	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	60	20	20	60	190	190	—	—	—
Face, n.e.c.	—	—	—	—	—	20	20	—	—	—
Multiple head locations	—	—	—	—	—	240	220	20	—	—
Neck, including throat	100	50	1,200	1,100	—	390	390	—	—	370
Neck, except internal location of diseases or disorders ...	100	30	1,200	1,100	—	390	390	—	—	370
Trunk	980	980	3,460	2,690	40	2,340	2,110	230	40	12,040
Trunk, unspecified	—	—	60	50	—	—	—	—	—	—
Shoulder, including clavicle, scapula	330	40	770	400	20	1,020	1,010	—	—	1,810
Chest, including ribs, internal organs	—	740	100	80	—	360	360	—	—	1,170
Chest, except internal location of diseases or disorders	—	90	100	80	—	360	360	—	—	540
Internal chest location, unspecified	—	20	—	—	—	—	—	—	—	100
Heart	—	—	—	—	—	—	—	—	—	530
Bronchus	—	20	—	—	—	—	—	—	—	—
Lung(s), pleura	—	600	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	510	—	2,310	2,030	—	760	560	210	20	7,710
Back, including spine, spinal cord, unspecified	300	—	1,280	1,180	—	330	220	120	—	3,590

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Lumbar region	231	17,680	520	160	140	—	390	1,370	570	10,130	5,750
Thoracic region	232	1,130	20	—	—	—	—	30	—	610	280
Sacral region	233	90	—	—	—	—	—	—	—	40	—
Coccygeal region	234	260	—	—	—	—	30	200	—	—	—
Multiple back regions	238	1,500	90	30	—	—	50	190	—	600	130
Back, including spine, spinal cord, n.e.c.	239	150	—	—	—	—	—	30	—	70	50
Abdomen	24	2,770	160	100	30	30	—	—	—	1,960	1,270
Abdomen, except internal location of diseases or disorders	240	910	150	100	30	30	—	—	—	440	270
Internal abdominal location, unspecified	241	610	—	—	—	—	—	—	—	480	390
Stomach organ	242	30	—	—	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	960	—	—	—	—	—	—	—	790	360
Intestines, peritoneum, unspecified	2450	910	—	—	—	—	—	—	—	740	330
Peritoneum	2451	60	—	—	—	—	—	—	—	50	40
Pelvic region	25	3,720	270	50	210	—	210	1,390	90	920	680
Hip(s)	251	1,830	180	30	140	—	170	940	60	160	40
Pelvis	252	50	—	—	—	—	—	40	—	—	—
Buttock(s)	253	470	—	—	—	—	30	350	—	—	—
Groin	254	1,280	60	—	60	—	—	—	30	750	620
External reproductive tract structures	255	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	40	—	—	—	—	—	40	—	—	—
Multiple trunk locations	28	1,730	120	40	70	—	90	560	120	240	130
Trunk, n.e.c.	29	50	—	—	—	—	—	—	—	30	20
Upper extremities	3	33,170	12,580	5,700	3,460	2,620	1,130	5,320	150	4,030	1,350
Upper extremities, unspecified	30	50	—	—	—	—	—	30	—	—	—
Arm(s)	31	8,870	1,690	510	970	150	470	1,870	90	1,930	860
Arm(s), unspecified	310	2,890	500	130	250	120	210	550	60	500	210
Upper arm(s)	311	800	130	30	100	—	—	80	—	440	200
Elbow(s)	312	3,330	650	70	550	—	220	1,030	—	600	250
Forearm(s)	313	1,470	380	260	70	20	—	150	—	290	180
Multiple arm(s) locations	318	330	30	20	—	—	—	60	—	70	—
Arm(s), n.e.c.	319	50	—	—	—	—	—	—	—	30	—
Wrist(s)	32	6,410	420	210	120	60	400	2,130	60	1,080	250
Hand(s), except finger(s)	33	6,280	2,820	1,640	690	330	170	490	—	260	100
Finger(s), fingernail(s)	34	9,340	7,050	3,120	1,480	1,980	50	350	—	410	60
Multiple upper extremities locations	38	2,060	580	210	190	100	40	430	—	280	70
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	230	60	80	20	—	90	—	20	—
Hand(s) and wrist(s)	382	660	110	70	30	20	—	110	—	90	—
Hand(s) and arm(s)	383	130	40	—	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	740	200	80	60	50	20	210	—	170	50
Upper extremities, n.e.c.	39	150	20	—	—	—	—	20	—	70	—
Lower extremities	4	54,160	11,650	5,050	5,390	610	4,330	11,970	4,860	3,040	910

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Lumbar region	110	—	720	580	—	360	270	90	—	3,510
Thoracic region	20	—	20	20	—	30	30	—	—	380
Sacral region	—	—	—	—	—	—	—	—	—	30
Coccygeal region	—	—	—	—	—	—	—	—	—	—
Multiple back regions	80	—	280	250	—	40	40	—	—	150
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	30
Abdomen	30	160	—	—	—	40	40	—	—	390
Abdomen, except internal location of diseases or disorders	—	80	—	—	—	40	40	—	—	150
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	—	120
Stomach organ	—	—	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	—	70	—	—	—	—	—	—	—	90
Intestines, peritoneum, unspecified	—	70	—	—	—	—	—	—	—	90
Peritoneum	—	—	—	—	—	—	—	—	—	—
Pelvic region	90	30	70	—	—	40	30	—	—	610
Hip(s)	—	20	70	—	—	—	—	—	—	210
Pelvis	—	—	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	—	—	—	70
Groin	90	—	—	—	—	—	—	—	—	340
External reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	130	110	—	100	100	—	—	350
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—	—
Upper extremities	2,190	1,650	810	570	180	3,340	2,600	740	710	1,780
Upper extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Arm(s)	360	560	280	100	100	680	420	250	250	840
Arm(s), unspecified	120	340	120	50	—	320	200	120	120	180
Upper arm(s)	30	—	—	—	—	40	40	—	—	40
Elbow(s)	110	—	40	—	—	90	80	—	—	570
Forearm(s)	60	210	40	30	100	220	100	120	120	—
Multiple arm(s) locations	40	—	60	—	—	—	—	—	—	40
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Wrist(s)	1,220	30	390	340	—	420	410	—	—	270
Hand(s), except finger(s)	190	860	30	30	70	1,170	1,000	170	160	220
Finger(s), fingernail(s)	200	100	20	—	—	820	550	270	270	340
Multiple upper extremities locations	210	100	90	80	—	230	190	40	30	100
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	70	—	—	—	60	50	—	—	—
Hand(s) and wrist(s)	130	—	50	50	—	100	100	—	—	50
Hand(s) and arm(s)	—	—	—	—	—	30	20	—	—	20
Multiple upper extremities locations, n.e.c.	60	—	20	—	—	40	30	—	—	20
Upper extremities, n.e.c.	—	—	—	—	—	20	20	—	—	—
Lower extremities	80	500	1,730	900	50	1,550	1,110	440	390	14,400

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Lower extremities, unspecified	40	20	—	—	—	—	—	20	—	—	—
Leg(s)	41	31,550	5,260	1,850	2,820	130	2,280	7,600	2,190	2,630	780
Leg(s), unspecified	410	3,630	500	140	130	20	550	930	70	320	250
Thigh(s)	411	980	350	330	—	—	40	80	40	150	30
Knee(s)	412	23,960	3,710	980	2,420	90	1,490	6,050	1,950	1,990	480
Lower leg(s)	413	2,120	500	350	120	20	140	170	100	140	20
Multiple leg(s) locations	418	810	180	40	140	—	50	360	30	20	—
Leg(s), n.e.c.	419	40	—	—	—	—	—	20	—	—	—
Ankle(s)	42	13,030	1,910	360	1,330	160	1,400	2,820	2,230	230	20
Foot(feet), except toe(s)	43	5,540	2,990	1,960	810	170	230	630	250	70	20
Foot(feet), except toe(s), unspecified	430	5,170	2,900	1,910	770	170	190	590	230	50	—
Sole	432	320	60	40	20	—	40	40	—	—	—
Ball(s) of foot	4321	20	—	—	—	—	—	—	—	—	—
Heel(s)	4323	290	60	40	20	—	40	30	—	—	—
Foot(feet), n.e.c.	439	40	20	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,460	1,120	710	330	60	20	50	—	—	—
Multiple lower extremities locations	48	2,150	350	170	90	80	400	620	150	—	—
Foot(feet) and leg(s)	481	200	—	—	—	—	50	80	—	—	—
Foot(feet) and ankle(s)	482	610	120	50	20	60	250	60	20	—	—
Foot(feet) and toe(s)	483	220	130	50	60	—	—	70	—	—	—
Multiple lower extremities locations, n.e.c.	489	1,120	100	70	20	—	100	410	120	—	—
Lower extremities, n.e.c.	49	400	20	—	—	—	—	240	30	—	—
Body systems	5	5,500	50	40	—	—	—	—	—	20	—
Multiple body parts	8	32,130	2,030	1,110	400	250	3,520	9,770	1,070	3,070	1,310
Nonclassifiable	9999	2,020	30	—	—	—	220	210	60	200	170

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2008 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults	Assaults by animal	
								Total	Assaults by animal	
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Leg(s)	20	340	1,020	750	50	1,170	790	380	360	9,010
Leg(s), unspecified	—	150	80	30	40	80	60	30	20	900
Thigh(s)	—	80	—	—	—	70	—	60	60	150
Knee(s)	—	—	820	670	—	740	650	90	80	7,200
Lower leg(s)	—	90	80	20	—	240	60	180	180	640
Multiple leg(s) locations	—	—	30	30	—	20	—	—	—	110
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Ankle(s)	—	30	130	50	—	180	180	—	—	4,100
Foot(feet), except toe(s)	60	90	170	40	—	100	70	20	20	970
Foot(feet), except toe(s), unspecified	—	90	140	20	—	90	70	20	20	850
Sole	—	—	20	—	—	—	—	—	—	120
Ball(s) of foot	—	—	—	—	—	—	—	—	—	—
Heel(s)	—	—	20	—	—	—	—	—	—	110
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	—	—	180	—	—	50	50	—	—	—
Multiple lower extremities locations	—	30	230	50	—	50	—	—	—	300
Foot(feet) and leg(s)	—	—	—	—	—	—	—	—	—	40
Foot(feet) and ankle(s)	—	—	—	—	—	40	—	—	—	80
Foot(feet) and toe(s)	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	200	50	—	—	—	—	—	170
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	20
Body systems	—	3,850	40	30	90	420	280	140	20	1,030
Multiple body parts	150	1,030	6,540	5,330	210	2,900	2,820	80	50	1,830
Nonclassifiable	—	170	170	130	—	350	310	40	40	600

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies