

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		206,580	13,030	4,060	3,060	63,510	36,030	14,810	33,170	8,870	9,340	6,280	6,410
Contact with objects and equipment	0	36,930	6,360	2,930	440	3,780	1,050	1,760	12,580	1,690	7,050	2,820	420
Contact with objects and equipment, unspecified	00	1,260	60	—	—	290	110	130	640	—	410	160	30
Struck against object or equipment	01	11,720	1,100	290	200	1,150	320	330	3,460	970	1,480	690	120
Struck against object or equipment, unspecified	010	640	—	—	—	80	—	70	320	170	60	30	20
Stepped on object	011	2,400	—	—	—	200	60	20	—	—	—	—	—
Struck against stationary object or equipment	012	5,500	660	80	190	700	180	210	1,520	530	460	410	70
Struck against moving object or equipment	013	370	30	—	—	—	—	—	220	—	130	70	—
Struck against object or equipment, n.e.c.	019	2,810	400	210	—	150	60	40	1,380	270	820	180	20
Struck by object or equipment	02	17,910	3,910	1,340	220	1,880	310	1,220	5,700	510	3,120	1,640	210
Struck by object or equipment, unspecified	020	1,210	250	80	50	80	—	40	350	60	100	190	—
Struck by falling object or equipment	021	5,780	1,000	240	90	760	70	550	1,030	100	560	250	80
Struck by flying object	022	2,650	1,420	690	20	420	80	300	310	120	130	40	20
Struck by flying object, unspecified	0220	470	350	70	—	—	—	—	40	—	—	—	—
Struck by dislodged flying object, particle ...	0221	1,240	570	520	—	300	—	290	150	110	40	—	—
Struck by discharged object or substance ...	0222	420	180	—	—	60	50	—	30	—	—	20	—
Struck by flying object, n.e.c.	0229	520	330	90	—	50	30	—	90	—	60	—	—
Struck by swinging or slipping object	023	5,560	570	80	40	430	90	290	3,550	190	2,100	1,030	70
Struck by swinging or slipping object, unspecified	0230	360	20	—	—	—	—	—	50	—	30	—	—
Struck by or slammed in swinging door or gate	0231	1,620	150	—	—	100	50	40	1,190	50	600	450	—
Struck by slipping handheld object	0232	3,260	310	50	20	270	30	200	2,190	120	1,420	520	40
Struck by swinging or slipping object, n.e.c.	0239	320	80	20	—	60	—	40	120	—	50	50	—
Struck by rolling, sliding objects or equipment on floor or ground level	024	430	—	—	—	—	—	—	20	—	—	—	—
Struck by object or equipment, n.e.c.	029	2,300	680	240	20	170	60	40	440	30	220	120	40
Caught in or compressed by equipment or objects	03	3,600	—	—	—	130	—	50	2,620	150	1,980	330	60
Caught in or compressed by equipment or objects, unspecified	030	570	—	—	—	—	—	—	440	—	390	—	20
Caught in running equipment or machinery	031	360	—	—	—	20	—	—	300	—	240	50	—
Compressed or pinched by rolling, sliding, or shifting objects	032	880	—	—	—	40	—	—	490	—	320	130	—
Caught in or compressed by equipment or objects, n.e.c.	039	1,790	—	—	—	60	—	40	1,400	130	1,030	140	30
Caught in or crushed in collapsing materials	04	30	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	1,550	1,250	1,250	—	30	30	—	50	—	30	—	—
Rubbed or abraded by friction or pressure, unspecified	050	40	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	100	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	50	—	—	—	—	—	—	40	—	30	—	—
Rubbed or abraded by foreign matter in eye ...	053	1,250	1,250	1,250	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	54,160	23,960	13,030	7,000	5,500	32,130	2,020
Contact with objects and equipment	11,650	3,710	1,910	4,110	50	2,030	30
Contact with objects and equipment, unspecified	240	120	50	30	—	30	20
Struck against object or equipment	5,390	2,420	1,330	1,140	—	400	—
Struck against object or equipment, unspecified	200	180	—	—	—	20	—
Stepped on object	2,170	440	1,090	590	—	20	—
Struck against stationary object or equipment	2,210	1,390	170	440	—	200	—
Struck against moving object or equipment	90	—	—	60	—	—	—
Struck against object or equipment, n.e.c.	710	410	70	50	—	150	—
Struck by object or equipment	5,050	980	360	2,670	40	1,110	—
Struck by object or equipment, unspecified	410	20	20	330	—	70	—
Struck by falling object or equipment	2,370	300	110	1,630	—	530	—
Struck by flying object	360	—	20	100	30	80	—
Struck by flying object, unspecified	50	—	—	—	—	—	—
Struck by dislodged flying object, particle ...	220	—	20	60	—	—	—
Struck by discharged object or substance ...	60	—	—	—	—	60	—
Struck by flying object, n.e.c.	30	—	—	20	—	—	—
Struck by swinging or slipping object	730	370	30	190	—	230	—
Struck by swinging or slipping object, unspecified	260	250	—	—	—	—	—
Struck by or slammed in swinging door or gate	140	20	20	80	—	40	—
Struck by slipping handheld object	310	80	—	100	—	150	—
Struck by swinging or slipping object, n.e.c.	20	—	—	—	—	40	—
Struck by rolling, sliding objects or equipment on floor or ground level	380	—	140	210	—	—	—
Struck by object or equipment, n.e.c.	790	260	40	220	—	190	—
Caught in or compressed by equipment or objects	590	80	160	240	—	240	—
Caught in or compressed by equipment or objects, unspecified	40	20	—	—	—	80	—
Caught in running equipment or machinery	20	—	—	20	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	280	—	40	160	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	250	50	120	40	—	70	—
Caught in or crushed in collapsing materials	20	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	220	100	—	—	—	—	—
Rubbed or abraded by friction or pressure, unspecified	—	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	90	90	—	—	—	—	—
Rubbed or abraded by objects being handled	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Rubbed or abraded by friction or pressure, n.e.c.	059	120	-	-	-	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	530	-	-	20	270	250	20	40	30	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	430	-	-	-	220	200	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by other machine or equipment vibration	062	50	-	-	-	30	30	-	20	-	-	-	-	-
Rubbed, abraded, or jarred by vibration, n.e.c.	069	40	-	-	-	20	20	-	-	-	-	-	-	-
Contact with objects and equipment, n.e.c.	09	310	-	-	-	30	-	-	80	30	20	-	-	-
Falls	1	51,530	2,360	20	160	11,030	4,650	3,190	6,590	2,430	400	660	2,570	
Fall, unspecified	10	470	-	-	-	160	80	60	90	70	-	-	20	
Fall to lower level	11	11,580	250	-	50	2,080	950	450	1,130	470	50	170	400	
Fall to lower level, unspecified	110	170	-	-	-	80	70	-	-	-	-	-	-	
Fall down stairs or steps	111	4,570	110	-	20	550	270	100	550	200	40	140	140	
Fall from floor, dock, or ground level	112	1,070	-	-	-	310	60	100	80	50	-	-	-	
Fall from floor, dock, or ground level, unspecified	1120	30	-	-	-	-	-	-	-	-	-	-	-	
Fall through existing floor opening	1121	50	-	-	-	-	-	-	-	-	-	-	-	
Fall through floor surface	1122	320	-	-	-	110	-	-	30	-	-	-	-	
Fall from loading dock	1123	90	-	-	-	-	-	-	-	-	-	-	-	
Fall from ground level to lower level	1124	510	-	-	-	160	50	-	20	-	-	-	-	
Fall from floor, dock, or ground level, n.e.c.	1129	60	-	-	-	30	-	-	-	-	-	-	-	
Fall from ladder	113	1,430	40	-	-	260	120	70	70	30	-	-	20	
Fall from roof	115	40	-	-	-	-	-	-	-	-	-	-	-	
Fall through roof surface	1152	20	-	-	-	-	-	-	-	-	-	-	-	
Fall from scaffold, staging	116	120	-	-	-	20	-	-	-	-	-	-	-	
Fall from nonmoving vehicle	118	1,930	50	-	-	420	180	50	180	130	-	-	30	
Fall to lower level, n.e.c.	119	2,240	40	-	30	430	240	110	260	60	-	-	180	
Jump to lower level	12	1,400	-	-	-	240	230	-	30	-	-	-	20	
Jump to lower level, unspecified	120	20	-	-	-	-	-	-	-	-	-	-	-	
Jump from structure, structural element, n.e.c.	122	140	-	-	-	-	-	-	-	-	-	-	-	
Jump from nonmoving vehicle	123	810	-	-	-	200	200	-	-	-	-	-	-	
Jump to lower level, n.e.c.	129	410	-	-	-	-	-	-	20	-	-	-	20	
Fall on same level	13	37,960	2,100	20	100	8,480	3,320	2,680	5,320	1,870	350	490	2,130	
Fall on same level, unspecified	130	310	90	-	-	50	20	-	20	-	-	-	-	
Fall to floor, walkway, or other surface	131	33,960	1,690	-	70	7,290	2,810	2,360	4,770	1,630	330	420	2,010	
Fall onto or against objects	132	3,320	310	-	30	970	360	280	510	220	-	70	120	
Fall on same level, n.e.c.	139	370	-	-	-	170	130	30	20	-	-	-	-	
Fall, n.e.c.	19	130	-	-	-	70	60	-	20	20	-	-	-	
Bodily reaction and exertion	2	77,360	100	-	770	41,000	26,910	7,980	7,820	3,100	910	550	2,590	
Bodily reaction and exertion, unspecified	20	2,970	-	-	20	1,260	600	400	470	120	100	40	160	
Bodily reaction	21	31,310	50	-	300	10,500	7,480	1,470	1,120	690	200	60	130	
Bodily reaction, unspecified	210	2,030	-	-	80	800	600	100	100	30	20	-	-	

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Rubbed or abraded by friction or pressure, n.e.c.	120	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	190	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	180	—
Rubbed, abraded, or jarred by other machine or equipment vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	140	—	—	20	—	60	—
Falls	17,520	8,250	4,530	1,000	—	13,440	430
Fall, unspecified	140	70	20	—	—	70	—
Fall to lower level	4,330	1,490	1,400	250	—	3,520	220
Fall to lower level, unspecified	60	—	30	—	—	30	—
Fall down stairs or steps	1,660	620	710	140	—	1,500	190
Fall from floor, dock, or ground level	410	240	110	—	—	270	—
Fall from floor, dock, or ground level, unspecified	20	—	—	—	—	—	—
Fall through existing floor opening	40	—	—	—	—	—	—
Fall through floor surface	120	60	—	—	—	60	—
Fall from loading dock	—	—	—	—	—	80	—
Fall from ground level to lower level	220	150	60	—	—	110	—
Fall from floor, dock, or ground level, n.e.c.	—	—	—	—	—	—	—
Fall from ladder	450	90	260	30	—	580	30
Fall from roof	—	—	—	—	—	40	—
Fall through roof surface	—	—	—	—	—	—	—
Fall from scaffold, staging	70	—	40	—	—	20	—
Fall from nonmoving vehicle	620	140	160	30	—	650	—
Fall to lower level, n.e.c.	1,050	390	100	50	—	430	—
Jump to lower level	1,060	640	290	60	—	70	—
Jump to lower level, unspecified	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	70	60	—	—	—	50	—
Jump from nonmoving vehicle	610	490	60	20	—	—	—
Jump to lower level, n.e.c.	360	90	230	20	—	—	—
Fall on same level	11,970	6,050	2,820	680	—	9,770	210
Fall on same level, unspecified	110	80	30	—	—	40	—
Fall to floor, walkway, or other surface	11,190	5,680	2,660	630	—	8,730	210
Fall onto or against objects	570	260	70	40	—	920	—
Fall on same level, n.e.c.	100	30	60	—	—	80	—
Fall, n.e.c.	20	—	—	—	—	—	—
Bodily reaction and exertion	20,790	10,340	6,210	1,190	700	5,850	330
Bodily reaction and exertion, unspecified	890	580	100	140	60	230	30
Bodily reaction	16,760	7,740	5,880	920	110	2,370	90
Bodily reaction, unspecified	900	470	290	60	50	70	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Bending, climbing, crawling, reaching, twisting	211	12,170	—	—	110	6,570	4,810	1,030	740	520	170	20	40
Sudden reaction when surprised, frightened, startled	212	190	—	—	30	80	30	40	—	—	—	—	—
Running without other incident	213	2,000	—	—	—	290	110	—	40	—	—	—	—
Sitting	214	150	—	—	—	120	90	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	7,650	—	—	—	1,490	1,100	160	150	90	—	—	60
Standing	216	200	—	—	—	140	40	—	—	—	—	—	—
Walking without other incident	217	1,500	—	—	—	50	40	—	—	—	—	—	—
Bodily reaction, n.e.c.	219	5,410	—	—	—	960	650	130	80	40	—	—	20
Overexertion	22	38,560	—	—	350	27,830	18,290	5,760	4,030	1,930	410	260	1,080
Overexertion, unspecified	220	3,420	—	—	30	2,210	1,550	480	390	190	—	20	120
Overexertion in lifting	221	19,280	—	—	150	15,390	10,110	2,830	1,350	860	60	100	250
Overexertion in pulling or pushing objects	222	6,200	—	—	40	4,050	2,550	990	950	430	120	60	280
Overexertion in holding, carrying, turning, or wielding objects	223	7,020	—	—	100	4,340	2,940	1,000	1,080	330	180	60	350
Overexertion in throwing objects	224	700	—	—	—	490	230	240	60	20	30	—	—
Overexertion, n.e.c.	229	1,940	—	—	—	1,350	920	220	210	100	—	20	60
Repetitive motion	23	3,500	—	—	100	980	510	330	2,190	360	200	190	1,220
Repetitive motion, unspecified	230	990	—	—	—	300	140	70	640	100	100	40	380
Typing or key entry	231	750	—	—	—	50	—	50	670	50	50	20	440
Repetitive use of tools	232	580	—	—	—	260	210	40	260	50	30	60	130
Repetitive placing, grasping, or moving objects, except tools	233	840	—	—	80	240	100	110	470	100	—	70	220
Repetitive motion, n.e.c.	239	340	—	—	—	120	60	60	150	70	20	—	60
Bodily conditions, n.e.c.	25	910	30	—	—	390	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	110	—	—	—	40	20	—	—	—	—	—	—
Exposure to harmful substances or environments	3	9,460	1,230	660	50	980	—	40	1,650	560	100	860	30
Exposure to harmful substances or environments, unspecified	30	540	110	—	—	160	—	—	—	—	—	—	—
Contact with electric current	31	320	—	—	—	—	—	—	70	—	—	50	—
Contact with electric current of machine, tool, appliance, or light fixture	311	90	—	—	—	—	—	—	20	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	100	—	—	—	—	—	—	20	—	—	20	—
Contact with overhead power lines	313	30	—	—	—	—	—	—	—	—	—	—	—
Struck by lightning	315	60	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	30	—	—	—	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	2,420	110	20	—	110	—	—	870	350	60	380	20
Exposure to environmental heat	321	880	—	—	—	—	—	—	—	—	—	—	—
Exposure to environmental cold	322	60	—	—	—	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	1,490	110	20	—	100	—	—	810	350	60	380	20
Exposure to caustic, noxious, or allergenic substances	34	5,490	920	580	40	600	—	—	720	220	30	430	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Bending, climbing, crawling, reaching, twisting	3,870	2,470	510	110	50	830	—
Sudden reaction when surprised, frightened, startled	30	20	—	—	—	30	—
Running without other incident	1,510	590	250	230	—	120	—
Sitting	40	30	—	—	—	—	—
Slip, trip, loss of balance without fall	4,860	1,950	2,230	260	—	1,070	60
Standing	60	30	—	—	—	—	—
Walking without other incident	1,390	420	760	90	—	50	—
Bodily reaction, n.e.c.	4,120	1,770	1,830	160	—	200	—
Overexertion	3,040	1,990	230	70	20	3,070	210
Overexertion, unspecified	470	420	—	—	—	310	—
Overexertion in lifting	910	480	20	20	—	1,310	170
Overexertion in pulling or pushing objects	760	430	160	20	—	370	20
Overexertion in holding, carrying, turning, or wielding objects	620	510	20	—	—	870	—
Overexertion in throwing objects	50	50	—	—	—	90	—
Overexertion, n.e.c.	220	100	—	—	—	140	—
Repetitive motion	80	—	—	60	—	150	—
Repetitive motion, unspecified	—	—	—	—	—	40	—
Typing or key entry	—	—	—	—	—	20	—
Repetitive use of tools	50	—	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	—	—	—	—	—	50	—
Repetitive motion, n.e.c.	20	—	—	—	—	40	—
Bodily conditions, n.e.c.	—	—	—	—	490	—	—
Bodily reaction and exertion, n.e.c.	20	—	—	—	20	—	—
Exposure to harmful substances or environments	500	—	30	110	3,850	1,030	170
Exposure to harmful substances or environments, unspecified	40	—	—	—	190	20	—
Contact with electric current	—	—	—	—	180	60	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	70	—	—
Contact with wiring, transformers, or other electrical components	—	—	—	—	70	—	—
Contact with overhead power lines	—	—	—	—	—	—	—
Struck by lightning	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	—	—	—	—	30	—	—
Contact with temperature extremes	180	—	20	80	810	320	—
Exposure to environmental heat	—	—	—	—	810	—	—
Exposure to environmental cold	—	—	—	—	—	—	—
Contact with hot objects or substances	170	—	20	70	—	270	—
Exposure to caustic, noxious, or allergenic substances	280	—	—	30	2,190	620	130

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Exposure to caustic, noxious, or allergenic substances, unspecified	340	550	60	—	—	40	—	—	—	—	—	—	—	—
Inhalation of substance	341	1,910	50	—	—	360	—	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	630	—	—	—	100	—	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	430	—	—	—	170	—	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	860	50	—	—	90	—	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	1,530	590	550	—	40	—	—	260	70	—	160	—	—
Injections, stings, venomous bites	343	1,000	170	—	—	70	—	—	260	130	—	90	—	—
Injections, stings, venomous bites, unspecified	3430	120	20	—	—	—	—	—	—	—	—	—	—	—
Needle sticks	3431	50	—	—	—	—	—	—	20	—	—	—	—	—
Bee, wasp, hornet sting	3432	380	150	—	—	—	—	—	50	20	—	—	—	—
Other stings or venomous bites	3433	360	—	—	—	20	—	—	140	100	—	30	—	—
Injections, stings, venomous bites, n.e.c. ...	3439	90	—	—	—	—	—	—	—	—	—	—	—	—
Ingestion of substance	344	40	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	450	40	—	—	80	—	—	200	20	—	180	—	—
Exposure to noise	35	50	50	—	—	—	—	—	—	—	—	—	—	—
Exposure to noise in single incident	352	50	50	—	—	—	—	—	—	—	—	—	—	—
Exposure to radiation	36	50	20	20	—	—	—	—	—	—	—	—	—	—
Exposure to sun	361	30	—	—	—	—	—	—	—	—	—	—	—	—
Exposure to welding light	362	20	20	20	—	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	480	—	—	—	20	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	100	—	—	—	—	—	—	—	—	—	—	—	—
Transportation accidents	4	14,430	480	—	1,200	3,460	2,310	770	810	280	20	30	390	
Transportation accident, unspecified	40	540	20	—	30	180	110	60	20	—	—	—	20	
Highway accident	41	11,110	370	—	1,100	2,690	2,030	400	570	100	—	30	340	
Highway accident, unspecified	410	1,570	50	—	110	290	240	30	330	—	—	—	290	
Collision between vehicles, mobile equipment	411	7,780	210	—	910	2,040	1,610	240	130	40	—	—	40	
Collision between vehicles, mobile equipment, unspecified	4110	2,170	40	—	350	310	160	120	70	—	—	—	20	
Re-entrant collision	4111	20	—	—	—	—	—	—	—	—	—	—	—	
Moving in same direction	4112	1,900	30	—	130	560	430	20	20	—	—	—	—	
Moving in opposite directions, oncoming	4113	580	20	—	220	70	50	—	—	—	—	—	—	
Moving in intersection	4114	1,050	30	—	100	140	50	80	20	—	—	—	—	
Moving and standing vehicle, mobile equipment in roadway	4115	820	80	—	50	240	230	—	—	—	—	—	—	
Moving and standing vehicle, mobile equipment side of road	4116	820	—	—	30	620	620	—	—	—	—	—	—	

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Exposure to caustic, noxious, or allergenic substances, unspecified	20	—	—	—	350	90	—
Inhalation of substance	—	—	—	—	1,500	—	—
Inhalation of substance, unspecified	—	—	—	—	530	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	250	—	—
Inhalation in open or nonconfined space	—	—	—	—	720	—	—
Contact with skin or other exposed tissue	50	—	—	—	130	400	60
Injections, stings, venomous bites	210	—	—	20	140	50	70
Injections, stings, venomous bites, unspecified	20	—	—	—	—	—	—
Needle sticks	—	—	—	—	30	—	—
Bee, wasp, hornet sting	—	—	—	—	70	30	60
Other stings or venomous bites	170	—	—	—	—	—	—
Injections, stings, venomous bites, n.e.c.	20	—	—	—	30	—	—
Ingestion of substance	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	50	80	—
Exposure to noise	—	—	—	—	—	—	—
Exposure to noise in single incident	—	—	—	—	—	—	—
Exposure to radiation	—	—	—	—	—	—	—
Exposure to sun	—	—	—	—	—	—	—
Exposure to welding light	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	470	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—
Transportation accidents	1,730	820	130	350	40	6,540	170
Transportation accident, unspecified	40	—	—	—	—	220	30
Highway accident	900	670	50	40	30	5,330	130
Highway accident, unspecified	40	20	—	—	—	740	—
Collision between vehicles, mobile equipment	390	270	30	—	—	4,050	40
Collision between vehicles, mobile equipment, unspecified	50	20	—	—	—	1,340	—
Re-entrant collision	—	—	—	—	—	20	—
Moving in same direction	70	70	—	—	—	1,070	20
Moving in opposite directions, oncoming	40	—	30	—	—	230	—
Moving in intersection	30	20	—	—	—	730	—
Moving and standing vehicle, mobile equipment in roadway	40	—	—	—	—	400	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Collision between vehicles, mobile equipment, n.e.c.	4119	410	—	—	30	80	70	—	—	—	—	—	—	—
Vehicle struck object in roadway	412	100	—	—	—	—	—	—	40	—	—	—	—	—
Vehicle struck object on side of road	413	470	90	—	20	50	—	—	20	—	—	—	—	—
Noncollision accident	414	1,170	20	—	60	300	160	120	50	40	—	—	—	—
Jack-knifed or overturned no collision	4141	230	—	—	—	30	—	—	—	—	—	—	—	—
Ran off highway no collision	4142	370	—	—	—	70	20	50	20	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	260	—	—	50	40	20	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4149	300	—	—	—	160	110	50	20	—	—	—	—	—
Highway accident, n.e.c.	419	20	—	—	—	—	—	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	1,410	70	—	80	440	130	230	150	110	—	—	—	30
Collision between vehicles or mobile equipment	421	240	—	—	—	30	20	—	—	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	240	—	—	—	60	—	—	40	30	—	—	—	—
Noncollision accident	423	920	40	—	40	340	110	210	120	80	—	—	—	20
Fall from moving vehicle, mobile equipment	4231	260	30	—	—	40	30	—	90	70	—	—	—	20
Overturned	4233	250	—	—	—	80	—	70	—	—	—	—	—	—
Loss of control	4234	50	—	—	—	20	20	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4236	230	—	—	—	160	20	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4239	120	—	—	30	40	30	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	1,350	20	—	—	140	40	70	60	60	—	—	—	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	420	—	—	—	50	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	460	—	—	—	—	—	—	30	20	—	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	120	—	—	—	30	20	—	30	30	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	350	—	—	—	40	—	—	—	—	—	—	—	—
Fires and explosions	5	690	120	30	—	40	—	20	180	100	—	70	—	—
Fire unintended or uncontrolled	51	580	110	30	—	40	—	20	120	100	—	—	—	—
Fire, unspecified	510	60	—	—	—	—	—	—	—	—	—	—	—	—
Fire in residence, building, or other structure ..	511	330	—	—	—	40	—	20	—	—	—	—	—	—
Forest, brush, or other outdoor fire	512	30	—	—	—	—	—	—	—	—	—	—	—	—
Fire, n.e.c.	519	160	60	—	—	—	—	—	100	—	—	—	—	—
Explosion	52	100	—	—	—	—	—	—	60	—	—	60	—	—
Explosion of pressure vessel or piping	522	70	—	—	—	—	—	—	60	—	—	60	—	—
Explosion, n.e.c.	529	30	—	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts	6	13,400	2,120	220	390	2,340	760	1,020	3,340	680	820	1,170	420	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	—	—	260	—
Vehicle struck object in roadway	—	—	—	—	—	40	—
Vehicle struck object on side of road	20	—	—	—	—	260	—
Noncollision accident	440	370	—	30	—	230	70
Jack-knifed or overturned no collision	30	—	—	—	—	80	70
Ran off highway no collision	240	—	—	—	—	40	—
Sudden start or stop, n.e.c.	110	110	—	—	—	50	—
Noncollision accident, n.e.c.	50	—	—	—	—	50	—
Highway accident, n.e.c.	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	190	50	40	50	—	460	—
Collision between vehicles or mobile equipment	—	—	—	—	—	150	—
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	90	—
Noncollision accident	160	30	40	50	—	220	—
Fall from moving vehicle, mobile equipment	60	—	40	—	—	20	—
Overturned	60	—	—	40	—	110	—
Loss of control	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	—	—	—	—	—	40	—
Noncollision accident, n.e.c.	20	20	—	—	—	30	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	610	90	40	260	—	520	—
Pedestrian struck by vehicle, mobile equipment, unspecified	250	20	—	190	—	120	—
Pedestrian struck by vehicle, mobile equipment in roadway	130	30	40	20	—	290	—
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	—	—	—	40	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	220	40	—	50	—	70	—
Fires and explosions	50	—	—	—	90	210	—
Fire unintended or uncontrolled	50	—	—	—	80	180	—
Fire, unspecified	—	—	—	—	30	—	—
Fire in residence, building, or other structure ..	50	—	—	—	50	170	—
Forest, brush, or other outdoor fire	—	—	—	—	—	—	—
Fire, n.e.c.	—	—	—	—	—	—	—
Explosion	—	—	—	—	—	30	—
Explosion of pressure vessel or piping	—	—	—	—	—	—	—
Explosion, n.e.c.	—	—	—	—	—	20	—
Assaults and violent acts	1,550	740	180	140	420	2,900	350

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Assaults and violent acts, unspecified	60	400	20	—	—	190	190	—	20	—	—	—	—
Assaults and violent acts by person(s)	61	11,640	2,030	170	390	2,110	560	1,010	2,600	420	550	1,000	410
Assaults and violent acts by person(s), unspecified	610	3,610	230	—	60	770	170	530	830	110	150	420	100
Biting	611	230	—	—	—	—	—	—	130	80	—	30	—
Hitting, kicking, beating	612	4,170	1,340	90	130	680	160	220	820	90	140	300	210
Shooting	613	90	—	—	—	30	—	—	30	20	—	—	—
Squeezing, pinching, scratching, twisting	614	330	30	—	40	40	—	20	180	—	110	—	30
Stabbing	615	70	—	—	—	—	—	—	—	—	—	—	—
Threats or verbal assaults	617	70	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,080	430	70	160	580	210	230	610	100	140	250	60
Self-inflicted injury	62	40	—	—	—	—	—	—	—	—	—	—	—
Assaults by animals	63	1,320	60	—	—	40	20	—	710	250	270	160	—
Assaults by animals, unspecified	630	200	—	—	—	—	—	—	90	60	—	—	—
Nonvenomous bites	631	930	60	—	—	30	—	—	580	150	260	140	—
Assaults by animals, n.e.c.	639	200	—	—	—	—	—	—	50	40	—	—	—
Nonclassifiable	9999	2,770	270	190	50	880	330	20	190	30	50	120	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2008

— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Assaults and violent acts, unspecified	—	—	—	—	120	30	—
Assaults and violent acts by person(s)	1,110	650	180	120	280	2,820	310
Assaults and violent acts by person(s), unspecified	360	240	70	20	50	1,190	140
Biting	—	—	—	—	—	60	—
Hitting, kicking, beating	410	200	80	50	—	760	20
Shooting	—	—	—	—	—	20	—
Squeezing, pinching, scratching, twisting	—	—	—	—	—	20	—
Stabbing	—	—	—	—	—	—	—
Threats or verbal assaults	—	—	—	—	70	—	—
Assaults and violent acts by person(s), n.e.c.	310	210	20	40	150	770	80
Self-inflicted injury	40	—	—	—	—	—	—
Assaults by animals	390	80	—	20	20	50	40
Assaults by animals, unspecified	100	—	—	—	—	—	—
Nonvenomous bites	170	—	—	20	20	30	40
Assaults by animals, n.e.c.	110	80	—	—	—	20	—
Nonclassifiable	370	90	40	100	350	110	540

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999

(Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies