

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		206,580	122,670	83,700	200	5,990	16,800	57,280	123,970	2,530
Traumatic injuries and disorders	0	192,540	114,320	78,060	160	5,770	15,960	53,730	114,800	2,290
Traumatic injuries and disorders, unspecified	00	9,270	4,850	4,400	-	250	710	2,840	5,160	300
Traumatic injuries to bones, nerves, spinal cord	01	14,830	7,240	7,580	-	620	1,650	4,420	8,050	80
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	90	40	50	-	-	-	80	-	-
Dislocations	011	1,420	1,150	270	-	20	80	620	700	-
Fractures	012	13,060	5,980	7,070	-	600	1,550	3,550	7,280	80
Traumatic injuries to nerves, except the spinal cord	014	70	-	60	-	-	-	60	-	-
Multiple traumatic injuries to bones nerves, spinal cord	018	140	-	130	-	-	-	80	50	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	40	40	-	-	-	20	20	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	88,690	56,190	32,470	30	2,210	6,850	24,280	54,600	750
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	580	380	200	-	-	30	180	360	-
Sprains, strains, tears	021	87,910	55,690	32,190	30	2,200	6,810	24,070	54,080	740
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	200	120	80	-	-	-	30	170	-
Open wounds	03	11,380	8,230	3,150	-	600	1,330	3,420	5,780	250
Open wounds, unspecified	030	120	40	80	-	-	-	100	-	-
Amputations	031	600	570	30	-	30	230	170	170	-
Amputations, fingertip	0311	480	450	20	-	30	230	150	60	-
Amputations, except fingertip	0319	120	120	-	-	-	-	20	100	-
Animal or insect bites	032	1,140	770	380	-	-	290	150	660	30
Avulsions	033	40	-	30	-	-	-	-	30	-
Cuts, lacerations	034	7,750	5,480	2,270	-	240	680	2,430	4,190	200
Gunshot wounds	036	160	150	-	-	50	-	30	80	-
Punctures, except bites	037	1,540	1,200	340	-	270	120	520	620	-
Multiple open wounds	038	20	-	-	-	-	-	20	-	-
Open wounds, n.e.c.	039	20	-	-	-	-	-	-	20	-
Surface wounds and bruises	04	21,950	10,940	10,940	80	590	2,080	5,860	13,030	400
Surface wounds and bruises, unspecified	040	60	20	40	-	-	-	-	20	-
Abrasions, scratches	041	1,670	1,360	300	-	40	460	320	830	-
Blisters	042	50	30	20	-	-	-	30	-	-
Bruises, contusions	043	18,490	8,030	10,380	80	500	1,490	5,130	10,990	370
Foreign bodies (superficial splinters, chips)	044	1,440	1,360	80	-	30	80	350	980	-
Multiple surface wounds and bruises	048	200	120	80	-	-	-	20	170	-
Surface wounds and bruises, n.e.c.	049	30	-	20	-	-	-	-	-	-
Burns	05	2,550	1,490	1,060	-	70	220	880	1,370	20
Chemical burns	051	450	180	270	-	-	70	130	250	-
Electrical burns	052	140	140	-	-	-	-	30	110	-
Heat burns, scalds	053	1,910	1,120	790	-	60	140	680	1,010	20
Burns, n.e.c.	059	40	40	-	-	-	-	40	-	-
Intracranial injuries	06	1,330	620	710	-	40	170	350	760	-
Intracranial injuries, unspecified	060	110	70	40	-	-	-	40	50	-
Cerebral hemorrhages	061	40	-	40	-	-	-	-	-	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Concussions	062	1,180	550	630	—	40	160	300	670	—
Effects of environmental conditions	07	930	800	130	—	80	170	510	170	—
Effects of reduced temperature	071	60	50	—	—	—	—	—	—	—
Frostbite	0711	60	50	—	—	—	—	—	—	—
Effects of heat and light	072	880	750	120	—	80	170	460	170	—
Effects of heat and light, unspecified	0720	70	50	20	—	—	—	—	—	—
Heat stroke	0721	160	80	—	—	—	80	—	—	—
Heat syncope	0722	20	20	—	—	—	—	—	—	—
Heat fatigue	0723	320	320	—	—	—	—	290	—	—
Effects of heat and light, n.e.c.	0729	290	280	20	—	—	—	140	140	—
Multiple traumatic injuries and disorders	08	10,760	5,870	4,890	—	180	450	2,800	7,260	70
Multiple traumatic injuries and disorders, unspecified	080	840	360	480	—	30	30	370	400	—
Cuts, abrasions, bruises	081	1,840	740	1,100	—	30	60	320	1,380	50
Sprains and bruises	082	4,630	2,620	2,000	—	80	140	880	3,510	—
Fractures and other injuries	084	1,610	950	650	—	20	140	470	970	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	1,840	1,190	650	—	30	70	750	990	—
Other traumatic injuries and disorders	09	30,840	18,100	12,730	20	1,130	2,330	8,370	18,610	400
Other traumatic injuries and disorders, unspecified	090	50	50	—	—	—	—	—	30	—
Asphyxiations/strangulations, suffocations	091	140	70	70	—	—	—	70	70	—
Electrocutions, electric shocks	093	180	160	20	—	—	—	20	150	—
Other poisonings and toxic effects	095	1,990	1,400	600	—	40	550	420	980	—
Other poisonings and toxic effects, unspecified	0950	20	—	—	—	—	20	—	—	—
Animal or insect bites and stings, venomous	0951	1,040	770	260	—	20	210	280	520	—
Other poisonings and toxic effects, n.e.c.	0959	930	610	320	—	20	320	130	450	—
Nonspecified injuries and disorders	097	28,410	16,370	12,020	20	1,090	1,760	7,830	17,330	390
Crushing injuries	0971	1,140	920	220	—	40	50	330	670	50
Back pain, hurt back	0972	6,630	4,330	2,300	—	140	450	2,130	3,760	160
Soreness, pain, hurt, except the back	0973	17,920	9,710	8,190	—	870	1,090	4,690	11,130	130
Multiple nonspecified injuries and disorders	0978	1,650	840	810	—	30	90	480	1,010	50
Nonspecified injuries and disorders, n.e.c.	0979	1,060	560	500	—	—	80	200	770	—
Other traumatic injuries and disorders, n.e.c.	099	60	50	—	—	—	—	—	30	—
Systemic diseases and disorders	1	7,700	5,050	2,630	—	70	500	1,970	5,110	50
Systemic diseases and disorders, unspecified	10	20	—	—	—	—	—	—	20	—
Nervous system and sense organs diseases	12	1,540	900	640	—	—	80	130	1,320	20
Disorders of the peripheral nervous system	124	1,090	530	560	—	—	40	60	980	—
Disorders of the peripheral nervous system, unspecified	1240	20	20	—	—	—	—	—	20	—
Carpal tunnel syndrome	1241	1,040	480	560	—	—	40	60	940	—
Other disorders of the peripheral nervous system, n.e.c.	1249	30	30	—	—	—	—	—	30	—
Disorders of the eye, adnexa, vision	125	380	320	60	—	—	20	50	290	—
Disorders of the eye, adnexa, vision, unspecified	1250	30	30	—	—	—	—	—	30	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Conjunctivitis non-viral	1252	120	100	20	-	-	20	20	70	-
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	40	40	-	-	-	-	-	30	-
Welder's flash	1256	20	20	-	-	-	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c.	1259	170	140	-	-	-	-	20	150	-
Disorders of the ear, mastoid process, hearing	126	60	50	-	-	-	-	-	40	-
Deafness, hearing loss or impairment	1261	50	40	-	-	-	-	-	30	-
Circulatory system diseases	13	570	560	-	-	-	-	80	490	-
Hypertensive disease	132	100	100	-	-	-	-	50	50	-
Ischemic heart disease, including heart attack	133	360	360	-	-	-	-	20	340	-
Myocardial infarction (heart attack)	1331	360	360	-	-	-	-	20	340	-
Other forms of heart disease	135	30	20	-	-	-	-	-	20	-
Other forms of heart disease, n.e.c.	1359	20	-	-	-	-	-	-	20	-
Cerebrovascular disease	136	50	50	-	-	-	-	-	50	-
Stroke	1361	50	40	-	-	-	-	-	50	-
Respiratory system diseases	14	620	300	320	-	-	-	200	420	-
Respiratory system diseases, unspecified	140	210	20	200	-	-	-	30	190	-
Acute respiratory infections (including common cold)	141	30	20	-	-	-	-	-	20	-
Other diseases of upper respiratory tract	142	50	-	40	-	-	-	30	-	-
Other diseases of upper respiratory tract, unspecified	1420	20	-	20	-	-	-	-	-	-
Allergic rhinitis	1421	20	-	-	-	-	-	-	-	-
Pneumonia, influenza	143	150	150	-	-	-	-	-	40	-
Pneumonia	1431	150	150	-	-	-	-	-	40	-
Chronic obstructive pulmonary disease and allied conditions	144	170	100	70	-	-	-	-	150	-
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	20	-	20	-	-	-	-	-	-
Extrinsic asthma	1443	60	20	50	-	-	-	-	60	-
Other respiratory system diseases	149	20	20	-	-	-	-	-	-	-
Digestive system diseases and disorders	15	1,760	1,460	290	-	30	60	340	1,330	-
Hernia	153	1,760	1,460	290	-	30	60	340	1,320	-
Hernia, unspecified	1530	540	500	40	-	30	30	110	370	-
Inguinal hernia	1531	650	640	-	-	-	30	150	470	-
Ventral hernia	1533	240	240	-	-	-	-	60	170	-
Hernia, n.e.c.	1539	320	80	240	-	-	-	20	300	-
Musculoskeletal system and connective tissue diseases and disorders	17	1,680	730	940	-	-	220	560	870	30
Dorsopathies	172	200	80	120	-	-	30	90	70	-
Sciatica	1721	40	30	-	-	-	-	-	20	-
Disc disorders, except dislocation	1723	30	-	20	-	-	-	20	20	-
Dorsopathies, n.e.c.	1729	130	40	90	-	-	30	70	30	-
Rheumatism, except the back	173	1,320	510	810	-	-	180	470	640	30
Rheumatism, except the back, unspecified	1730	390	60	320	-	-	-	270	70	-
Bursitis	1731	40	30	-	-	-	-	-	40	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Tendonitis	1733	480	210	270	—	—	130	110	220	30
Tenosynovitis	1734	130	40	90	—	—	—	30	100	—
Ganglion/cystic tumor	1735	40	30	—	—	—	—	—	20	—
Rheumatism, except the back, n.e.c.	1739	250	140	110	—	—	—	40	200	—
Disorders of the skin and subcutaneous tissue	18	1,470	1,060	400	—	30	130	670	650	—
Disorders of the skin and subcutaneous tissue, unspecified	180	70	—	60	—	—	—	30	30	—
Infections of the skin and subcutaneous tissue	181	410	260	150	—	—	70	120	220	—
Infections of the skin and subcutaneous tissue, unspecified	1810	190	50	140	—	—	50	—	120	—
Cellulitis and abscess	1812	210	190	20	—	—	20	110	80	—
Dermatitis	182	940	750	180	—	20	50	510	350	—
Dermatitis, unspecified	1820	140	90	40	—	—	—	130	—	—
Contact dermatitis, unspecified	1822	130	120	—	—	—	—	70	50	—
Allergic contact dermatitis	1823	610	490	120	—	20	50	310	240	—
Irritant contact dermatitis	1824	60	40	20	—	—	—	—	50	—
Diseases of sebaceous glands	184	40	40	—	—	—	—	—	40	—
Sebaceous cyst	1842	40	40	—	—	—	—	—	40	—
Infectious and parasitic diseases	2	380	60	320	—	50	20	220	80	—
Infectious and parasitic diseases, unspecified	20	40	—	40	—	—	—	30	—	—
Bacterial diseases	21	100	40	50	—	—	—	50	20	—
Bacterial diseases, unspecified	210	20	20	—	—	—	—	—	—	—
Zoonotic bacterial diseases	212	20	—	20	—	—	—	—	—	—
Zoonotic bacterial diseases, n.e.c.	2129	20	—	20	—	—	—	—	—	—
Other bacterial diseases	219	60	20	40	—	—	—	30	—	—
Other bacterial diseases, n.e.c.	2199	50	—	40	—	—	—	—	—	—
Viral diseases	22	140	20	120	—	—	—	90	40	—
Viral diseases accompanied by exanthem (eruptive fever)	223	100	—	90	—	—	—	80	20	—
Chickenpox	2233	90	—	80	—	—	—	80	—	—
Other diseases due to viruses and Chlamydiae	229	30	—	30	—	—	—	—	20	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	30	—	20	—	—	—	—	20	—
Infectious diseases peculiar to the intestines	26	30	—	30	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	30	—	30	—	—	—	—	—	—
Other infectious and parasitic diseases	29	70	—	70	—	—	—	50	—	—
Acariasis (including scabies, chiggers, mites)	294	60	—	60	—	—	—	40	—	—
Neoplasms, tumors, and cancer	3	120	80	40	—	—	—	—	110	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	31	110	80	—	—	—	—	—	100	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	310	70	30	—	—	—	—	—	60	—
Malignant neoplasms and tumors of the skin	312	20	20	—	—	—	—	—	—	—
Melanoma of the skin (melanocarcinoma)	3121	20	20	—	—	—	—	—	—	—
Malignant neoplasms and tumors of other sites	319	20	20	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms, signs, and ill-defined conditions	4	3,340	2,030	1,310	—	50	250	730	2,280	30
Symptoms, signs, and ill-defined conditions, unspecified	40	60	40	—	—	—	—	—	40	—
Symptoms	41	3,250	1,950	1,300	—	50	240	720	2,220	30
General symptoms	411	1,000	550	450	—	30	150	180	630	—
General symptoms, unspecified	4110	180	30	160	—	—	—	40	30	—
Loss of consciousness not heat related	4111	140	90	50	—	—	—	20	110	—
Dizziness	4114	160	100	60	—	—	—	60	90	—
Non-specified allergic reaction	4115	70	20	60	—	—	—	40	20	—
Multiple general symptoms	4118	40	—	30	—	—	—	—	30	—
General symptoms, n.e.c.	4119	380	290	90	—	—	—	20	350	—
Symptoms involving nervous and musculoskeletal systems	412	220	120	100	—	—	20	100	90	—
Earache	4122	20	—	20	—	—	—	—	20	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	50	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	140	70	70	—	—	—	50	70	—
Symptoms involving skin and other integumentary tissue	413	700	470	240	—	—	—	260	420	—
Edema (including dropsy)	4131	700	460	240	—	—	—	260	420	—
Symptoms involving head and neck	414	300	70	240	—	—	—	50	240	—
Headache, except migraine	4141	260	40	220	—	—	—	40	200	—
Symptoms involving head and neck, n.e.c.	4149	40	20	20	—	—	—	—	40	—
Symptoms involving cardiovascular system	415	150	140	20	—	—	—	—	140	—
Symptoms involving cardiovascular system, unspecified	4150	60	50	—	—	—	—	—	50	—
Symptoms involving cardiovascular system, n.e.c.	4159	50	50	—	—	—	—	—	50	—
Symptoms involving respiratory system and chest	416	780	560	220	—	—	30	100	650	—
Symptoms involving respiratory system and chest, unspecified	4160	190	110	90	—	—	—	60	140	—
Chest pain	4164	220	210	—	—	—	—	30	170	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	350	240	110	—	—	—	—	330	—
Multiple symptoms	418	80	50	30	—	—	20	20	40	—
Abnormal findings	42	20	20	—	—	—	—	—	20	—
Abnormal findings from histological and immunological studies	426	20	20	—	—	—	—	—	20	—
Other diseases, conditions, and disorders	5	1,100	510	570	—	50	20	280	720	30
Mental disorders or syndromes	52	1,090	510	560	—	50	20	280	710	30
Mental disorder or syndrome, unspecified	520	30	20	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	1,060	490	550	—	50	20	270	690	30
Anxiety, stress, neurotic disorders, unspecified	5210	350	160	170	—	—	—	90	230	—
Post-traumatic anxiety acute	5211	460	220	240	—	50	—	90	310	—
Neurotic reaction to stress	5214	230	100	130	—	—	20	90	120	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—	20	—
Multiple diseases, conditions, and disorders	8	240	40	190	—	—	—	180	50	—
Nonclassifiable	9999	1,150	560	580	—	—	50	160	820	110

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies