

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2008

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total .....		206,580	84,660	13,090	12,510	800	280	820	40	100	94,270
<b>Head</b> .....	0	13,030	5,180	960	530	30	-	110	-	-	6,220
Head, unspecified .....	00	2,880	1,260	200	60	-	-	30	-	-	1,330
Cranial region, including skull .....	01	1,850	810	90	70	20	-	70	-	-	780
Brain .....	011	1,430	540	80	70	20	-	70	-	-	650
Scalp .....	012	180	70	-	-	-	-	-	-	-	90
Skull .....	013	220	180	-	-	-	-	-	-	-	30
Multiple cranial region locations .....	018	20	-	-	-	-	-	-	-	-	-
Ear(s) .....	02	310	80	20	-	-	-	-	-	-	200
Face .....	03	7,210	2,510	630	390	-	-	-	-	-	3,650
Face, unspecified .....	030	730	210	60	50	-	-	-	-	-	410
Forehead .....	031	490	180	50	-	-	-	-	-	-	260
Eye(s) .....	032	4,060	1,500	310	290	-	-	-	-	-	1,960
Nose, nasal cavity .....	033	420	180	-	-	-	-	-	-	-	210
Nose, except internal location of diseases or disorders .....	0330	360	180	-	-	-	-	-	-	-	160
Cheek(s) .....	034	70	20	-	-	-	-	-	-	-	50
Jaw/chin .....	035	310	90	-	-	-	-	-	-	-	220
Mouth .....	036	550	160	160	30	-	-	-	-	-	190
Mouth, unspecified .....	0360	30	-	-	-	-	-	-	-	-	-
Lip(s) .....	0361	90	60	-	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	350	60	140	-	-	-	-	-	-	120
Multiple mouth locations .....	0368	70	20	-	-	-	-	-	-	-	40
Multiple face locations .....	038	520	150	40	-	-	-	-	-	-	320
Face, n.e.c. ....	039	50	-	-	-	-	-	-	-	-	40
Multiple head locations .....	08	790	520	-	-	-	-	-	-	-	250
<b>Neck, including throat</b> .....	1	3,060	1,480	250	270	-	-	-	-	-	1,040
Neck, except internal location of diseases or disorders ...	10	3,030	1,450	250	270	-	-	-	-	-	1,040
<b>Trunk</b> .....	2	63,510	27,280	4,310	4,140	320	60	150	-	20	27,200
Trunk, unspecified .....	20	280	150	40	-	-	-	-	-	-	70
Shoulder, including clavicle, scapula .....	21	14,810	5,860	900	1,420	140	-	20	-	-	6,460
Chest, including ribs, internal organs .....	22	4,120	2,020	100	200	-	-	-	-	-	1,780
Chest, except internal location of diseases or disorders .....	220	2,840	1,540	70	30	-	-	-	-	-	1,180
Internal chest location, unspecified .....	221	120	100	-	-	-	-	-	-	-	20
Heart .....	223	540	260	-	150	-	-	-	-	-	120
Bronchus .....	224	20	20	-	-	-	-	-	-	-	-
Lung(s), pleura .....	225	600	100	20	-	-	-	-	-	-	470
Back, including spine, spinal cord .....	23	36,030	15,550	2,620	1,800	140	40	100	-	20	15,740
Back, including spine, spinal cord, unspecified .....	230	15,220	6,830	1,470	660	50	-	30	-	-	6,160

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Lumbar region .....	231	17,680	7,540	1,000	940	80	30	60	—	20	7,990
Thoracic region .....	232	1,130	370	70	60	—	—	—	—	—	640
Sacral region .....	233	90	20	—	—	—	—	—	—	—	50
Coccygeal region .....	234	260	80	20	60	—	—	—	—	—	90
Multiple back regions .....	238	1,500	660	70	30	—	—	—	—	—	730
Back, including spine, spinal cord, n.e.c. ....	239	150	50	—	40	—	—	—	—	—	70
Abdomen .....	24	2,770	1,370	50	150	—	—	—	—	—	1,190
Abdomen, except internal location of diseases or disorders .....	240	910	390	20	70	—	—	—	—	—	420
Internal abdominal location, unspecified .....	241	610	220	—	—	—	—	—	—	—	380
Stomach organ .....	242	30	20	—	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	960	510	30	70	—	—	—	—	—	350
Intestines, peritoneum, unspecified .....	2450	910	490	20	60	—	—	—	—	—	330
Peritoneum .....	2451	60	20	—	—	—	—	—	—	—	20
Pelvic region .....	25	3,720	1,610	310	480	—	—	—	—	—	1,320
Hip(s) .....	251	1,830	890	180	20	—	—	—	—	—	740
Pelvis .....	252	50	20	20	—	—	—	—	—	—	—
Buttock(s) .....	253	470	250	30	—	—	—	—	—	—	180
Groin .....	254	1,280	390	80	450	—	—	—	—	—	360
External reproductive tract structures .....	255	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	40	30	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	1,730	720	280	90	—	—	—	—	—	610
Trunk, n.e.c. ....	29	50	—	—	—	—	—	—	—	—	40
<b>Upper extremities .....</b>	<b>3</b>	<b>33,170</b>	<b>13,910</b>	<b>1,910</b>	<b>2,010</b>	<b>110</b>	<b>80</b>	<b>160</b>	<b>—</b>	<b>—</b>	<b>14,990</b>
Upper extremities, unspecified .....	30	50	—	—	—	—	—	—	—	—	30
Arm(s) .....	31	8,870	3,290	550	840	40	—	40	—	—	4,100
Arm(s), unspecified .....	310	2,890	920	250	510	40	—	30	—	—	1,140
Upper arm(s) .....	311	800	420	—	60	—	—	—	—	—	310
Elbow(s) .....	312	3,330	1,080	200	150	—	—	—	—	—	1,890
Forearm(s) .....	313	1,470	750	20	100	—	—	—	—	—	590
Multiple arm(s) locations .....	318	330	120	60	20	—	—	—	—	—	130
Arm(s), n.e.c. ....	319	50	—	—	—	—	—	—	—	—	50
Wrist(s) .....	32	6,410	3,330	240	210	—	30	90	—	—	2,500
Hand(s), except finger(s) .....	33	6,280	2,710	280	390	—	—	—	—	—	2,880
Finger(s), fingernail(s) .....	34	9,340	3,830	720	500	50	—	20	—	—	4,220
Multiple upper extremities locations .....	38	2,060	700	110	60	—	40	—	—	—	1,140
Multiple upper extremities locations, unspecified .....	380	30	20	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	500	150	—	—	—	—	—	—	—	340
Hand(s) and wrist(s) .....	382	660	160	80	50	—	—	—	—	—	370
Hand(s) and arm(s) .....	383	130	60	—	—	—	—	—	—	—	60
Multiple upper extremities locations, n.e.c. ....	389	740	310	20	—	—	40	—	—	—	370
Upper extremities, n.e.c. ....	39	150	30	—	—	—	—	—	—	—	110
<b>Lower extremities .....</b>	<b>4</b>	<b>54,160</b>	<b>20,990</b>	<b>3,650</b>	<b>3,060</b>	<b>140</b>	<b>60</b>	<b>260</b>	<b>—</b>	<b>20</b>	<b>25,970</b>

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2008 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Lower extremities, unspecified .....	40	20	—	—	—	—	—	—	—	—	—
Leg(s) .....	41	31,550	12,860	1,870	1,240	50	50	170	—	20	15,280
Leg(s), unspecified .....	410	3,630	1,440	440	130	—	—	20	—	—	1,600
Thigh(s) .....	411	980	310	40	60	—	—	—	—	—	560
Knee(s) .....	412	23,960	9,780	1,270	860	50	40	100	—	20	11,850
Lower leg(s) .....	413	2,120	1,010	50	170	—	—	30	—	—	860
Multiple leg(s) locations .....	418	810	300	70	20	—	—	—	—	—	400
Leg(s), n.e.c. ....	419	40	20	—	—	—	—	—	—	—	30
Ankle(s) .....	42	13,030	4,940	880	1,240	80	—	60	—	—	5,820
Foot(feet), except toe(s) .....	43	5,540	2,000	560	300	—	—	—	—	—	2,670
Foot(feet), except toe(s), unspecified .....	430	5,170	1,840	550	260	—	—	—	—	—	2,500
Sole .....	432	320	120	—	40	—	—	—	—	—	150
Ball(s) of foot .....	4321	20	20	—	—	—	—	—	—	—	—
Heel(s) .....	4323	290	100	—	30	—	—	—	—	—	150
Foot(feet), n.e.c. ....	439	40	20	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	1,460	620	60	50	—	—	—	—	—	720
Multiple lower extremities locations .....	48	2,150	470	250	240	—	—	—	—	—	1,180
Foot(feet) and leg(s) .....	481	200	130	—	—	—	—	—	—	—	60
Foot(feet) and ankle(s) .....	482	610	100	220	110	—	—	—	—	—	180
Foot(feet) and toe(s) .....	483	220	40	—	—	—	—	—	—	—	160
Multiple lower extremities locations, n.e.c. ....	489	1,120	190	30	110	—	—	—	—	—	780
Lower extremities, n.e.c. ....	49	400	100	—	—	—	—	—	—	—	290
<b>Body systems</b> .....	<b>5</b>	<b>5,500</b>	<b>2,900</b>	<b>260</b>	<b>410</b>	<b>20</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1,890</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,130</b>	<b>12,070</b>	<b>1,740</b>	<b>2,050</b>	<b>170</b>	<b>60</b>	<b>130</b>	<b>20</b>	<b>—</b>	<b>15,880</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,020</b>	<b>850</b>	<b>30</b>	<b>40</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1,090</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies