

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2008

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		206,580	122,670	83,700	200	5,990	16,800	57,280	123,970	2,530
Head	0	13,030	7,550	5,470	-	460	1,390	3,870	7,180	120
Head, unspecified	00	2,880	1,040	1,830	-	180	140	860	1,660	40
Cranial region, including skull	01	1,850	800	1,050	-	80	200	570	980	-
Brain	011	1,430	690	730	-	40	170	360	850	-
Scalp	012	180	80	100	-	30	30	30	90	-
Skull	013	220	-	200	-	-	-	170	40	-
Multiple cranial region locations	018	20	-	-	-	-	-	-	-	-
Ear(s)	02	310	260	50	-	20	-	50	230	-
Face	03	7,210	5,220	1,980	-	180	1,030	1,970	3,940	70
Face, unspecified	030	730	510	220	-	30	60	280	350	-
Forehead	031	490	350	140	-	-	50	80	360	-
Eye(s)	032	4,060	3,260	800	-	60	630	990	2,350	30
Nose, nasal cavity	033	420	270	140	-	70	20	170	150	-
Nose, except internal location of diseases or disorders	0330	360	270	90	-	70	20	170	100	-
Cheek(s)	034	70	50	30	-	-	-	30	40	-
Jaw/chin	035	310	160	150	-	30	-	70	210	-
Mouth	036	550	320	230	-	-	180	140	220	-
Mouth, unspecified	0360	30	20	-	-	-	-	-	30	-
Lip(s)	0361	90	50	40	-	-	-	40	30	-
Tooth(teeth)	0363	350	220	120	-	-	150	70	130	-
Multiple mouth locations	0368	70	20	50	-	-	20	20	-	-
Multiple face locations	038	520	270	250	-	-	70	160	260	30
Face, n.e.c.	039	50	30	20	-	-	-	50	-	-
Multiple head locations	08	790	230	560	-	-	-	410	370	-
Neck, including throat	1	3,060	1,660	1,400	-	110	180	820	1,940	-
Neck, except internal location of diseases or disorders ...	10	3,030	1,630	1,400	-	110	180	820	1,910	-
Trunk	2	63,510	41,230	22,250	30	1,230	4,040	18,670	38,880	690
Trunk, unspecified	20	280	170	110	-	-	-	50	210	-
Shoulder, including clavicle, scapula	21	14,810	9,620	5,180	-	230	870	4,470	9,030	200
Chest, including ribs, internal organs	22	4,120	3,260	860	-	60	170	820	3,050	20
Chest, except internal location of diseases or disorders	220	2,840	2,300	530	-	60	160	570	2,030	-
Internal chest location, unspecified	221	120	100	20	-	-	-	30	90	-
Heart	223	540	520	-	-	-	-	30	490	-
Bronchus	224	20	-	20	-	-	-	20	-	-
Lung(s), pleura	225	600	320	280	-	-	-	170	430	-
Back, including spine, spinal cord	23	36,030	23,040	12,980	-	750	2,450	11,590	20,870	370
Back, including spine, spinal cord, unspecified	230	15,220	10,360	4,860	-	370	800	5,300	8,670	80
Lumbar region	231	17,680	11,190	6,480	-	300	1,390	5,100	10,660	230
Thoracic region	232	1,130	740	390	-	40	60	570	430	30
Sacral region	233	90	50	40	-	-	-	-	80	-

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Coccygeal region	234	260	70	190	—	—	20	70	160	—
Multiple back regions	238	1,500	540	960	—	30	130	480	830	20
Back, including spine, spinal cord, n.e.c.	239	150	80	70	—	—	40	70	40	—
Abdomen	24	2,770	2,060	700	—	80	320	570	1,790	—
Abdomen, except internal location of diseases or disorders	240	910	580	330	—	—	260	200	430	—
Internal abdominal location, unspecified	241	610	570	40	—	30	30	120	430	—
Stomach organ	242	30	20	—	—	—	—	—	20	—
Urinary organs	244	20	—	—	—	—	—	—	20	—
Intestines, peritoneum	245	960	880	80	—	40	30	240	650	—
Intestines, peritoneum, unspecified	2450	910	830	80	—	40	30	220	610	—
Peritoneum	2451	60	50	—	—	—	—	20	30	—
Pelvic region	25	3,720	2,140	1,580	—	60	140	560	2,940	20
Hip(s)	251	1,830	840	980	—	50	90	250	1,420	—
Pelvis	252	50	20	30	—	—	—	—	40	—
Buttock(s)	253	470	30	440	—	—	—	—	450	—
Groin	254	1,280	1,190	100	—	—	40	270	970	—
External reproductive tract structures	255	20	20	—	—	—	—	20	—	—
Multiple pelvic region locations	258	40	30	—	—	—	—	—	40	—
Multiple trunk locations	28	1,730	920	810	—	40	70	600	950	60
Trunk, n.e.c.	29	50	20	20	—	—	—	—	40	—
Upper extremities	3	33,170	20,080	13,070	20	920	2,770	9,380	19,600	490
Upper extremities, unspecified	30	50	—	40	—	—	—	30	—	—
Arm(s)	31	8,870	5,160	3,700	—	170	670	2,570	5,240	210
Arm(s), unspecified	310	2,890	1,170	1,720	—	60	420	870	1,410	140
Upper arm(s)	311	800	520	290	—	—	40	160	590	—
Elbow(s)	312	3,330	2,370	950	—	50	140	1,060	2,050	20
Forearm(s)	313	1,470	890	580	—	40	60	410	940	20
Multiple arm(s) locations	318	330	200	130	—	20	—	70	220	20
Arm(s), n.e.c.	319	50	20	30	—	—	—	—	40	—
Wrist(s)	32	6,410	2,750	3,660	—	420	510	1,480	3,970	20
Hand(s), except finger(s)	33	6,280	4,620	1,660	—	50	450	2,020	3,710	50
Finger(s), fingernail(s)	34	9,340	6,300	3,040	—	250	980	2,650	5,310	150
Multiple upper extremities locations	38	2,060	1,180	880	—	30	130	610	1,230	60
Multiple upper extremities locations, unspecified	380	30	20	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	270	240	—	—	30	120	350	—
Hand(s) and wrist(s)	382	660	340	320	—	—	60	220	330	40
Hand(s) and arm(s)	383	130	50	90	—	—	—	40	70	—
Multiple upper extremities locations, n.e.c.	389	740	510	230	—	—	30	240	470	—
Upper extremities, n.e.c.	39	150	60	90	—	—	—	20	120	—
Lower extremities	4	54,160	31,950	22,190	—	2,360	5,240	14,060	31,890	610
Lower extremities, unspecified	40	20	—	20	—	—	—	—	—	—
Leg(s)	41	31,550	20,450	11,100	—	1,060	3,040	7,550	19,650	250
Leg(s), unspecified	410	3,630	2,020	1,610	—	40	560	970	2,030	40
Thigh(s)	411	980	780	200	—	50	30	310	600	—
Knee(s)	412	23,960	15,920	8,040	—	800	1,970	5,530	15,460	190
Lower leg(s)	413	2,120	1,440	680	—	150	410	510	1,050	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple leg(s) locations	418	810	270	540	—	20	70	220	480	—
Leg(s), n.e.c.	419	40	—	30	—	—	—	—	30	—
Ankle(s)	42	13,030	6,550	6,470	—	860	1,300	3,860	6,890	120
Foot(feet), except toe(s)	43	5,540	2,680	2,850	—	340	470	1,640	2,950	140
Foot(feet), except toe(s), unspecified	430	5,170	2,480	2,690	—	330	440	1,530	2,720	140
Sole	432	320	180	130	—	—	30	80	210	—
Ball(s) of foot	4321	20	20	—	—	—	—	—	20	—
Heel(s)	4323	290	160	130	—	—	20	70	180	—
Foot(feet), n.e.c.	439	40	20	20	—	—	—	20	20	—
Toe(s), toenail(s)	44	1,460	860	600	—	40	130	580	710	—
Multiple lower extremities locations	48	2,150	1,240	910	—	60	170	370	1,470	80
Foot(feet) and leg(s)	481	200	50	150	—	50	—	—	120	—
Foot(feet) and ankle(s)	482	610	410	210	—	—	50	110	450	—
Foot(feet) and toe(s)	483	220	200	20	—	—	—	20	180	—
Multiple lower extremities locations, n.e.c.	489	1,120	590	530	—	—	90	230	730	—
Lower extremities, n.e.c.	49	400	170	230	—	—	130	60	210	—
Body systems	5	5,500	3,270	2,210	—	210	700	1,520	3,000	60
Multiple body parts	8	32,130	15,530	16,500	100	680	2,160	8,560	20,360	370
Nonclassifiable	9999	2,020	1,390	620	—	—	320	390	1,130	170

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies