

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008

| Nature | Nature code ² | Local government ³ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Total | | 206,580 | 27,800 | 13.5 | 21,540 | 10.4 | 36,620 | 17.7 |
| Traumatic injuries and disorders | 0 | 192,540 | 25,890 | 13.4 | 20,030 | 10.4 | 34,360 | 17.8 |
| Traumatic injuries and disorders, unspecified | 00 | 9,270 | 1,590 | 17.2 | 1,310 | 14.1 | 1,290 | 13.9 |
| Traumatic injuries to bones, nerves, spinal cord | 01 | 14,830 | 1,040 | 7.0 | 920 | 6.2 | 1,570 | 10.6 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 010 | 90 | — | — | — | — | 40 | 44.4 |
| Dislocations | 011 | 1,420 | 130 | 9.2 | 160 | 11.3 | 90 | 6.3 |
| Fractures | 012 | 13,060 | 880 | 6.7 | 760 | 5.8 | 1,440 | 11.0 |
| Traumatic injuries to nerves, except the spinal cord | 014 | 70 | — | — | — | — | — | — |
| Multiple traumatic injuries to bones nerves, spinal cord | 018 | 140 | 20 | 14.3 | — | — | — | — |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 019 | 40 | — | — | — | — | — | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 02 | 88,690 | 9,030 | 10.2 | 7,790 | 8.8 | 15,480 | 17.5 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 020 | 580 | 80 | 13.8 | 20 | 3.4 | 60 | 10.3 |
| Sprains, strains, tears | 021 | 87,910 | 8,940 | 10.2 | 7,770 | 8.8 | 15,270 | 17.4 |
| Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 029 | 200 | — | — | — | — | 140 | 70.0 |
| Open wounds | 03 | 11,380 | 2,010 | 17.7 | 1,570 | 13.8 | 2,150 | 18.9 |
| Open wounds, unspecified | 030 | 120 | — | — | 70 | 58.3 | — | — |
| Amputations | 031 | 600 | — | — | 30 | 5.0 | 30 | 5.0 |
| Amputations, fingertip | 0311 | 480 | — | — | 30 | 6.2 | 30 | 6.2 |
| Amputations, except fingertip | 0319 | 120 | — | — | — | — | — | — |
| Animal or insect bites | 032 | 1,140 | 270 | 23.7 | 200 | 17.5 | 160 | 14.0 |
| Avulsions | 033 | 40 | — | — | — | — | — | — |
| Cuts, lacerations | 034 | 7,750 | 1,460 | 18.8 | 980 | 12.6 | 1,650 | 21.3 |
| Gunshot wounds | 036 | 160 | — | — | — | — | — | — |
| Punctures, except bites | 037 | 1,540 | 240 | 15.6 | 270 | 17.5 | 280 | 18.2 |
| Multiple open wounds | 038 | 20 | — | — | — | — | — | — |
| Open wounds, n.e.c. | 039 | 20 | — | — | — | — | — | — |
| Surface wounds and bruises | 04 | 21,950 | 5,090 | 23.2 | 2,990 | 13.6 | 5,190 | 23.6 |
| Surface wounds and bruises, unspecified | 040 | 60 | — | — | 20 | 33.3 | 30 | 50.0 |
| Abrasions, scratches | 041 | 1,670 | 300 | 18.0 | 370 | 22.2 | 550 | 32.9 |
| Blisters | 042 | 50 | — | — | — | — | — | — |
| Bruises, contusions | 043 | 18,490 | 4,270 | 23.1 | 2,110 | 11.4 | 4,360 | 23.6 |
| Foreign bodies (superficial splinters, chips) | 044 | 1,440 | 490 | 34.0 | 480 | 33.3 | 150 | 10.4 |
| Multiple surface wounds and bruises | 048 | 200 | 30 | 15.0 | — | — | 60 | 30.0 |
| Surface wounds and bruises, n.e.c. | 049 | 30 | — | — | — | — | — | — |
| Burns | 05 | 2,550 | 710 | 27.8 | 300 | 11.8 | 380 | 14.9 |
| Chemical burns | 051 | 450 | 240 | 53.3 | 60 | 13.3 | 70 | 15.6 |
| Electrical burns | 052 | 140 | — | — | 30 | 21.4 | — | — |
| Heat burns, scalds | 053 | 1,910 | 460 | 24.1 | 200 | 10.5 | 270 | 14.1 |
| Burns, n.e.c. | 059 | 40 | — | — | — | — | 30 | 75.0 |
| Intracranial injuries | 06 | 1,330 | 190 | 14.3 | 200 | 15.0 | 280 | 21.1 |
| Intracranial injuries, unspecified | 060 | 110 | — | — | — | — | — | — |
| Cerebral hemorrhages | 061 | 40 | — | — | — | — | — | — |
| Concussions | 062 | 1,180 | 170 | 14.4 | 200 | 16.9 | 270 | 22.9 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Total | 26,380 | 12.8 | 28,720 | 13.9 | 14,880 | 7.2 | 50,640 | 24.5 | 9 |
| Traumatic injuries and disorders | 24,670 | 12.8 | 27,130 | 14.1 | 13,600 | 7.1 | 46,870 | 24.3 | 9 |
| Traumatic injuries and disorders, unspecified | 1,360 | 14.7 | 830 | 9.0 | 780 | 8.4 | 2,110 | 22.8 | 7 |
| Traumatic injuries to bones, nerves, spinal cord | 1,220 | 8.2 | 2,780 | 18.7 | 1,260 | 8.5 | 6,040 | 40.7 | 20 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | — | — | — | — | — | — | 50 | 55.6 | 47 |
| Dislocations | 150 | 10.6 | 80 | 5.6 | 70 | 4.9 | 730 | 51.4 | 35 |
| Fractures | 1,060 | 8.1 | 2,630 | 20.1 | 1,190 | 9.1 | 5,120 | 39.2 | 20 |
| Traumatic injuries to nerves, except the spinal cord | — | — | 60 | 85.7 | — | — | — | — | 15 |
| Multiple traumatic injuries to bones nerves, spinal cord | — | — | — | — | — | — | 100 | 71.4 | 42 |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | — | — | — | — | — | — | 30 | 75.0 | 51 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12,210 | 13.8 | 13,580 | 15.3 | 6,480 | 7.3 | 24,120 | 27.2 | 10 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 50 | 8.6 | 50 | 8.6 | 20 | 3.4 | 300 | 51.7 | 33 |
| Sprains, strains, tears | 12,160 | 13.8 | 13,520 | 15.4 | 6,460 | 7.3 | 23,790 | 27.1 | 10 |
| Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | — | — | — | — | — | — | 40 | 20.0 | 5 |
| Open wounds | 1,660 | 14.6 | 1,810 | 15.9 | 690 | 6.1 | 1,490 | 13.1 | 5 |
| Open wounds, unspecified | 30 | 25.0 | — | — | — | — | — | — | 2 |
| Amputations | 30 | 5.0 | 110 | 18.3 | 40 | 6.7 | 350 | 58.3 | 48 |
| Amputations, fingertip | 30 | 6.2 | 90 | 18.8 | 30 | 6.2 | 260 | 54.2 | 90 |
| Amputations, except fingertip | — | — | 20 | 16.7 | — | — | 90 | 75.0 | 48 |
| Animal or insect bites | 80 | 7.0 | 90 | 7.9 | 250 | 21.9 | 100 | 8.8 | 4 |
| Avulsions | — | — | — | — | — | — | — | — | 4 |
| Cuts, lacerations | 1,290 | 16.6 | 1,160 | 15.0 | 320 | 4.1 | 880 | 11.4 | 5 |
| Gunshot wounds | 20 | 12.5 | 30 | 18.8 | — | — | 100 | 62.5 | 37 |
| Punctures, except bites | 210 | 13.6 | 410 | 26.6 | 70 | 4.5 | 50 | 3.2 | 5 |
| Multiple open wounds | — | — | — | — | — | — | — | — | 2 |
| Open wounds, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Surface wounds and bruises | 2,650 | 12.1 | 2,770 | 12.6 | 560 | 2.6 | 2,700 | 12.3 | 4 |
| Surface wounds and bruises, unspecified | — | — | — | — | — | — | — | — | 3 |
| Abrasions, scratches | 310 | 18.6 | 70 | 4.2 | 30 | 1.8 | 50 | 3.0 | 3 |
| Blisters | — | — | 30 | 60.0 | — | — | — | — | 13 |
| Bruises, contusions | 2,230 | 12.1 | 2,390 | 12.9 | 530 | 2.9 | 2,610 | 14.1 | 4 |
| Foreign bodies (superficial splinters, chips) | 90 | 6.2 | 230 | 16.0 | — | — | — | — | 2 |
| Multiple surface wounds and bruises | — | — | 40 | 20.0 | — | — | 30 | 15.0 | 5 |
| Surface wounds and bruises, n.e.c. | — | — | — | — | — | — | — | — | 3 |
| Burns | 440 | 17.3 | 240 | 9.4 | 50 | 2.0 | 450 | 17.6 | 4 |
| Chemical burns | 70 | 15.6 | — | — | — | — | — | — | 1 |
| Electrical burns | — | — | — | — | 20 | 14.3 | 80 | 57.1 | 60 |
| Heat burns, scalds | 370 | 19.4 | 230 | 12.0 | 30 | 1.6 | 350 | 18.3 | 6 |
| Burns, n.e.c. | — | — | — | — | — | — | — | — | 3 |
| Intracranial injuries | 220 | 16.5 | 90 | 6.8 | 120 | 9.0 | 250 | 18.8 | 6 |
| Intracranial injuries, unspecified | — | — | — | — | — | — | 60 | 54.5 | 145 |
| Cerebral hemorrhages | — | — | — | — | — | — | — | — | 10 |
| Concussions | 170 | 14.4 | 80 | 6.8 | 120 | 10.2 | 190 | 16.1 | 5 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Nature code ² | Local government ³ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|-------------|------------|------------|--------------|-------------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Effects of environmental conditions | 07 | 930 | 200 | 21.5 | 170 | 18.3 | 460 | 49.5 |
| Effects of reduced temperature | 071 | 60 | — | — | — | — | 60 | 100.0 |
| Frostbite | 0711 | 60 | — | — | — | — | 60 | 100.0 |
| Effects of heat and light | 072 | 880 | 200 | 22.7 | 170 | 19.3 | 400 | 45.5 |
| Effects of heat and light, unspecified | 0720 | 70 | — | — | 20 | 28.6 | — | — |
| Heat stroke | 0721 | 160 | — | — | — | — | 80 | 50.0 |
| Heat syncope | 0722 | 20 | — | — | — | — | — | — |
| Heat fatigue | 0723 | 320 | 30 | 9.4 | — | — | 290 | 90.6 |
| Effects of heat and light, n.e.c. | 0729 | 290 | 30 | 10.3 | 140 | 48.3 | 30 | 10.3 |
| Multiple traumatic injuries and disorders | 08 | 10,760 | 1,170 | 10.9 | 1,320 | 12.3 | 1,860 | 17.3 |
| Multiple traumatic injuries and disorders, unspecified .. | 080 | 840 | 40 | 4.8 | 270 | 32.1 | 90 | 10.7 |
| Cuts, abrasions, bruises | 081 | 1,840 | 400 | 21.7 | 300 | 16.3 | 550 | 29.9 |
| Sprains and bruises | 082 | 4,630 | 430 | 9.3 | 590 | 12.7 | 860 | 18.6 |
| Fractures and other injuries | 084 | 1,610 | 30 | 1.9 | 40 | 2.5 | 90 | 5.6 |
| Other combinations of traumatic injuries and disorders, n.e.c. | 089 | 1,840 | 260 | 14.1 | 110 | 6.0 | 270 | 14.7 |
| Other traumatic injuries and disorders | 09 | 30,840 | 4,870 | 15.8 | 3,470 | 11.3 | 5,720 | 18.5 |
| Other traumatic injuries and disorders, unspecified | 090 | 50 | — | — | — | — | — | — |
| Asphyxiations/strangulations, suffocations | 091 | 140 | 40 | 28.6 | — | — | 30 | 21.4 |
| Electrocutions, electric shocks | 093 | 180 | 20 | 11.1 | 20 | 11.1 | 60 | 33.3 |
| Other poisonings and toxic effects | 095 | 1,990 | 880 | 44.2 | 200 | 10.1 | 450 | 22.6 |
| Other poisonings and toxic effects, unspecified | 0950 | 20 | — | — | — | — | — | — |
| Animal or insect bites and stings, venomous | 0951 | 1,040 | 500 | 48.1 | 130 | 12.5 | 170 | 16.3 |
| Other poisonings and toxic effects, n.e.c. | 0959 | 930 | 380 | 40.9 | 60 | 6.5 | 270 | 29.0 |
| Nonspecified injuries and disorders | 097 | 28,410 | 3,890 | 13.7 | 3,220 | 11.3 | 5,150 | 18.1 |
| Crushing injuries | 0971 | 1,140 | 110 | 9.6 | 90 | 7.9 | 150 | 13.2 |
| Back pain, hurt back | 0972 | 6,630 | 680 | 10.3 | 780 | 11.8 | 1,510 | 22.8 |
| Soreness, pain, hurt, except the back | 0973 | 17,920 | 2,720 | 15.2 | 2,080 | 11.6 | 2,960 | 16.5 |
| Multiple nonspecified injuries and disorders | 0978 | 1,650 | 100 | 6.1 | 140 | 8.5 | 300 | 18.2 |
| Nonspecified injuries and disorders, n.e.c. | 0979 | 1,060 | 280 | 26.4 | 130 | 12.3 | 230 | 21.7 |
| Other traumatic injuries and disorders, n.e.c. | 099 | 60 | — | — | — | — | — | — |
| Systemic diseases and disorders | 1 | 7,700 | 840 | 10.9 | 660 | 8.6 | 1,000 | 13.0 |
| Systemic diseases and disorders, unspecified | 10 | 20 | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 12 | 1,540 | 180 | 11.7 | 110 | 7.1 | 150 | 9.7 |
| Disorders of the peripheral nervous system | 124 | 1,090 | 40 | 3.7 | 50 | 4.6 | 100 | 9.2 |
| Disorders of the peripheral nervous system, unspecified | 1240 | 20 | — | — | — | — | — | — |
| Carpal tunnel syndrome | 1241 | 1,040 | 40 | 3.8 | 50 | 4.8 | 90 | 8.7 |
| Other disorders of the peripheral nervous system, n.e.c. | 1249 | 30 | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision | 125 | 380 | 130 | 34.2 | 60 | 15.8 | 50 | 13.2 |
| Disorders of the eye, adnexa, vision, unspecified | 1250 | 30 | — | — | — | — | — | — |
| Conjunctivitis non-viral | 1252 | 120 | 60 | 50.0 | — | — | 40 | 33.3 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | 1253 | 40 | — | — | 30 | 75.0 | — | — |
| Welder's flash | 1256 | 20 | — | — | — | — | — | — |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Effects of environmental conditions | 40 | 4.3 | 50 | 5.4 | — | — | — | — | 3 |
| Effects of reduced temperature | — | — | — | — | — | — | — | — | 3 |
| Frostbite | — | — | — | — | — | — | — | — | 3 |
| Effects of heat and light | 40 | 4.5 | 50 | 5.7 | — | — | — | — | 3 |
| Effects of heat and light, unspecified | — | — | — | — | — | — | — | — | 1 |
| Heat stroke | — | — | — | — | — | — | — | — | 5 |
| Heat syncope | — | — | — | — | — | — | — | — | 1 |
| Heat fatigue | — | — | — | — | — | — | — | — | 3 |
| Effects of heat and light, n.e.c. | 40 | 13.8 | 50 | 17.2 | — | — | — | — | 2 |
| Multiple traumatic injuries and disorders | 1,010 | 9.4 | 1,220 | 11.3 | 750 | 7.0 | 3,440 | 32.0 | 11 |
| Multiple traumatic injuries and disorders, unspecified .. | 40 | 4.8 | 130 | 15.5 | 40 | 4.8 | 230 | 27.4 | 7 |
| Cuts, abrasions, bruises | 130 | 7.1 | 150 | 8.2 | 40 | 2.2 | 270 | 14.7 | 4 |
| Sprains and bruises | 570 | 12.3 | 340 | 7.3 | 490 | 10.6 | 1,340 | 28.9 | 10 |
| Fractures and other injuries | 150 | 9.3 | 400 | 24.8 | 120 | 7.5 | 770 | 47.8 | 27 |
| Other combinations of traumatic injuries and disorders, n.e.c. | 110 | 6.0 | 190 | 10.3 | 60 | 3.3 | 820 | 44.6 | 17 |
| Other traumatic injuries and disorders | 3,860 | 12.5 | 3,750 | 12.2 | 2,900 | 9.4 | 6,270 | 20.3 | 7 |
| Other traumatic injuries and disorders, unspecified | — | — | — | — | — | — | — | — | 4 |
| Asphyxiations/strangulations, suffocations | — | — | — | — | — | — | — | — | 2 |
| Electrocutions, electric shocks | — | — | — | — | — | — | 70 | 38.9 | 4 |
| Other poisonings and toxic effects | 170 | 8.5 | 80 | 4.0 | 80 | 4.0 | 140 | 7.0 | 2 |
| Other poisonings and toxic effects, unspecified | — | — | — | — | — | — | — | — | 2 |
| Animal or insect bites and stings, venomous | 110 | 10.6 | 20 | 1.9 | 80 | 7.7 | 30 | 2.9 | 2 |
| Other poisonings and toxic effects, n.e.c. | 50 | 5.4 | 50 | 5.4 | — | — | 110 | 11.8 | 4 |
| Nonspecified injuries and disorders | 3,670 | 12.9 | 3,640 | 12.8 | 2,820 | 9.9 | 6,030 | 21.2 | 7 |
| Crushing injuries | 110 | 9.6 | 220 | 19.3 | 30 | 2.6 | 440 | 38.6 | 13 |
| Back pain, hurt back | 840 | 12.7 | 600 | 9.0 | 630 | 9.5 | 1,590 | 24.0 | 7 |
| Soreness, pain, hurt, except the back | 2,290 | 12.8 | 2,400 | 13.4 | 2,070 | 11.6 | 3,410 | 19.0 | 7 |
| Multiple nonspecified injuries and disorders | 320 | 19.4 | 310 | 18.8 | 50 | 3.0 | 430 | 26.1 | 9 |
| Nonspecified injuries and disorders, n.e.c. | 100 | 9.4 | 110 | 10.4 | 40 | 3.8 | 160 | 15.1 | 3 |
| Other traumatic injuries and disorders, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Systemic diseases and disorders | 880 | 11.4 | 950 | 12.3 | 840 | 10.9 | 2,520 | 32.7 | 15 |
| Systemic diseases and disorders, unspecified | — | — | — | — | — | — | — | — | 19 |
| Nervous system and sense organs diseases | 260 | 16.9 | 100 | 6.5 | 130 | 8.4 | 620 | 40.3 | 17 |
| Disorders of the peripheral nervous system | 230 | 21.1 | 100 | 9.2 | 110 | 10.1 | 470 | 43.1 | 25 |
| Disorders of the peripheral nervous system, unspecified | — | — | — | — | — | — | — | — | 14 |
| Carpal tunnel syndrome | 230 | 22.1 | 70 | 6.7 | 110 | 10.6 | 460 | 44.2 | 25 |
| Other disorders of the peripheral nervous system, n.e.c. | — | — | — | — | — | — | — | — | 16 |
| Disorders of the eye, adnexa, vision | — | — | — | — | — | — | 110 | 28.9 | 3 |
| Disorders of the eye, adnexa, vision, unspecified | — | — | — | — | — | — | — | — | 27 |
| Conjunctivitis non-viral | — | — | — | — | — | — | — | — | 1 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | — | — | — | — | — | — | — | — | 2 |
| Welder's flash | — | — | — | — | — | — | — | — | 2 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Nature code ² | Local government ³ | Days-away-from-work cases involving: | | | | | |
|---|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Disorders of the eye, adnexa, vision, n.e.c. | 1259 | 170 | 60 | 35.3 | — | — | — | — |
| Disorders of the ear, mastoid process, hearing | 126 | 60 | — | — | — | — | — | — |
| Deafness, hearing loss or impairment | 1261 | 50 | — | — | — | — | — | — |
| Circulatory system diseases | 13 | 570 | 50 | 8.8 | 60 | 10.5 | 130 | 22.8 |
| Hypertensive disease | 132 | 100 | — | — | — | — | — | — |
| Ischemic heart disease, including heart attack | 133 | 360 | — | — | 40 | 11.1 | 130 | 36.1 |
| Myocardial infarction (heart attack) | 1331 | 360 | — | — | 40 | 11.1 | 130 | 36.1 |
| Other forms of heart disease | 135 | 30 | — | — | — | — | — | — |
| Other forms of heart disease, n.e.c. | 1359 | 20 | — | — | — | — | — | — |
| Cerebrovascular disease | 136 | 50 | — | — | — | — | — | — |
| Stroke | 1361 | 50 | — | — | — | — | — | — |
| Respiratory system diseases | 14 | 620 | 90 | 14.5 | 40 | 6.5 | 90 | 14.5 |
| Respiratory system diseases, unspecified | 140 | 210 | 30 | 14.3 | 20 | 9.5 | 20 | 9.5 |
| Acute respiratory infections (including common cold) .. | 141 | 30 | — | — | — | — | — | — |
| Other diseases of upper respiratory tract | 142 | 50 | 30 | 60.0 | — | — | — | — |
| Other diseases of upper respiratory tract, unspecified | 1420 | 20 | — | — | — | — | — | — |
| Allergic rhinitis | 1421 | 20 | — | — | — | — | — | — |
| Pneumonia, influenza | 143 | 150 | — | — | — | — | — | — |
| Pneumonia | 1431 | 150 | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions | 144 | 170 | 30 | 17.6 | — | — | 40 | 23.5 |
| Chronic obstructive pulmonary disease and allied conditions, unspecified | 1440 | 20 | — | — | — | — | — | — |
| Extrinsic asthma | 1443 | 60 | 20 | 33.3 | — | — | 30 | 50.0 |
| Other respiratory system diseases | 149 | 20 | — | — | — | — | — | — |
| Digestive system diseases and disorders | 15 | 1,760 | 40 | 2.3 | 20 | 1.1 | 210 | 11.9 |
| Hernia | 153 | 1,760 | 40 | 2.3 | 20 | 1.1 | 210 | 11.9 |
| Hernia, unspecified | 1530 | 540 | 30 | 5.6 | — | — | — | — |
| Inguinal hernia | 1531 | 650 | — | — | — | — | 190 | 29.2 |
| Ventral hernia | 1533 | 240 | — | — | — | — | — | — |
| Hernia, n.e.c. | 1539 | 320 | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 17 | 1,680 | 120 | 7.1 | 140 | 8.3 | 240 | 14.3 |
| Dorsopathies | 172 | 200 | — | — | 70 | 35.0 | 50 | 25.0 |
| Sciatica | 1721 | 40 | — | — | — | — | — | — |
| Disc disorders, except dislocation | 1723 | 30 | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | 1729 | 130 | — | — | 70 | 53.8 | 30 | 23.1 |
| Rheumatism, except the back | 173 | 1,320 | 120 | 9.1 | 60 | 4.5 | 190 | 14.4 |
| Rheumatism, except the back, unspecified | 1730 | 390 | 60 | 15.4 | — | — | — | — |
| Bursitis | 1731 | 40 | — | — | — | — | 30 | 75.0 |
| Tendonitis | 1733 | 480 | 20 | 4.2 | 30 | 6.2 | 20 | 4.2 |
| Tenosynovitis | 1734 | 130 | — | — | — | — | 30 | 23.1 |
| Ganglion/cystic tumor | 1735 | 40 | — | — | — | — | — | — |
| Rheumatism, except the back, n.e.c. | 1739 | 250 | 40 | 16.0 | 30 | 12.0 | 110 | 44.0 |
| Disorders of the skin and subcutaneous tissue | 18 | 1,470 | 360 | 24.5 | 300 | 20.4 | 180 | 12.2 |
| Disorders of the skin and subcutaneous tissue, unspecified | 180 | 70 | 40 | 57.1 | — | — | — | — |
| Infections of the skin and subcutaneous tissue | 181 | 410 | — | — | 70 | 17.1 | — | — |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|---|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Disorders of the eye, adnexa, vision, n.e.c. | — | — | — | — | — | — | — | — | 72 |
| Disorders of the ear, mastoid process, hearing | — | — | — | — | — | — | 30 | 50.0 | 36 |
| Deafness, hearing loss or impairment | — | — | — | — | — | — | 30 | 60.0 | 36 |
| Circulatory system diseases | 90 | 15.8 | 60 | 10.5 | — | — | 180 | 31.6 | 7 |
| Hypertensive disease | 50 | 50.0 | — | — | — | — | — | — | 2 |
| Ischemic heart disease, including heart attack | 40 | 11.1 | 40 | 11.1 | — | — | 110 | 30.6 | 7 |
| Myocardial infarction (heart attack) | 40 | 11.1 | 40 | 11.1 | — | — | 110 | 30.6 | 7 |
| Other forms of heart disease | — | — | — | — | — | — | — | — | 25 |
| Other forms of heart disease, n.e.c. | — | — | — | — | — | — | — | — | 28 |
| Cerebrovascular disease | — | — | — | — | — | — | 40 | 80.0 | 37 |
| Stroke | — | — | — | — | — | — | 40 | 80.0 | 37 |
| Respiratory system diseases | 50 | 8.1 | 120 | 19.4 | 140 | 22.6 | 100 | 16.1 | 20 |
| Respiratory system diseases, unspecified | — | — | — | — | — | — | — | — | 25 |
| Acute respiratory infections (including common cold) .. | — | — | — | — | — | — | — | — | 5 |
| Other diseases of upper respiratory tract | — | — | — | — | — | — | — | — | 1 |
| Other diseases of upper respiratory tract, unspecified | — | — | — | — | — | — | — | — | 1 |
| Allergic rhinitis | — | — | — | — | — | — | — | — | 3 |
| Pneumonia, influenza | 40 | 26.7 | — | — | — | — | — | — | 20 |
| Pneumonia | 40 | 26.7 | — | — | — | — | — | — | 20 |
| Chronic obstructive pulmonary disease and allied conditions | — | — | — | — | — | — | 90 | 52.9 | 48 |
| Chronic obstructive pulmonary disease and allied conditions, unspecified | — | — | — | — | — | — | — | — | 4 |
| Extrinsic asthma | — | — | — | — | — | — | — | — | 3 |
| Other respiratory system diseases | — | — | — | — | — | — | — | — | 2 |
| Digestive system diseases and disorders | 80 | 4.5 | 310 | 17.6 | 430 | 24.4 | 680 | 38.6 | 28 |
| Hernia | 80 | 4.5 | 310 | 17.6 | 430 | 24.4 | 680 | 38.6 | 28 |
| Hernia, unspecified | 50 | 9.3 | 90 | 16.7 | 90 | 16.7 | 260 | 48.1 | 30 |
| Inguinal hernia | — | — | 180 | 27.7 | 90 | 13.8 | 170 | 26.2 | 18 |
| Ventral hernia | — | — | 30 | 12.5 | — | — | 190 | 79.2 | 40 |
| Hernia, n.e.c. | — | — | — | — | 250 | 78.1 | 50 | 15.6 | 28 |
| Musculoskeletal system and connective tissue diseases and disorders | 60 | 3.6 | 120 | 7.1 | 60 | 3.6 | 930 | 55.4 | 40 |
| Dorsopathies | — | — | — | — | — | — | 50 | 25.0 | 4 |
| Sciatica | — | — | — | — | — | — | — | — | 10 |
| Disc disorders, except dislocation | — | — | — | — | — | — | 30 | 100.0 | 167 |
| Dorsopathies, n.e.c. | — | — | — | — | — | — | — | — | 2 |
| Rheumatism, except the back | 50 | 3.8 | 110 | 8.3 | 40 | 3.0 | 740 | 56.1 | 40 |
| Rheumatism, except the back, unspecified | — | — | — | — | — | — | 320 | 82.1 | 45 |
| Bursitis | — | — | — | — | — | — | — | — | 4 |
| Tendonitis | 30 | 6.2 | 80 | 16.7 | 30 | 6.2 | 270 | 56.2 | 41 |
| Tenosynovitis | — | — | — | — | — | — | 90 | 69.2 | 121 |
| Ganglion/cystic tumor | — | — | — | — | — | — | 20 | 50.0 | 63 |
| Rheumatism, except the back, n.e.c. | — | — | 20 | 8.0 | — | — | 40 | 16.0 | 5 |
| Disorders of the skin and subcutaneous tissue | 320 | 21.8 | 230 | 15.6 | 70 | 4.8 | — | — | 4 |
| Disorders of the skin and subcutaneous tissue, unspecified | — | — | — | — | — | — | — | — | 1 |
| Infections of the skin and subcutaneous tissue | 70 | 17.1 | 190 | 46.3 | 60 | 14.6 | — | — | 12 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Nature code ² | Local government ³ | Days-away-from-work cases involving: | | | | | |
|---|--------------------------|-------------------------------|--------------------------------------|-------------|------------|-------------|------------|-------------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Infections of the skin and subcutaneous tissue, unspecified | 1810 | 190 | — | — | 50 | 26.3 | — | — |
| Cellulitis and abscess | 1812 | 210 | — | — | 20 | 9.5 | — | — |
| Dermatitis | 182 | 940 | 320 | 34.0 | 230 | 24.5 | 130 | 13.8 |
| Dermatitis, unspecified | 1820 | 140 | 70 | 50.0 | 30 | 21.4 | — | — |
| Contact dermatitis, unspecified | 1822 | 130 | — | — | 50 | 38.5 | 60 | 46.2 |
| Allergic contact dermatitis | 1823 | 610 | 230 | 37.7 | 110 | 18.0 | 40 | 6.6 |
| Irritant contact dermatitis | 1824 | 60 | — | — | 30 | 50.0 | — | — |
| Diseases of sebaceous glands | 184 | 40 | — | — | — | — | 40 | 100.0 |
| Sebaceous cyst | 1842 | 40 | — | — | — | — | 40 | 100.0 |
| Infectious and parasitic diseases | 2 | 380 | 60 | 15.8 | 30 | 7.9 | 50 | 13.2 |
| Infectious and parasitic diseases, unspecified | 20 | 40 | — | — | — | — | — | — |
| Bacterial diseases | 21 | 100 | — | — | — | — | — | — |
| Bacterial diseases, unspecified | 210 | 20 | — | — | — | — | — | — |
| Zoonotic bacterial diseases | 212 | 20 | — | — | — | — | — | — |
| Zoonotic bacterial diseases, n.e.c. | 2129 | 20 | — | — | — | — | — | — |
| Other bacterial diseases | 219 | 60 | — | — | — | — | — | — |
| Other bacterial diseases, n.e.c. | 2199 | 50 | — | — | — | — | — | — |
| Viral diseases | 22 | 140 | — | — | — | — | — | — |
| Viral diseases accompanied by exanthem (eruptive fever) | 223 | 100 | — | — | — | — | — | — |
| Chickenpox | 2233 | 90 | — | — | — | — | — | — |
| Other diseases due to viruses and Chlamydiae | 229 | 30 | — | — | — | — | — | — |
| Other diseases due to viruses and Chlamydiae, n.e.c. | 2299 | 30 | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines | 26 | 30 | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines, unspecified | 260 | 30 | — | — | — | — | — | — |
| Other infectious and parasitic diseases | 29 | 70 | — | — | — | — | 40 | 57.1 |
| Acariasis (including scabies, chiggers, mites) | 294 | 60 | — | — | — | — | 40 | 66.7 |
| Neoplasms, tumors, and cancer | 3 | 120 | — | — | — | — | — | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | 31 | 110 | — | — | — | — | — | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified | 310 | 70 | — | — | — | — | — | — |
| Malignant neoplasms and tumors of the skin | 312 | 20 | — | — | — | — | — | — |
| Melanoma of the skin (melanocarcinoma) | 3121 | 20 | — | — | — | — | — | — |
| Malignant neoplasms and tumors of other sites | 319 | 20 | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 4 | 3,340 | 530 | 15.9 | 670 | 20.1 | 760 | 22.8 |
| Symptoms, signs, and ill-defined conditions, unspecified | 40 | 60 | — | — | — | — | — | — |
| Symptoms | 41 | 3,250 | 500 | 15.4 | 670 | 20.6 | 750 | 23.1 |
| General symptoms | 411 | 1,000 | 140 | 14.0 | 210 | 21.0 | 370 | 37.0 |
| General symptoms, unspecified | 4110 | 180 | — | — | 120 | 66.7 | 20 | 11.1 |
| Loss of consciousness not heat related | 4111 | 140 | 50 | 35.7 | — | — | 20 | 14.3 |
| Dizziness | 4114 | 160 | 20 | 12.5 | 30 | 18.8 | 50 | 31.2 |
| Non-specified allergic reaction | 4115 | 70 | — | — | — | — | — | — |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|---|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Infections of the skin and subcutaneous tissue, unspecified | 50 | 26.3 | 80 | 42.1 | — | — | — | — | 8 |
| Cellulitis and abscess | — | — | 110 | 52.4 | 60 | 28.6 | — | — | 14 |
| Dermatitis | 240 | 25.5 | — | — | — | — | — | — | 2 |
| Dermatitis, unspecified | 20 | 14.3 | — | — | — | — | — | — | 1 |
| Contact dermatitis, unspecified | — | — | — | — | — | — | — | — | 3 |
| Allergic contact dermatitis | 220 | 36.1 | — | — | — | — | — | — | 2 |
| Irritant contact dermatitis | — | — | — | — | — | — | — | — | 2 |
| Diseases of sebaceous glands | — | — | — | — | — | — | — | — | 4 |
| Sebacaceous cyst | — | — | — | — | — | — | — | — | 4 |
| Infectious and parasitic diseases | 110 | 28.9 | 80 | 21.1 | 40 | 10.5 | — | — | 7 |
| Infectious and parasitic diseases, unspecified | — | — | — | — | — | — | — | — | 1 |
| Bacterial diseases | 30 | 30.0 | 60 | 60.0 | — | — | — | — | 18 |
| Bacterial diseases, unspecified | — | — | — | — | — | — | — | — | 9 |
| Zoonotic bacterial diseases | — | — | — | — | — | — | — | — | 11 |
| Zoonotic bacterial diseases, n.e.c. | — | — | — | — | — | — | — | — | 11 |
| Other bacterial diseases | — | — | 40 | 66.7 | — | — | — | — | 18 |
| Other bacterial diseases, n.e.c. | — | — | 40 | 80.0 | — | — | — | — | 18 |
| Viral diseases | 80 | 57.1 | 20 | 14.3 | — | — | — | — | 7 |
| Viral diseases accompanied by exanthem (eruptive fever) | 80 | 80.0 | — | — | — | — | — | — | 7 |
| Chickenpox | 80 | 88.9 | — | — | — | — | — | — | 7 |
| Other diseases due to viruses and Chlamydiae | — | — | — | — | — | — | — | — | 2 |
| Other diseases due to viruses and Chlamydiae, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Infectious diseases peculiar to the intestines | — | — | — | — | — | — | — | — | 23 |
| Infectious diseases peculiar to the intestines, unspecified | — | — | — | — | — | — | — | — | 23 |
| Other infectious and parasitic diseases | — | — | — | — | — | — | — | — | 3 |
| Acariasis (including scabies, chiggers, mites) | — | — | — | — | — | — | — | — | 4 |
| Neoplasms, tumors, and cancer | — | — | — | — | — | — | 100 | 83.3 | 87 |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | — | — | — | — | — | — | 100 | 90.9 | 160 |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified | — | — | — | — | — | — | 60 | 85.7 | 180 |
| Malignant neoplasms and tumors of the skin | — | — | — | — | — | — | — | — | 65 |
| Melanoma of the skin (melanocarcinoma) | — | — | — | — | — | — | — | — | 65 |
| Malignant neoplasms and tumors of other sites | — | — | — | — | — | — | — | — | 87 |
| Symptoms, signs, and ill-defined conditions | 560 | 16.8 | 280 | 8.4 | 130 | 3.9 | 420 | 12.6 | 4 |
| Symptoms, signs, and ill-defined conditions, unspecified | — | — | — | — | — | — | — | — | 9 |
| Symptoms | 510 | 15.7 | 280 | 8.6 | 120 | 3.7 | 410 | 12.6 | 4 |
| General symptoms | 120 | 12.0 | 70 | 7.0 | — | — | 90 | 9.0 | 3 |
| General symptoms, unspecified | — | — | — | — | — | — | — | — | 2 |
| Loss of consciousness not heat related | 30 | 21.4 | — | — | — | — | — | — | 3 |
| Dizziness | 30 | 18.8 | — | — | — | — | 30 | 18.8 | 3 |
| Non-specified allergic reaction | 20 | 28.6 | — | — | — | — | — | — | 3 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Nature code ² | Local government ³ | Days-away-from-work cases involving: | | | | | |
|---|--------------------------|-------------------------------|--------------------------------------|-------------|-----------|------------|------------|-------------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Multiple general symptoms | 4118 | 40 | — | — | — | — | 30 | 75.0 |
| General symptoms, n.e.c. | 4119 | 380 | 40 | 10.5 | 30 | 7.9 | 230 | 60.5 |
| Symptoms involving nervous and musculoskeletal systems | 412 | 220 | 80 | 36.4 | — | — | 60 | 27.3 |
| Earache | 4122 | 20 | — | — | — | — | — | — |
| Multiple symptoms involving nervous and musculoskeletal systems | 4128 | 50 | — | — | — | — | 50 | 100.0 |
| Symptoms involving nervous and musculoskeletal systems, n.e.c. | 4129 | 140 | 60 | 42.9 | — | — | — | — |
| Symptoms involving skin and other integumentary tissue | 413 | 700 | 30 | 4.3 | 260 | 37.1 | 30 | 4.3 |
| Edema (including dropsy) | 4131 | 700 | 30 | 4.3 | 260 | 37.1 | 30 | 4.3 |
| Symptoms involving head and neck | 414 | 300 | 90 | 30.0 | 60 | 20.0 | 120 | 40.0 |
| Headache, except migraine | 4141 | 260 | 90 | 34.6 | 20 | 7.7 | 120 | 46.2 |
| Symptoms involving head and neck, n.e.c. | 4149 | 40 | — | — | 40 | 100.0 | — | — |
| Symptoms involving cardiovascular system | 415 | 150 | 40 | 26.7 | — | — | 40 | 26.7 |
| Symptoms involving cardiovascular system, unspecified | 4150 | 60 | — | — | — | — | 30 | 50.0 |
| Symptoms involving cardiovascular system, n.e.c. | 4159 | 50 | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 416 | 780 | 100 | 12.8 | 90 | 11.5 | 110 | 14.1 |
| Symptoms involving respiratory system and chest, unspecified | 4160 | 190 | 20 | 10.5 | 60 | 31.6 | 30 | 15.8 |
| Chest pain | 4164 | 220 | 20 | 9.1 | 20 | 9.1 | 50 | 22.7 |
| Multiple symptoms involving respiratory system and chest | 4168 | 20 | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 4169 | 350 | 70 | 20.0 | — | — | 20 | 5.7 |
| Multiple symptoms | 418 | 80 | 20 | 25.0 | 30 | 37.5 | — | — |
| Abnormal findings | 42 | 20 | — | — | — | — | — | — |
| Abnormal findings from histological and immunological studies | 426 | 20 | — | — | — | — | — | — |
| Other diseases, conditions, and disorders | 5 | 1,100 | 80 | 7.3 | 70 | 6.4 | 30 | 2.7 |
| Mental disorders or syndromes | 52 | 1,090 | 80 | 7.3 | 60 | 5.5 | 30 | 2.8 |
| Mental disorder or syndrome, unspecified | 520 | 30 | — | — | — | — | — | — |
| Anxiety, stress, neurotic disorders | 521 | 1,060 | 80 | 7.5 | 60 | 5.7 | 30 | 2.8 |
| Anxiety, stress, neurotic disorders, unspecified | 5210 | 350 | — | — | 50 | 14.3 | — | — |
| Post-traumatic anxiety acute | 5211 | 460 | 30 | 6.5 | — | — | 20 | 4.3 |
| Neurotic reaction to stress | 5214 | 230 | — | — | — | — | — | — |
| Neurotic disorders, n.e.c. | 5219 | 20 | — | — | — | — | — | — |
| Multiple diseases, conditions, and disorders | 8 | 240 | — | — | — | — | 190 | 79.2 |
| Nonclassifiable | 9999 | 1,150 | 400 | 34.8 | 60 | 5.2 | 220 | 19.1 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, local government, 2008 — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|---|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Multiple general symptoms | — | — | — | — | — | — | — | — | 4 |
| General symptoms, n.e.c. | 30 | 7.9 | 40 | 10.5 | — | — | — | — | 3 |
| Symptoms involving nervous and musculoskeletal systems | — | — | 30 | 13.6 | — | — | 30 | 13.6 | 3 |
| Earache | — | — | — | — | — | — | — | — | 1 |
| Multiple symptoms involving nervous and musculoskeletal systems | — | — | — | — | — | — | — | — | 3 |
| Symptoms involving nervous and musculoskeletal systems, n.e.c. | — | — | 30 | 21.4 | — | — | 30 | 21.4 | 5 |
| Symptoms involving skin and other integumentary tissue | 130 | 18.6 | 60 | 8.6 | — | — | 180 | 25.7 | 9 |
| Edema (including dropsy) | 130 | 18.6 | 50 | 7.1 | — | — | 180 | 25.7 | 9 |
| Symptoms involving head and neck | — | — | — | — | — | — | — | — | 3 |
| Headache, except migraine | — | — | — | — | — | — | — | — | 5 |
| Symptoms involving head and neck, n.e.c. | — | — | — | — | — | — | — | — | 2 |
| Symptoms involving cardiovascular system | 20 | 13.3 | 30 | 20.0 | — | — | — | — | 4 |
| Symptoms involving cardiovascular system, unspecified | — | — | — | — | — | — | — | — | 4 |
| Symptoms involving cardiovascular system, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Symptoms involving respiratory system and chest | 230 | 29.5 | 80 | 10.3 | 90 | 11.5 | 70 | 9.0 | 9 |
| Symptoms involving respiratory system and chest, unspecified | 20 | 10.5 | 50 | 26.3 | — | — | — | — | 4 |
| Chest pain | 50 | 22.7 | — | — | — | — | 60 | 27.3 | 10 |
| Multiple symptoms involving respiratory system and chest | — | — | — | — | — | — | — | — | 3 |
| Symptoms involving respiratory system and chest, n.e.c. | 160 | 45.7 | 20 | 5.7 | 70 | 20.0 | — | — | 9 |
| Multiple symptoms | — | — | — | — | — | — | 20 | 25.0 | 2 |
| Abnormal findings | — | — | — | — | — | — | — | — | 10 |
| Abnormal findings from histological and immunological studies | — | — | — | — | — | — | — | — | 17 |
| Other diseases, conditions, and disorders | 110 | 10.0 | 240 | 21.8 | 160 | 14.5 | 420 | 38.2 | 21 |
| Mental disorders or syndromes | 110 | 10.1 | 240 | 22.0 | 160 | 14.7 | 420 | 38.5 | 22 |
| Mental disorder or syndrome, unspecified | — | — | — | — | — | — | — | — | 33 |
| Anxiety, stress, neurotic disorders | 110 | 10.4 | 240 | 22.6 | 150 | 14.2 | 400 | 37.7 | 21 |
| Anxiety, stress, neurotic disorders, unspecified | — | — | 50 | 14.3 | 90 | 25.7 | 130 | 37.1 | 29 |
| Post-traumatic anxiety acute | 30 | 6.5 | 160 | 34.8 | 30 | 6.5 | 180 | 39.1 | 19 |
| Neurotic reaction to stress | 50 | 21.7 | 30 | 13.0 | — | — | 80 | 34.8 | 16 |
| Neurotic disorders, n.e.c. | — | — | — | — | — | — | — | — | 8 |
| Multiple diseases, conditions, and disorders | — | — | — | — | — | — | 20 | 8.3 | 4 |
| Nonclassifiable | 50 | 4.3 | 40 | 3.5 | 110 | 9.6 | 280 | 24.3 | 3 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies