

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		206,580	27,800	13.5	21,540	10.4	36,620	17.7
Head	0	13,030	3,310	25.4	2,430	18.6	3,030	23.3
Head, unspecified	00	2,880	830	28.8	390	13.5	890	30.9
Cranial region, including skull	01	1,850	270	14.6	230	12.4	320	17.3
Brain	011	1,430	190	13.3	200	14.0	280	19.6
Scalp	012	180	40	22.2	20	11.1	30	16.7
Skull	013	220	30	13.6	-	-	-	-
Multiple cranial region locations	018	20	-	-	-	-	-	-
Ear(s)	02	310	70	22.6	-	-	40	12.9
Face	03	7,210	2,080	28.8	1,540	21.4	1,560	21.6
Face, unspecified	030	730	280	38.4	100	13.7	70	9.6
Forehead	031	490	120	24.5	60	12.2	260	53.1
Eye(s)	032	4,060	1,320	32.5	970	23.9	880	21.7
Nose, nasal cavity	033	420	150	35.7	50	11.9	70	16.7
Nose, except internal location of diseases or disorders	0330	360	100	27.8	50	13.9	70	19.4
Cheek(s)	034	70	20	28.6	-	-	-	-
Jaw/chin	035	310	60	19.4	50	16.1	-	-
Mouth	036	550	110	20.0	200	36.4	100	18.2
Mouth, unspecified	0360	30	-	-	-	-	-	-
Lip(s)	0361	90	20	22.2	-	-	-	-
Tooth(teeth)	0363	350	60	17.1	180	51.4	50	14.3
Multiple mouth locations	0368	70	-	-	-	-	40	57.1
Multiple face locations	038	520	30	5.8	100	19.2	160	30.8
Face, n.e.c.	039	50	-	-	30	60.0	-	-
Multiple head locations	08	790	70	8.9	260	32.9	220	27.8
Neck, including throat	1	3,060	640	20.9	490	16.0	590	19.3
Neck, except internal location of diseases or disorders ..	10	3,030	640	21.1	470	15.5	590	19.5
Trunk	2	63,510	5,740	9.0	6,160	9.7	11,550	18.2
Trunk, unspecified	20	280	30	10.7	50	17.9	110	39.3
Shoulder, including clavicle, scapula	21	14,810	1,250	8.4	1,070	7.2	1,490	10.1
Chest, including ribs, internal organs	22	4,120	470	11.4	410	10.0	790	19.2
Chest, except internal location of diseases or disorders	220	2,840	350	12.3	320	11.3	560	19.7
Internal chest location, unspecified	221	120	-	-	20	16.7	-	-
Heart	223	540	50	9.3	40	7.4	150	27.8
Bronchus	224	20	-	-	-	-	-	-
Lung(s), pleura	225	600	40	6.7	20	3.3	60	10.0
Back, including spine, spinal cord	23	36,030	3,050	8.5	3,820	10.6	8,060	22.4
Back, including spine, spinal cord, unspecified	230	15,220	1,490	9.8	1,560	10.2	3,390	22.3
Lumbar region	231	17,680	1,300	7.4	2,000	11.3	3,910	22.1
Thoracic region	232	1,130	90	8.0	100	8.8	320	28.3
Sacral region	233	90	-	-	-	-	20	22.2
Coccygeal region	234	260	40	15.4	90	34.6	40	15.4

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	26,380	12.8	28,720	13.9	14,880	7.2	50,640	24.5	9
Head	1,380	10.6	1,090	8.4	320	2.5	1,470	11.3	3
Head, unspecified	160	5.6	160	5.6	110	3.8	330	11.5	3
Cranial region, including skull	300	16.2	260	14.1	130	7.0	330	17.8	7
Brain	220	15.4	90	6.3	130	9.1	310	21.7	7
Scalp	80	44.4	—	—	—	—	—	—	6
Skull	—	—	170	77.3	—	—	—	—	15
Multiple cranial region locations	—	—	—	—	—	—	—	—	1
Ear(s)	60	19.4	—	—	—	—	120	38.7	9
Face	830	11.5	610	8.5	70	1.0	510	7.1	2
Face, unspecified	170	23.3	80	11.0	—	—	20	2.7	2
Forehead	—	—	20	4.1	—	—	—	—	5
Eye(s)	410	10.1	280	6.9	20	.5	190	4.7	2
Nose, nasal cavity	60	14.3	40	9.5	30	7.1	—	—	3
Nose, except internal location of diseases or disorders	60	16.7	40	11.1	30	8.3	—	—	5
Cheek(s)	20	28.6	—	—	—	—	—	—	8
Jaw/chin	—	—	60	19.4	—	—	140	45.2	12
Mouth	50	9.1	20	3.6	—	—	60	10.9	2
Mouth, unspecified	—	—	—	—	—	—	—	—	31
Lip(s)	20	22.2	—	—	—	—	40	44.4	6
Tooth(teeth)	40	11.4	20	5.7	—	—	—	—	2
Multiple mouth locations	—	—	—	—	—	—	—	—	3
Multiple face locations	70	13.5	90	17.3	—	—	60	11.5	5
Face, n.e.c.	20	40.0	—	—	—	—	—	—	4
Multiple head locations	20	2.5	50	6.3	—	—	180	22.8	4
Neck, including throat	490	16.0	220	7.2	150	4.9	470	15.4	4
Neck, except internal location of diseases or disorders ...	490	16.2	220	7.3	150	5.0	470	15.5	4
Trunk	9,070	14.3	8,620	13.6	5,370	8.5	17,000	26.8	10
Trunk, unspecified	20	7.1	40	14.3	—	—	30	10.7	3
Shoulder, including clavicle, scapula	2,230	15.1	1,840	12.4	1,120	7.6	5,810	39.2	18
Chest, including ribs, internal organs	610	14.8	670	16.3	480	11.7	710	17.2	9
Chest, except internal location of diseases or disorders	360	12.7	410	14.4	290	10.2	540	19.0	8
Internal chest location, unspecified	50	41.7	—	—	—	—	—	—	7
Heart	50	9.3	90	16.7	20	3.7	130	24.1	7
Bronchus	—	—	—	—	—	—	—	—	1
Lung(s), pleura	140	23.3	160	26.7	160	26.7	20	3.3	14
Back, including spine, spinal cord	5,160	14.3	4,970	13.8	2,680	7.4	8,290	23.0	8
Back, including spine, spinal cord, unspecified	1,720	11.3	2,670	17.5	790	5.2	3,610	23.7	9
Lumbar region	2,800	15.8	1,920	10.9	1,750	9.9	4,010	22.7	8
Thoracic region	330	29.2	90	8.0	60	5.3	140	12.4	6
Sacral region	—	—	30	33.3	—	—	—	—	11
Coccygeal region	—	—	30	11.5	—	—	60	23.1	3

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple back regions	238	1,500	120	8.0	60	4.0	350	23.3
Back, including spine, spinal cord, n.e.c.	239	150	—	—	—	—	30	20.0
Abdomen	24	2,770	130	4.7	110	4.0	420	15.2
Abdomen, except internal location of diseases or disorders	240	910	90	9.9	100	11.0	170	18.7
Internal abdominal location, unspecified	241	610	40	6.6	—	—	—	—
Stomach organ	242	30	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—
Intestines, peritoneum	245	960	—	—	—	—	230	24.0
Intestines, peritoneum, unspecified	2450	910	—	—	—	—	220	24.2
Peritoneum	2451	60	—	—	—	—	—	—
Pelvic region	25	3,720	450	12.1	490	13.2	510	13.7
Hip(s)	251	1,830	260	14.2	180	9.8	360	19.7
Pelvis	252	50	—	—	—	—	—	—
Buttock(s)	253	470	80	17.0	160	34.0	90	19.1
Groin	254	1,280	70	5.5	140	10.9	50	3.9
External reproductive tract structures	255	20	—	—	—	—	—	—
Multiple pelvic region locations	258	40	—	—	—	—	—	—
Multiple trunk locations	28	1,730	360	20.8	180	10.4	170	9.8
Trunk, n.e.c.	29	50	—	—	20	40.0	—	—
Upper extremities	3	33,170	5,100	15.4	3,740	11.3	5,300	16.0
Upper extremities, unspecified	30	50	—	—	—	—	—	—
Arm(s)	31	8,870	1,260	14.2	830	9.4	1,170	13.2
Arm(s), unspecified	310	2,890	570	19.7	330	11.4	320	11.1
Upper arm(s)	311	800	90	11.2	50	6.2	50	6.2
Elbow(s)	312	3,330	260	7.8	270	8.1	460	13.8
Forearm(s)	313	1,470	300	20.4	150	10.2	280	19.0
Multiple arm(s) locations	318	330	30	9.1	30	9.1	60	18.2
Arm(s), n.e.c.	319	50	—	—	—	—	—	—
Wrist(s)	32	6,410	740	11.5	620	9.7	1,070	16.7
Hand(s), except finger(s)	33	6,280	1,480	23.6	730	11.6	1,240	19.7
Finger(s), fingernail(s)	34	9,340	1,390	14.9	1,210	13.0	1,450	15.5
Multiple upper extremities locations	38	2,060	230	11.2	330	16.0	340	16.5
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	100	20.0	30	6.0	120	24.0
Hand(s) and wrist(s)	382	660	60	9.1	170	25.8	140	21.2
Hand(s) and arm(s)	383	130	30	23.1	—	—	20	15.4
Multiple upper extremities locations, n.e.c.	389	740	50	6.8	130	17.6	40	5.4
Upper extremities, n.e.c.	39	150	—	—	—	—	30	20.0
Lower extremities	4	54,160	6,400	11.8	4,350	8.0	8,770	16.2
Lower extremities, unspecified	40	20	—	—	—	—	—	—
Leg(s)	41	31,550	3,570	11.3	2,270	7.2	3,820	12.1
Leg(s), unspecified	410	3,630	530	14.6	210	5.8	280	7.7
Thigh(s)	411	980	260	26.5	70	7.1	150	15.3
Knee(s)	412	23,960	2,270	9.5	1,650	6.9	2,970	12.4
Lower leg(s)	413	2,120	350	16.5	230	10.8	310	14.6
Multiple leg(s) locations	418	810	150	18.5	90	11.1	110	13.6
Leg(s), n.e.c.	419	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple back regions	270	18.0	220	14.7	70	4.7	400	26.7	10
Back, including spine, spinal cord, n.e.c.	20	13.3	—	—	—	—	60	40.0	10
Abdomen	200	7.2	440	15.9	530	19.1	940	33.9	23
Abdomen, except internal location of diseases or disorders	90	9.9	130	14.3	60	6.6	260	28.6	11
Internal abdominal location, unspecified	50	8.2	100	16.4	100	16.4	310	50.8	32
Stomach organ	—	—	—	—	—	—	—	—	9
Urinary organs	—	—	—	—	—	—	—	—	9
Intestines, peritoneum	20	2.1	200	20.8	140	14.6	370	38.5	21
Intestines, peritoneum, unspecified	20	2.2	200	22.0	110	12.1	350	38.5	21
Peritoneum	—	—	—	—	30	50.0	—	—	26
Pelvic region	560	15.1	470	12.6	470	12.6	780	21.0	10
Hip(s)	410	22.4	100	5.5	130	7.1	390	21.3	8
Pelvis	—	—	—	—	—	—	30	60.0	135
Buttock(s)	70	14.9	—	—	—	—	60	12.8	2
Groin	60	4.7	360	28.1	320	25.0	280	21.9	16
External reproductive tract structures	—	—	—	—	—	—	—	—	4
Multiple pelvic region locations	—	—	—	—	—	—	—	—	1
Multiple trunk locations	300	17.3	190	11.0	90	5.2	440	25.4	7
Trunk, n.e.c.	—	—	—	—	—	—	—	—	2
Upper extremities	4,620	13.9	5,420	16.3	2,150	6.5	6,830	20.6	8
Upper extremities, unspecified	—	—	—	—	—	—	40	80.0	76
Arm(s)	890	10.0	2,040	23.0	650	7.3	2,040	23.0	12
Arm(s), unspecified	340	11.8	520	18.0	120	4.2	690	23.9	8
Upper arm(s)	70	8.8	140	17.5	70	8.8	320	40.0	18
Elbow(s)	340	10.2	1,170	35.1	220	6.6	610	18.3	16
Forearm(s)	120	8.2	150	10.2	220	15.0	260	17.7	6
Multiple arm(s) locations	30	9.1	40	12.1	20	6.1	130	39.4	15
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	17
Wrist(s)	890	13.9	900	14.0	440	6.9	1,760	27.5	10
Hand(s), except finger(s)	1,020	16.2	550	8.8	350	5.6	910	14.5	5
Finger(s), fingernail(s)	1,480	15.8	1,590	17.0	610	6.5	1,610	17.2	7
Multiple upper extremities locations	330	16.0	290	14.1	100	4.9	440	21.4	8
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	20
Hand(s) and finger(s)	90	18.0	20	4.0	20	4.0	120	24.0	6
Hand(s) and wrist(s)	80	12.1	60	9.1	50	7.6	100	15.2	5
Hand(s) and arm(s)	—	—	20	15.4	—	—	40	30.8	11
Multiple upper extremities locations, n.e.c.	140	18.9	190	25.7	—	—	180	24.3	11
Upper extremities, n.e.c.	—	—	50	33.3	—	—	30	20.0	14
Lower extremities	6,230	11.5	8,110	15.0	4,440	8.2	15,860	29.3	12
Lower extremities, unspecified	—	—	—	—	—	—	—	—	6
Leg(s)	3,850	12.2	4,570	14.5	2,960	9.4	10,510	33.3	14
Leg(s), unspecified	250	6.9	770	21.2	520	14.3	1,070	29.5	14
Thigh(s)	70	7.1	110	11.2	60	6.1	260	26.5	7
Knee(s)	3,000	12.5	3,350	14.0	2,140	8.9	8,580	35.8	16
Lower leg(s)	440	20.8	200	9.4	160	7.5	410	19.3	6
Multiple leg(s) locations	90	11.1	130	16.0	80	9.9	170	21.0	9
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	18

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s)	42	13,030	1,510	11.6	1,230	9.4	2,760	21.2
Foot(feet), except toe(s)	43	5,540	950	17.1	470	8.5	1,250	22.6
Foot(feet), except toe(s), unspecified	430	5,170	870	16.8	430	8.3	1,190	23.0
Sole	432	320	70	21.9	40	12.5	40	12.5
Ball(s) of foot	4321	20	—	—	—	—	—	—
Heel(s)	4323	290	60	20.7	30	10.3	30	10.3
Foot(feet), n.e.c.	439	40	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,460	160	11.0	130	8.9	380	26.0
Multiple lower extremities locations	48	2,150	200	9.3	240	11.2	530	24.7
Foot(feet) and leg(s)	481	200	—	—	—	—	50	25.0
Foot(feet) and ankle(s)	482	610	80	13.1	—	—	250	41.0
Foot(feet) and toe(s)	483	220	—	—	20	9.1	30	13.6
Multiple lower extremities locations, n.e.c.	489	1,120	110	9.8	200	17.9	200	17.9
Lower extremities, n.e.c.	49	400	—	—	—	—	30	7.5
Body systems	5	5,500	1,240	22.5	770	14.0	1,320	24.0
Multiple body parts	8	32,130	4,890	15.2	3,340	10.4	5,710	17.8
Nonclassifiable	9999	2,020	480	23.8	260	12.9	340	16.8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2008 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s)	1,350	10.4	2,110	16.2	970	7.4	3,100	23.8	9
Foot(feet), except toe(s)	590	10.6	970	17.5	240	4.3	1,060	19.1	6
Foot(feet), except toe(s), unspecified	560	10.8	920	17.8	210	4.1	990	19.1	6
Sole	40	12.5	40	12.5	30	9.4	60	18.8	6
Ball(s) of foot	—	—	—	—	—	—	—	—	2
Heel(s)	30	10.3	40	13.8	30	10.3	60	20.7	9
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	3
Toe(s), toenail(s)	90	6.2	230	15.8	30	2.1	440	30.1	9
Multiple lower extremities locations	190	8.8	190	8.8	240	11.2	570	26.5	10
Foot(feet) and leg(s)	—	—	—	—	—	—	110	55.0	37
Foot(feet) and ankle(s)	60	9.8	20	3.3	40	6.6	150	24.6	3
Foot(feet) and toe(s)	20	9.1	80	36.4	60	27.3	—	—	17
Multiple lower extremities locations, n.e.c.	110	9.8	80	7.1	130	11.6	300	26.8	10
Lower extremities, n.e.c.	140	35.0	40	10.0	—	—	170	42.5	13
Body systems	590	10.7	530	9.6	240	4.4	810	14.7	3
Multiple body parts	3,620	11.3	4,680	14.6	2,030	6.3	7,880	24.5	8
Nonclassifiable	390	19.3	60	3.0	160	7.9	330	16.3	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies