

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2008

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		206,580	2,150	20,150	20,200	43,550	32,760	28,830	13,930	3,640	3,160	1,240	36,970
Head	0	13,030	210	1,060	1,240	3,050	2,480	1,740	980	200	190	70	1,820
Head, unspecified	00	2,880	—	240	340	900	240	410	170	50	30	20	490
Cranial region, including skull	01	1,850	190	140	140	490	290	170	140	—	70	—	210
Brain	011	1,430	—	120	120	440	240	90	120	—	70	—	180
Scalp	012	180	20	—	20	30	20	70	—	—	—	—	—
Skull	013	220	—	—	—	—	30	—	—	—	—	—	—
Multiple cranial region locations	018	20	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	02	310	—	20	—	120	—	40	—	—	40	20	40
Face	03	7,210	—	640	740	1,350	1,720	1,070	480	130	50	20	990
Face, unspecified	030	730	—	30	100	140	160	80	—	20	—	—	190
Forehead	031	490	—	—	20	90	220	40	30	—	—	—	60
Eye(s)	032	4,060	—	230	400	720	950	830	300	90	40	—	480
Nose, nasal cavity	033	420	—	—	60	110	50	20	90	—	—	—	80
Nose, except internal location of diseases or disorders	0330	360	—	—	60	110	50	20	40	—	—	—	70
Cheek(s)	034	70	—	—	—	—	—	—	—	—	—	—	30
Jaw/chin	035	310	—	—	—	50	210	30	—	—	—	—	—
Mouth	036	550	—	200	60	70	80	60	—	—	—	—	60
Mouth, unspecified	0360	30	—	—	—	—	—	—	—	—	—	—	—
Lip(s)	0361	90	—	—	—	—	—	—	—	—	—	—	30
Tooth(teeth)	0363	350	—	180	20	50	20	50	—	—	—	—	20
Multiple mouth locations	0368	70	—	—	30	—	30	—	—	—	—	—	—
Multiple face locations	038	520	—	160	80	140	—	—	—	—	—	—	90
Face, n.e.c.	039	50	—	—	—	20	20	—	—	—	—	—	—
Multiple head locations	08	790	—	20	—	190	220	50	190	—	—	—	90
Neck, including throat	1	3,060	30	170	190	480	410	730	370	130	30	60	460
Neck, except internal location of diseases or disorders	10	3,030	30	170	190	480	410	730	370	100	30	60	460
Trunk	2	63,510	500	6,030	6,280	12,780	10,200	8,540	3,730	1,000	1,300	810	12,320
Trunk, unspecified	20	280	30	—	100	50	40	—	30	—	—	—	—
Shoulder, including clavicle, scapula	21	14,810	70	1,370	1,670	2,700	2,010	2,600	960	130	220	220	2,850
Chest, including ribs, internal organs	22	4,120	20	360	250	640	710	460	400	70	90	30	1,090
Chest, except internal location of diseases or disorders	220	2,840	20	270	210	530	420	330	300	60	50	—	640
Internal chest location, unspecified	221	120	—	20	—	20	—	30	—	—	—	—	40
Heart	223	540	—	20	—	50	30	40	80	—	40	—	230
Bronchus	224	20	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	225	600	—	40	—	40	260	60	—	—	—	—	180
Back, including spine, spinal cord	23	36,030	370	3,570	3,150	7,480	6,030	4,660	1,840	680	890	480	6,890
Back, including spine, spinal cord, unspecified	230	15,220	90	1,360	880	3,340	2,470	2,050	990	250	690	20	3,090
Lumbar region	231	17,680	260	1,890	1,950	3,570	3,030	2,230	660	400	180	440	3,060
Thoracic region	232	1,130	—	110	130	240	80	90	90	20	—	20	360
Sacral region	233	90	—	—	—	20	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Coccygeal region	234	260	—	—	40	90	20	40	—	—	—	—	50
Multiple back regions	238	1,500	—	190	120	190	400	190	60	20	20	—	300
Back, including spine, spinal cord, n.e.c.	239	150	—	—	30	20	—	40	—	—	—	—	30
Abdomen	24	2,770	—	110	590	480	340	290	100	40	90	—	640
Abdomen, except internal location of diseases or disorders	240	910	—	30	190	140	110	120	50	20	80	—	170
Internal abdominal location, unspecified	241	610	—	40	60	120	110	30	20	—	—	—	130
Stomach organ	242	30	—	—	—	—	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	960	—	20	110	210	120	140	30	—	—	—	330
Intestines, peritoneum, unspecified	2450	910	—	—	110	210	80	130	30	—	—	—	330
Peritoneum	2451	60	—	—	—	—	40	—	—	—	—	—	—
Pelvic region	25	3,720	—	500	300	870	930	180	210	30	—	—	700
Hip(s)	251	1,830	—	140	180	490	470	100	60	20	—	—	370
Pelvis	252	50	—	—	—	—	—	20	—	—	—	—	20
Buttock(s)	253	470	—	—	—	240	50	—	—	—	—	—	150
Groin	254	1,280	—	340	110	130	370	40	140	—	—	—	150
External reproductive tract structures ..	255	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	40	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,730	—	100	220	550	140	330	190	40	—	—	140
Trunk, n.e.c.	29	50	—	—	—	—	—	—	—	—	—	—	—
Upper extremities	3	33,170	210	3,030	3,500	7,540	5,010	4,250	2,150	490	710	70	6,200
Upper extremities, unspecified	30	50	—	—	—	—	—	—	—	—	—	—	—
Arm(s)	31	8,870	60	1,080	890	1,910	1,190	1,230	530	60	480	—	1,440
Arm(s), unspecified	310	2,890	—	130	340	660	460	500	190	40	—	—	550
Upper arm(s)	311	800	—	70	170	210	60	60	90	—	—	—	130
Elbow(s)	312	3,330	30	690	210	670	380	370	120	—	460	—	410
Forearm(s)	313	1,470	—	160	110	300	260	210	120	—	—	—	280
Multiple arm(s) locations	318	330	—	30	50	30	30	90	20	—	—	—	70
Arm(s), n.e.c.	319	50	—	—	—	40	—	—	—	—	—	—	—
Wrist(s)	32	6,410	30	510	1,210	1,060	1,170	640	170	210	20	—	1,380
Hand(s), except finger(s)	33	6,280	70	360	400	1,770	970	910	300	150	90	—	1,270
Finger(s), fingernail(s)	34	9,340	30	870	890	2,410	1,210	1,200	1,020	70	110	60	1,480
Multiple upper extremities locations	38	2,060	—	200	90	330	470	260	110	—	—	—	580
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	—	—	30	80	130	90	20	—	—	—	130
Hand(s) and wrist(s)	382	660	—	120	30	120	120	60	30	—	—	—	170
Hand(s) and arm(s)	383	130	—	—	—	20	—	—	—	—	—	—	80
Multiple upper extremities locations, n.e.c.	389	740	—	60	30	100	200	90	50	—	—	—	200
Upper extremities, n.e.c.	39	150	—	—	—	70	—	20	—	—	—	—	30
Lower extremities	4	54,160	570	5,180	4,810	11,850	9,150	8,190	4,070	1,090	510	130	8,600
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2008 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Leg(s)	41	31,550	340	3,180	2,740	7,030	5,290	4,000	2,430	780	330	60	5,350
Leg(s), unspecified	410	3,630	20	380	720	810	920	260	60	130	—	—	330
Thigh(s)	411	980	—	20	70	180	290	140	180	—	—	—	80
Knee(s)	412	23,960	310	2,570	1,620	5,330	3,790	3,000	1,900	540	300	50	4,540
Lower leg(s)	413	2,120	—	110	290	380	220	490	210	100	20	—	280
Multiple leg(s) locations	418	810	—	90	30	310	70	100	80	—	—	—	120
Leg(s), n.e.c.	419	40	—	—	—	—	—	—	—	—	—	—	—
Ankle(s)	42	13,030	160	1,220	970	2,980	2,270	2,180	1,000	240	120	50	1,830
Foot(foot), except toe(s)	43	5,540	40	430	540	1,040	890	1,220	360	40	20	—	950
Foot(foot), except toe(s), unspecified ..	430	5,170	40	410	470	950	850	1,160	340	30	20	—	900
Sole	432	320	—	—	40	80	40	60	20	—	—	—	50
Ball(s) of foot	4321	20	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	290	—	—	40	70	40	40	20	—	—	—	50
Foot(foot), n.e.c.	439	40	—	—	20	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,460	—	90	80	380	290	400	30	30	—	—	160
Multiple lower extremities locations	48	2,150	—	260	370	320	360	280	240	—	40	—	270
Foot(foot) and leg(s)	481	200	—	—	60	30	—	70	—	—	—	—	—
Foot(foot) and ankle(s)	482	610	—	50	20	140	260	60	20	—	—	—	50
Foot(foot) and toe(s)	483	220	—	—	20	20	30	—	80	—	—	—	60
Multiple lower extremities locations, n.e.c.	489	1,120	—	190	280	140	70	140	130	—	—	—	140
Lower extremities, n.e.c.	49	400	—	—	110	80	50	110	—	—	—	—	40
Body systems	5	5,500	30	490	410	1,390	610	860	430	100	20	20	1,150
Multiple body parts	8	32,130	530	4,090	3,600	6,280	4,420	4,460	2,170	610	350	80	5,530
Nonclassifiable	9999	2,020	80	100	170	180	470	60	30	—	40	—	880

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies