

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		964,990	379,340	75,070	87,450	75,890	11,570	82,690	14,710	4,740
Head	0	64,590	140	3,000	10,490	9,120	1,370	10,150	1,120	2,850
Head, unspecified	00	15,890	40	60	2,900	2,870	30	5,770	30	—
Cranial region, including skull	01	9,460	—	570	1,000	920	80	1,020	—	—
Cranial region, unspecified	010	320	—	—	30	30	—	170	—	—
Brain	011	6,420	—	—	—	—	—	40	—	—
Scalp	012	1,710	—	—	910	830	80	600	—	—
Skull	013	830	—	570	—	—	—	180	—	—
Multiple cranial region locations	018	120	—	—	30	30	—	20	—	—
Cranial region, n.e.c.	019	60	—	—	20	20	—	—	—	—
Ear(s)	02	1,040	—	—	160	120	40	—	60	—
Face	03	37,260	70	2,370	6,270	5,050	1,220	3,170	1,010	2,830
Face, unspecified	030	3,350	—	140	730	720	—	980	470	150
Forehead	031	2,000	—	30	1,160	1,150	—	490	20	—
Eye(s)	032	23,720	40	—	2,180	1,050	1,130	850	300	2,530
Nose, nasal cavity	033	2,010	—	1,090	320	310	—	200	—	—
Nose, except internal location of diseases or disorders	0330	1,950	—	1,090	320	310	—	200	—	—
Internal nasal location, unspecified	0331	20	—	—	—	—	—	—	—	—
Sinuses	0334	50	—	—	—	—	—	—	—	—
Cheek(s)	034	1,060	—	60	550	510	40	70	50	—
Jaw/chin	035	740	—	100	260	260	—	140	—	—
Mouth	036	1,950	—	750	500	490	—	40	—	30
Mouth, unspecified	0360	560	—	—	190	190	—	20	—	—
Lip(s)	0361	410	—	—	280	280	—	—	—	—
Tooth(teeth)	0363	810	—	740	—	—	—	—	—	—
Multiple mouth locations	0368	150	—	—	20	20	—	—	—	—
Multiple face locations	038	1,920	—	180	270	260	—	360	160	110
Face, n.e.c.	039	500	—	20	290	290	—	40	—	—
Multiple head locations	08	810	20	—	110	110	—	150	20	—
Head, n.e.c.	09	130	—	—	50	50	—	40	—	—
Neck, including throat	1	11,860	7,770	390	120	60	60	200	40	—
Neck, except internal location of diseases or disorders ...	10	11,740	7,770	390	120	60	60	200	40	—
Internal neck location, unspecified	11	50	—	—	—	—	—	—	—	—
Multiple internal neck locations	18	40	—	—	—	—	—	—	—	—
Trunk	2	324,130	209,010	10,100	890	580	310	16,850	480	110
Trunk, unspecified	20	1,770	820	40	—	—	—	210	20	—
Shoulder, including clavicle, scapula	21	67,730	46,510	1,990	60	60	—	3,100	30	—
Chest, including ribs, internal organs	22	15,830	2,590	3,370	120	50	70	4,590	120	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	5,930	9,150	3,480	38,820	9,660	14,160	102,580	32,690	161,040
Head	—	—	—	2,060	460	90	5,030	—	29,740
Head, unspecified	—	—	—	560	—	50	2,500	—	4,030
Cranial region, including skull	—	—	—	170	—	—	150	—	6,550
Cranial region, unspecified	—	—	—	20	—	—	90	—	20
Brain	—	—	—	—	—	—	—	—	6,360
Scalp	—	—	—	110	—	—	—	—	70
Skull	—	—	—	—	—	—	20	—	50
Multiple cranial region locations	—	—	—	30	—	—	20	—	20
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	30
Ear(s)	—	—	—	—	—	—	140	—	650
Face	—	—	—	950	310	—	2,210	—	18,380
Face, unspecified	—	—	—	130	—	—	120	—	640
Forehead	—	—	—	50	—	—	80	—	150
Eye(s)	—	—	—	120	—	—	1,250	—	16,460
Nose, nasal cavity	—	—	—	50	20	—	90	—	250
Nose, except internal location of diseases or disorders	—	—	—	50	20	—	90	—	180
Internal nasal location, unspecified	—	—	—	—	—	—	—	—	20
Sinuses	—	—	—	—	—	—	—	—	50
Cheek(s)	—	—	—	70	20	—	—	—	250
Jaw/chin	—	—	—	—	—	—	170	—	60
Mouth	—	—	—	80	50	—	320	—	240
Mouth, unspecified	—	—	—	—	—	—	290	—	60
Lip(s)	—	—	—	—	—	—	—	—	80
Tooth(teeth)	—	—	—	—	—	—	30	—	40
Multiple mouth locations	—	—	—	70	50	—	—	—	50
Multiple face locations	—	—	—	430	180	—	130	—	270
Face, n.e.c.	—	—	—	30	20	—	30	—	70
Multiple head locations	—	—	—	370	140	30	30	—	110
Head, n.e.c.	—	—	—	—	—	—	—	—	20
Neck, including throat	—	—	—	120	—	70	1,680	—	1,530
Neck, except internal location of diseases or disorders ...	—	—	—	120	—	70	1,680	—	1,420
Internal neck location, unspecified	—	—	—	—	—	—	—	—	50
Multiple internal neck locations	—	—	—	—	—	—	—	—	40
Trunk	—	—	660	3,430	1,340	1,560	47,790	32,690	34,820
Trunk, unspecified	—	—	—	—	—	—	480	—	160
Shoulder, including clavicle, scapula	—	—	640	440	90	310	8,920	—	6,030
Chest, including ribs, internal organs	—	—	—	1,000	880	70	1,910	—	2,130

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Chest, except internal location of diseases or disorders	220	14,720	2,590	3,370	120	50	70	4,590	120	—
Internal chest location, unspecified	221	110	—	—	—	—	—	—	—	—
Heart	223	220	—	—	—	—	—	—	—	—
Bronchus	224	80	—	—	—	—	—	—	—	—
Lung(s), pleura	225	690	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	195,150	145,780	2,080	200	150	50	5,070	60	20
Back, including spine, spinal cord, unspecified	230	79,350	57,730	720	120	70	50	1,980	30	20
Lumbar region	231	96,530	74,880	530	—	—	—	2,060	—	—
Thoracic region	232	8,570	6,640	360	70	70	—	360	—	—
Sacral region	233	390	230	70	—	—	—	20	—	—
Coccygeal region	234	1,480	90	300	—	—	—	430	—	—
Multiple back regions	238	5,600	4,090	40	—	—	—	180	30	—
Back, including spine, spinal cord, n.e.c.	239	3,220	2,120	60	—	—	—	50	—	—
Abdomen	24	21,080	3,240	20	210	90	120	610	150	40
Abdomen, except internal location of diseases or disorders	240	6,090	3,240	20	210	90	120	610	150	40
Internal abdominal location, unspecified	241	6,740	—	—	—	—	—	—	—	—
Stomach organ	242	340	—	—	—	—	—	—	—	—
Urinary organs	244	50	—	—	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	6,420	—	—	—	—	—	—	—	—
Peritoneum	2451	1,130	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	—	—	—	—	—	—	—	—
Other digestive structures	246	20	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	—	—	—
Pelvic region	25	15,800	7,190	2,420	210	160	60	2,400	30	—
Pelvic region, unspecified	250	230	70	60	—	—	—	70	—	—
Hip(s)	251	7,720	2,490	2,100	20	20	—	1,590	—	—
Pelvis	252	410	70	240	—	—	—	30	—	—
Buttock(s)	253	1,220	300	—	60	20	50	520	—	—
Groin	254	5,890	4,150	—	100	100	—	130	—	—
External reproductive tract structures	255	200	70	—	30	20	—	40	—	—
External reproductive tract structures, unspecified ..	2550	70	50	—	—	—	—	—	—	—
Scrotum	2551	70	20	—	—	—	—	30	—	—
Penis	2552	30	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	80	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, except internal location of diseases or disorders	—	—	—	1,000	880	70	1,910	—	1,020
Internal chest location, unspecified	—	—	—	—	—	—	—	—	110
Heart	—	—	—	—	—	—	—	—	220
Bronchus	—	—	—	—	—	—	—	—	80
Lung(s), pleura	—	—	—	—	—	—	—	—	690
Back, including spine, spinal cord	—	—	—	1,010	60	770	32,690	32,690	8,250
Back, including spine, spinal cord, unspecified	—	—	—	330	20	260	14,490	14,490	3,940
Lumbar region	—	—	—	380	—	300	15,250	15,250	3,430
Thoracic region	—	—	—	50	—	40	940	940	150
Sacral region	—	—	—	—	—	—	70	70	—
Coccygeal region	—	—	—	40	20	—	450	450	180
Multiple back regions	—	—	—	220	—	150	820	820	220
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	680	680	310
Abdomen	—	—	—	20	—	—	1,320	—	15,460
Abdomen, except internal location of diseases or disorders	—	—	—	20	—	—	1,320	—	470
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	6,740
Stomach organ	—	—	—	—	—	—	—	—	340
Urinary organs	—	—	—	—	—	—	—	—	50
Kidney(s)	—	—	—	—	—	—	—	—	20
Intestines, peritoneum	—	—	—	—	—	—	—	—	7,730
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	6,420
Peritoneum	—	—	—	—	—	—	—	—	1,130
Large intestine/colon, rectum	—	—	—	—	—	—	—	—	20
Intestines, n.e.c.	—	—	—	—	—	—	—	—	150
Other digestive structures	—	—	—	—	—	—	—	—	20
Liver	—	—	—	—	—	—	—	—	20
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	90
Pelvic region	—	—	—	110	—	70	2,060	—	1,370
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—
Hip(s)	—	—	—	80	—	60	760	—	680
Pelvis	—	—	—	—	—	—	30	—	40
Buttock(s)	—	—	—	—	—	—	190	—	130
Groin	—	—	—	—	—	—	1,040	—	440
External reproductive tract structures	—	—	—	—	—	—	20	—	40
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	20
Internal reproductive tract structures	—	—	—	—	—	—	—	—	30
Uterus	—	—	—	—	—	—	—	—	20
Multiple pelvic region locations	—	—	—	—	—	—	20	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	6,200	2,670	140	20	—	—	700	70	—	—
Trunk, n.e.c.	29	570	200	50	50	50	—	160	—	—	—
Upper extremities	3	220,730	37,250	28,640	63,300	56,980	6,330	13,890	8,200	680	—
Upper extremities, unspecified	30	320	90	50	50	20	20	—	—	—	—
Arm(s)	31	45,600	13,380	7,600	5,770	5,050	710	4,040	2,270	150	—
Arm(s), unspecified	310	13,770	3,810	2,290	1,950	1,660	280	700	980	110	—
Upper arm(s)	311	4,640	2,400	950	290	180	110	160	90	—	—
Elbow(s)	312	14,520	4,200	2,960	510	480	30	2,360	120	—	—
Forearm(s)	313	9,160	1,560	1,220	2,930	2,650	280	560	1,000	30	—
Multiple arm(s) locations	318	2,940	1,230	90	40	40	—	230	80	—	—
Arm(s), n.e.c.	319	550	180	90	50	50	—	30	—	—	—
Wrist(s)	32	40,220	13,000	8,080	1,680	1,540	140	1,520	210	20	—
Hand(s), except finger(s)	33	39,040	3,010	3,370	14,470	12,080	2,390	3,990	3,330	330	—
Finger(s), fingernail(s)	34	82,460	5,090	8,950	39,670	36,660	3,010	3,410	1,000	30	—
Multiple upper extremities locations	38	12,910	2,630	590	1,620	1,570	50	930	1,360	150	—
Multiple upper extremities locations, unspecified	380	150	20	—	—	—	—	20	—	—	—
Hand(s) and finger(s)	381	3,800	430	160	1,190	1,160	20	230	240	20	—
Hand(s) and wrist(s)	382	2,750	780	120	130	120	—	240	180	40	—
Hand(s) and arm(s)	383	1,970	190	20	200	190	—	120	710	50	—
Multiple upper extremities locations, n.e.c.	389	4,240	1,200	290	110	100	—	300	230	30	—
Upper extremities, n.e.c.	39	180	40	—	50	50	—	—	—	—	—
Lower extremities	4	214,220	96,040	30,290	11,100	7,720	3,390	28,090	2,370	590	—
Lower extremities, unspecified	40	390	30	—	—	—	—	120	—	—	—
Leg(s)	41	116,170	56,380	7,580	6,360	5,490	870	16,520	740	200	—
Leg(s), unspecified	410	13,790	3,680	2,090	2,050	1,910	140	2,180	340	100	—
Thigh(s)	411	4,900	1,600	740	980	880	100	520	230	20	—
Knee(s)	412	83,730	47,990	2,550	1,320	890	430	11,350	30	40	—
Lower leg(s)	413	9,770	1,800	1,760	1,960	1,770	190	1,940	100	20	—
Multiple leg(s) locations	418	3,260	1,090	380	20	20	—	410	20	—	—
Leg(s), n.e.c.	419	730	220	70	20	20	—	120	—	—	—
Ankle(s)	42	49,050	31,420	9,550	740	530	210	1,650	180	—	—
Foot(feet), except toe(s)	43	32,880	5,430	8,600	3,160	1,110	2,060	7,170	1,160	210	—
Foot(feet), except toe(s), unspecified	430	29,110	4,810	7,680	2,790	960	1,830	6,580	1,140	170	—
Instep(s)	431	120	—	40	—	—	—	30	—	—	—
Sole	432	2,140	410	580	340	120	220	260	—	—	—
Sole(s), unspecified	4320	240	—	—	180	—	170	40	—	—	—
Ball(s) of foot	4321	40	—	—	20	—	20	—	—	—	—
Arch(es)	4322	50	30	—	—	—	—	—	—	—	—
Heel(s)	4323	1,800	380	580	140	110	30	210	—	—	—
Multiple foot(feet) locations	438	390	100	60	—	—	—	80	—	—	—
Foot(feet), n.e.c.	439	1,130	100	240	30	20	—	220	—	—	—
Toe(s), toenail(s)	44	8,920	630	3,900	720	480	250	1,540	30	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	840	290	340	400	—	1,350
Trunk, n.e.c.	—	—	—	—	—	—	20	—	70
Upper extremities	5,750	9,150	2,450	5,430	2,000	1,080	14,350	—	31,640
Upper extremities, unspecified	—	—	20	—	—	—	—	—	70
Arm(s)	20	—	560	760	170	170	4,480	—	6,560
Arm(s), unspecified	—	—	160	250	50	70	1,520	—	2,020
Upper arm(s)	—	—	80	30	—	20	350	—	300
Elbow(s)	—	—	240	210	40	30	1,730	—	2,200
Forearm(s)	20	—	40	90	30	—	230	—	1,480
Multiple arm(s) locations	—	—	40	180	50	40	510	—	540
Arm(s), n.e.c.	—	—	—	—	—	—	150	—	30
Wrist(s)	—	9,150	1,000	330	90	170	2,850	—	2,380
Hand(s), except finger(s)	30	—	600	980	80	400	2,530	—	6,400
Finger(s), fingernail(s)	5,680	—	120	2,380	1,330	80	2,460	—	13,670
Multiple upper extremities locations	—	—	150	960	320	250	1,990	—	2,530
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	70	—	20
Hand(s) and finger(s)	—	—	—	340	170	30	220	—	960
Hand(s) and wrist(s)	—	—	50	110	—	60	560	—	540
Hand(s) and arm(s)	—	—	—	80	—	—	260	—	330
Multiple upper extremities locations, n.e.c.	—	—	80	430	120	150	880	—	690
Upper extremities, n.e.c.	—	—	—	20	—	—	20	—	30
Lower extremities	170	—	210	5,050	910	2,210	19,990	—	20,310
Lower extremities, unspecified	—	—	—	30	—	—	—	—	40
Leg(s)	30	—	90	2,630	130	1,320	13,590	—	12,050
Leg(s), unspecified	—	—	—	220	30	70	1,440	—	1,680
Thigh(s)	—	—	—	100	—	—	260	—	440
Knee(s)	—	—	60	1,610	30	980	10,790	—	7,990
Lower leg(s)	20	—	—	290	20	50	640	—	1,230
Multiple leg(s) locations	—	—	—	390	50	210	320	—	600
Leg(s), n.e.c.	—	—	—	20	—	—	140	—	110
Ankle(s)	—	—	50	630	210	210	2,350	—	2,480
Foot(feet), except toe(s)	—	—	60	760	150	340	2,800	—	3,500
Foot(feet), except toe(s), unspecified	—	—	40	720	130	330	2,430	—	2,740
Instep(s)	—	—	—	—	—	—	—	—	—
Sole	—	—	20	—	—	—	230	—	270
Sole(s), unspecified	—	—	—	—	—	—	—	—	—
Ball(s) of foot	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—
Heel(s)	—	—	20	—	—	—	210	—	260
Multiple foot(feet) locations	—	—	—	20	—	—	50	—	50
Foot(feet), n.e.c.	—	—	—	—	—	—	70	—	430
Toe(s), toenail(s)	120	—	—	140	70	—	450	—	1,380

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple lower extremities locations	48	6,530	2,050	610	120	110	—	1,030	220	40
Multiple lower extremities locations, unspecified	480	130	40	20	—	—	—	20	—	—
Foot(feet) and leg(s)	481	570	60	50	—	—	—	130	60	—
Foot(feet) and ankle(s)	482	1,870	730	210	30	30	—	230	60	40
Foot(feet) and toe(s)	483	720	50	100	60	60	—	190	—	—
Multiple lower extremities locations, n.e.c.	489	3,240	1,150	240	—	—	—	450	80	—
Lower extremities, n.e.c.	49	270	90	40	—	—	—	60	—	—
Body systems	5	16,420	—	—	—	—	—	—	—	—
Multiple body parts	8	105,510	28,270	2,520	1,320	1,270	60	13,060	2,360	470
Other body parts	9	340	50	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	320	50	—	—	—	—	—	—	—
Nonclassifiable	9999	7,190	800	120	230	170	60	450	130	40

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple lower extremities locations	—	—	—	840	340	310	780	—	840
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	20	—	—
Foot(foot) and leg(s)	—	—	—	20	—	—	150	—	80
Foot(foot) and ankle(s)	—	—	—	210	90	90	170	—	190
Foot(foot) and toe(s)	—	—	—	100	70	—	50	—	150
Multiple lower extremities locations, n.e.c.	—	—	—	500	180	190	390	—	420
Lower extremities, n.e.c.	—	—	—	30	—	—	—	—	20
Body systems	—	—	—	—	—	—	—	—	16,420
Multiple body parts	—	—	140	22,610	4,910	9,110	13,380	—	21,360
Other body parts	—	—	—	—	—	—	—	—	40
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	20
Nonclassifiable	—	—	20	90	20	20	130	—	5,180

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies