

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total		964,990	254,680	130,030	64,430	43,400	63,320	141,120	32,490	227,260	116,530
Head	0	64,590	37,840	21,510	8,500	170	2,530	8,160	—	40	—
Head, unspecified	00	15,890	8,460	4,650	3,730	50	1,150	3,740	—	—	—
Cranial region, including skull	01	9,460	4,400	2,420	1,890	20	790	2,270	—	—	—
Cranial region, unspecified	010	320	200	80	120	—	—	70	—	—	—
Brain	011	6,420	2,710	1,510	1,130	—	580	1,680	—	—	—
Scalp	012	1,710	1,160	630	510	—	160	340	—	—	—
Skull	013	830	250	150	100	—	40	100	—	—	—
Multiple cranial region locations	018	120	70	50	20	—	—	50	—	—	—
Cranial region, n.e.c.	019	60	20	—	20	—	—	30	—	—	—
Ear(s)	02	1,040	210	110	50	20	20	30	—	—	—
Face	03	37,260	24,350	14,030	2,700	70	490	1,980	—	20	—
Face, unspecified	030	3,350	1,320	1,110	200	—	100	310	—	—	—
Forehead	031	2,000	1,450	920	510	—	70	360	—	—	—
Eye(s)	032	23,720	16,940	8,100	1,310	—	30	90	—	20	—
Nose, nasal cavity	033	2,010	1,160	860	290	—	30	290	—	—	—
Nose, except internal location of diseases or disorders	0330	1,950	1,150	850	290	—	30	290	—	—	—
Internal nasal location, unspecified	0331	20	—	—	—	—	—	—	—	—	—
Sinuses	0334	50	—	—	—	—	—	—	—	—	—
Cheek(s)	034	1,060	710	650	20	30	20	200	—	—	—
Jaw/chin	035	740	410	370	30	—	20	130	—	—	—
Mouth	036	1,950	1,280	1,090	190	—	70	300	—	—	—
Mouth, unspecified	0360	560	350	350	—	—	—	160	—	—	—
Lip(s)	0361	410	170	160	—	—	—	60	—	—	—
Tooth(teeth)	0363	810	660	500	160	—	50	70	—	—	—
Multiple mouth locations	0368	150	90	80	—	—	—	—	—	—	—
Multiple face locations	038	1,920	740	590	130	—	150	260	—	—	—
Face, n.e.c.	039	500	340	320	20	—	—	40	—	—	—
Multiple head locations	08	810	350	220	120	—	70	120	—	—	—
Head, n.e.c.	09	130	80	60	20	—	—	20	—	—	—
Neck, including throat	1	11,860	1,860	1,240	430	80	430	660	210	3,430	1,300
Neck, except internal location of diseases or disorders ...	10	11,740	1,850	1,240	430	80	430	660	210	3,430	1,300
Internal neck location, unspecified	11	50	—	—	—	—	—	—	—	—	—
Multiple internal neck locations	18	40	—	—	—	—	—	—	—	—	—
Trunk	2	324,130	19,950	11,830	5,110	1,190	17,400	36,210	8,560	174,870	96,360
Trunk, unspecified	20	1,770	190	110	40	30	60	370	20	390	260
Shoulder, including clavicle, scapula	21	67,730	6,900	5,100	1,270	190	4,120	9,210	1,160	33,910	14,800
Chest, including ribs, internal organs	22	15,830	3,090	1,580	1,300	120	1,910	4,410	40	2,370	1,080
Chest, except internal location of diseases or disorders	220	14,720	3,090	1,580	1,300	120	1,910	4,400	40	2,350	1,080

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	As-saults by person	All other assaults		
							Total	Assaults by animal		
Total	30,790	42,870	42,180	26,480	1,920	22,720	15,450	7,270	6,670	105,650
Head	20	8,100	2,340	1,200	350	3,690	3,260	430	330	1,520
Head, unspecified	-	170	1,260	440	50	600	550	40	-	450
Cranial region, including skull	-	-	580	480	-	740	730	-	-	670
Cranial region, unspecified	-	-	-	-	-	30	30	-	-	-
Brain	-	-	510	420	-	280	270	-	-	640
Scalp	-	-	40	40	-	-	-	-	-	-
Skull	-	-	-	-	-	420	420	-	-	-
Multiple cranial region locations	-	-	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	-	-	-	-	-	-	-	-	-	-
Ear(s)	-	560	40	-	70	70	20	50	50	50
Face	-	7,340	350	170	220	2,160	1,830	330	270	350
Face, unspecified	-	590	120	90	140	710	510	200	200	40
Forehead	-	40	40	-	-	30	30	-	-	-
Eye(s)	-	6,020	20	20	50	340	290	50	-	220
Nose, nasal cavity	-	80	40	20	-	390	360	20	-	-
Nose, except internal location of diseases or disorders	-	20	40	20	-	390	360	20	-	-
Internal nasal location, unspecified	-	-	-	-	-	-	-	-	-	-
Sinuses	-	50	-	-	-	-	-	-	-	-
Cheek(s)	-	70	20	-	-	40	30	-	-	-
Jaw/chin	-	-	40	-	-	140	120	20	20	-
Mouth	-	140	20	-	-	90	70	20	20	40
Mouth, unspecified	-	20	-	-	-	-	-	-	-	-
Lip(s)	-	80	-	-	-	60	40	-	-	20
Tooth(teeth)	-	-	-	-	-	20	20	-	-	-
Multiple mouth locations	-	30	-	-	-	-	-	-	-	-
Multiple face locations	-	370	40	-	-	340	330	-	-	-
Face, n.e.c.	-	20	-	-	-	80	80	-	-	-
Multiple head locations	-	30	110	100	-	130	130	-	-	-
Head, n.e.c.	-	-	-	-	-	-	-	-	-	-
Neck, including throat	280	180	2,940	2,420	130	500	460	40	30	1,220
Neck, except internal location of diseases or disorders ...	270	100	2,940	2,420	130	500	460	40	30	1,210
Internal neck location, unspecified	-	30	-	-	-	-	-	-	-	-
Multiple internal neck locations	-	20	-	-	-	-	-	-	-	-
Trunk	7,110	1,990	11,040	7,010	40	3,770	3,420	350	240	43,200
Trunk, unspecified	-	50	120	80	-	50	40	-	-	500
Shoulder, including clavicle, scapula	3,370	70	1,920	960	-	890	840	60	50	6,160
Chest, including ribs, internal organs	140	1,030	1,140	750	-	640	600	40	40	1,040
Chest, except internal location of diseases or disorders	140	270	1,130	740	-	640	600	40	40	760

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Internal chest location, unspecified	221	110	—	—	—	—	—	—	—	—	—
Heart	223	220	—	—	—	—	—	—	—	—	—
Bronchus	224	80	—	—	—	—	—	—	—	—	—
Lung(s), pleura	225	690	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	195,150	7,090	3,810	1,790	370	8,390	16,150	6,070	115,180	66,270
Back, including spine, spinal cord, unspecified	230	79,350	3,330	1,800	830	240	3,780	7,560	2,760	43,690	24,870
Lumbar region	231	96,530	2,850	1,530	630	110	3,190	6,470	2,880	61,040	35,760
Thoracic region	232	8,570	500	260	180	—	300	600	130	5,470	2,830
Sacral region	233	390	—	—	—	—	60	50	—	160	90
Coccygeal region	234	1,480	70	20	40	—	630	670	—	40	30
Multiple back regions	238	5,600	250	170	60	—	210	630	170	3,040	1,660
Back, including spine, spinal cord, n.e.c.	239	3,220	80	40	50	—	230	170	120	1,740	1,040
Abdomen	24	21,080	710	460	170	50	190	490	290	15,760	10,260
Abdomen, except internal location of diseases or disorders	240	6,090	560	380	140	30	140	410	60	3,500	1,820
Internal abdominal location, unspecified	241	6,740	70	30	20	—	20	30	30	5,740	3,970
Stomach organ	242	340	30	30	—	—	—	—	—	170	120
Urinary organs	244	50	—	—	—	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	50	20	—	—	20	50	210	6,290	4,330
Intestines, peritoneum, unspecified	2450	6,420	40	20	—	—	20	50	210	5,350	3,550
Peritoneum	2451	1,130	—	—	—	—	—	—	—	790	670
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—	20	20
Intestines, n.e.c.	2459	150	—	—	—	—	—	—	—	130	90
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	—	—	50	20
Pelvic region	25	15,800	1,140	480	270	180	1,630	4,260	820	5,380	2,850
Pelvic region, unspecified	250	230	40	—	—	—	30	100	—	50	20
Hip(s)	251	7,720	650	200	180	90	1,050	3,210	490	870	350
Pelvis	252	410	80	20	—	50	80	120	—	60	40
Buttock(s)	253	1,220	60	20	20	—	360	630	—	60	—
Groin	254	5,890	270	200	30	30	90	140	300	4,280	2,400
External reproductive tract structures	255	200	30	—	—	—	—	20	—	20	—
External reproductive tract structures, unspecified ..	2550	70	—	—	—	—	—	—	—	20	—
Scrotum	2551	70	—	—	—	—	—	—	—	—	—
Penis	2552	30	20	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	80	—	—	—	—	—	30	—	30	—
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	6,200	680	270	160	230	970	1,290	140	1,740	820
Trunk, n.e.c.	29	570	140	20	120	—	130	20	—	130	40

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Internal chest location, unspecified	—	50	—	—	—	—	—	—	—	50
Heart	—	—	—	—	—	—	—	—	—	200
Bronchus	—	80	—	—	—	—	—	—	—	—
Lung(s), pleura	—	620	—	—	—	—	—	—	—	30
Back, including spine, spinal cord	2,930	100	6,320	4,300	—	1,370	1,230	140	50	31,540
Back, including spine, spinal cord, unspecified	1,460	50	3,070	2,190	—	510	460	50	30	13,120
Lumbar region	1,200	—	2,270	1,400	—	550	480	70	—	16,070
Thoracic region	60	—	370	260	—	110	100	20	20	1,030
Sacral region	—	—	—	—	—	—	—	—	—	100
Coccygeal region	—	—	—	—	—	—	—	—	—	60
Multiple back regions	70	30	460	370	—	160	160	—	—	570
Back, including spine, spinal cord, n.e.c.	120	—	140	70	—	20	20	—	—	590
Abdomen	450	600	220	150	—	570	540	40	30	1,780
Abdomen, except internal location of diseases or disorders	70	290	190	150	—	550	510	40	30	310
Internal abdominal location, unspecified	290	70	—	—	—	—	—	—	—	510
Stomach organ	—	90	—	—	—	—	—	—	—	40
Urinary organs	—	—	—	—	—	—	—	—	—	—
Kidney(s)	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	90	130	30	—	—	—	—	—	—	870
Intestines, peritoneum, unspecified	90	110	30	—	—	—	—	—	—	520
Peritoneum	—	—	—	—	—	—	—	—	—	340
Large intestine/colon, rectum	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	—	20	—	—	—	—	—	—	—	—
Other digestive structures	—	20	—	—	—	—	—	—	—	—
Liver	—	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	—	40
Pelvic region	130	60	570	220	—	170	110	60	50	1,650
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—	—
Hip(s)	60	—	490	210	—	70	50	30	20	820
Pelvis	—	—	40	—	—	—	—	—	—	30
Buttock(s)	—	20	—	—	—	30	—	20	20	30
Groin	60	20	—	—	—	30	30	—	—	690
External reproductive tract structures	—	—	—	—	—	30	20	—	—	60
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—	30
Scrotum	—	—	—	—	—	—	—	—	—	20
Penis	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Uterus	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	70	80	700	550	—	70	60	—	—	450
Trunk, n.e.c.	—	—	50	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Upper extremities	3	220,730	118,740	55,140	25,420	34,230	7,900	20,780	850	22,430	8,400
Upper extremities, unspecified	30	320	90	50	20	20	20	20	—	60	30
Arm(s)	31	45,600	11,670	6,420	3,380	1,460	3,060	8,070	210	10,110	4,380
Arm(s), unspecified	310	13,770	3,590	1,980	770	660	840	2,160	50	3,100	1,460
Upper arm(s)	311	4,640	540	320	80	130	610	480	20	2,030	910
Elbow(s)	312	14,520	3,050	1,110	1,720	160	1,190	4,120	60	3,450	1,290
Forearm(s)	313	9,160	4,030	2,740	740	410	270	800	—	990	490
Multiple arm(s) locations	318	2,940	330	210	40	80	100	410	—	430	160
Arm(s), n.e.c.	319	550	120	70	40	—	50	110	—	110	80
Wrist(s)	32	40,220	5,760	2,820	1,380	1,310	2,880	7,880	290	7,150	2,350
Hand(s), except finger(s)	33	39,040	24,480	12,260	6,420	5,150	1,070	1,960	130	1,970	670
Finger(s), fingernail(s)	34	82,460	72,170	31,560	13,280	24,830	340	1,590	150	1,630	330
Multiple upper extremities locations	38	12,910	4,530	2,000	920	1,450	520	1,230	70	1,490	620
Multiple upper extremities locations, unspecified	380	150	30	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	3,800	2,600	1,040	450	1,010	30	170	—	140	40
Hand(s) and wrist(s)	382	2,750	720	330	160	180	70	330	—	450	160
Hand(s) and arm(s)	383	1,970	330	180	70	70	20	160	—	190	110
Multiple upper extremities locations, n.e.c.	389	4,240	860	430	240	180	400	550	50	700	300
Upper extremities, n.e.c.	39	180	50	30	20	—	—	30	—	30	—
Lower extremities	4	214,220	63,770	32,220	22,480	6,730	20,030	42,980	20,760	12,000	3,640
Lower extremities, unspecified	40	390	100	30	40	30	30	20	—	—	—
Leg(s)	41	116,170	25,670	10,930	10,760	2,250	8,950	28,280	10,080	9,680	3,140
Leg(s), unspecified	410	13,790	4,510	2,220	1,690	530	1,300	2,410	480	1,130	460
Thigh(s)	411	4,900	1,560	1,140	280	80	240	850	200	630	250
Knee(s)	412	83,730	13,720	4,180	7,030	1,000	5,960	22,580	8,990	7,280	2,310
Lower leg(s)	413	9,770	4,620	2,750	1,520	270	1,000	1,340	170	510	80
Multiple leg(s) locations	418	3,260	990	500	160	310	400	950	190	90	20
Leg(s), n.e.c.	419	730	270	150	70	50	60	160	50	40	20
Ankle(s)	42	49,050	9,210	2,720	4,990	1,260	7,250	10,120	8,720	1,190	260
Foot(foot), except toe(s)	43	32,880	18,920	11,480	5,000	2,180	2,700	2,700	1,430	860	170
Foot(foot), except toe(s), unspecified	430	29,110	17,370	10,650	4,450	2,060	2,080	2,480	1,340	510	150
Instep(s)	431	120	70	60	—	—	—	—	—	—	—
Sole	432	2,140	800	310	420	60	450	150	60	60	—
Sole(s), unspecified	4320	240	200	—	190	—	—	—	—	—	—
Ball(s) of foot	4321	40	20	—	20	—	—	—	—	—	—
Arch(es)	4322	50	—	—	—	—	—	—	—	—	—
Heel(s)	4323	1,800	570	310	200	60	420	140	60	60	—
Multiple foot(foot) locations	438	390	190	100	20	30	—	20	—	—	—
Foot(foot), n.e.c.	439	1,130	490	360	120	—	150	40	—	280	—
Toe(s), toenail(s)	44	8,920	7,710	5,700	1,320	620	190	290	60	40	—
Multiple lower extremities locations	48	6,530	2,060	1,350	310	350	900	1,530	440	160	60
Multiple lower extremities locations, unspecified	480	130	30	20	—	—	—	50	—	—	—
Foot(foot) and leg(s)	481	570	170	140	—	30	20	100	20	50	50
Foot(foot) and ankle(s)	482	1,870	680	340	170	160	240	300	170	30	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults Total	Assaults by animal	
Upper extremities	19,950	12,190	2,320	1,550	590	7,330	3,080	4,260	4,100	7,640
Upper extremities, unspecified	30	30	—	—	—	20	20	—	—	30
Arm(s)	3,010	3,910	630	430	60	1,980	850	1,130	1,100	2,900
Arm(s), unspecified	620	1,730	300	200	50	650	320	330	320	690
Upper arm(s)	100	180	60	50	—	150	130	20	20	470
Elbow(s)	1,550	180	140	80	—	180	130	60	40	600
Forearm(s)	190	1,680	90	70	—	640	230	400	400	450
Multiple arm(s) locations	520	120	20	20	—	350	40	310	310	660
Arm(s), n.e.c.	30	30	20	—	—	—	—	—	—	—
Wrist(s)	12,100	400	940	750	—	890	750	140	130	1,940
Hand(s), except finger(s)	1,590	4,890	240	90	70	1,590	480	1,120	1,100	1,060
Finger(s), fingernail(s)	1,430	1,420	280	160	40	2,400	720	1,670	1,630	1,010
Multiple upper extremities locations	1,750	1,530	240	120	410	440	240	190	140	700
Multiple upper extremities locations, unspecified	—	—	50	—	—	—	—	—	—	20
Hand(s) and finger(s)	190	390	20	—	20	160	80	80	80	90
Hand(s) and wrist(s)	570	270	20	20	—	60	30	30	30	260
Hand(s) and arm(s)	200	570	40	—	370	30	—	—	—	70
Multiple upper extremities locations, n.e.c.	790	290	110	60	30	190	120	70	20	260
Upper extremities, n.e.c.	30	20	—	—	—	—	—	—	—	—
Lower extremities	1,080	3,690	6,370	1,430	190	2,770	1,360	1,400	1,270	40,580
Lower extremities, unspecified	—	160	20	—	—	—	—	—	—	40
Leg(s)	810	1,460	2,740	780	170	2,090	1,020	1,060	970	26,240
Leg(s), unspecified	—	690	710	250	40	420	110	320	310	2,080
Thigh(s)	40	310	400	170	—	190	120	70	70	470
Knee(s)	690	180	1,090	250	110	1,050	680	370	280	22,070
Lower leg(s)	60	210	350	50	—	320	80	240	240	1,170
Multiple leg(s) locations	—	30	130	30	—	80	30	50	50	390
Leg(s), n.e.c.	—	40	50	30	—	20	—	20	20	60
Ankle(s)	90	210	1,210	300	—	450	190	260	220	10,600
Foot(feet), except toe(s)	150	1,450	1,660	190	—	130	70	70	60	2,860
Foot(feet), except toe(s), unspecified	130	1,380	1,510	160	—	110	60	60	50	2,190
Instep(s)	—	—	20	—	—	—	—	—	—	—
Sole	—	—	50	—	—	—	—	—	—	540
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—
Ball(s) of foot	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	30
Heel(s)	—	—	50	—	—	—	—	—	—	500
Multiple foot(feet) locations	—	20	40	—	—	—	—	—	—	60
Foot(feet), n.e.c.	—	40	50	—	—	—	—	—	—	60
Toe(s), toenail(s)	—	80	290	50	—	—	—	—	—	250
Multiple lower extremities locations	20	330	440	110	—	70	60	—	—	580
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	70	50	—	—	20	20	—	—	50
Foot(feet) and ankle(s)	—	90	120	30	—	—	—	—	—	220

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Foot(feet) and toe(s)	483	720	560	450	40	60	—	—	40	—	—
Multiple lower extremities locations, n.e.c.	489	3,240	620	400	80	90	620	1,080	200	80	—
Lower extremities, n.e.c.	49	270	100	—	50	40	—	30	20	60	—
Body systems	5	16,420	300	110	100	70	—	150	—	80	30
Multiple body parts	8	105,510	11,570	7,650	2,240	910	14,730	31,290	1,900	13,710	6,290
Other body parts	9	340	—	—	—	—	60	20	—	—	—
Other body parts, n.e.c.	98	320	—	—	—	—	50	20	—	—	—
Nonclassifiable	9999	7,190	650	330	140	20	240	870	200	710	500

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts			All other events ⁵	
			Total	Highway accident		Total	As-saults by person	All other assaults Total		Assaults by animal
Foot(feet) and toe(s)	—	—	60	—	—	—	—	—	—	30
Multiple lower extremities locations, n.e.c.	—	150	190	50	—	30	30	—	—	260
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	20
Body systems	70	11,740	380	230	30	470	460	20	—	3,190
Multiple body parts	2,140	4,420	16,170	12,120	570	3,710	3,250	460	410	5,300
Other body parts	—	—	240	240	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	240	240	—	—	—	—	—	—
Nonclassifiable	140	550	380	280	—	460	160	300	290	2,990

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies