

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total [964,990 cases]		106.4	41.8	8.3	9.6	8.4	1.3	9.1	1.6	0.5
Head	0	7.1	(⁷)	.3	1.2	1.0	.2	1.1	.1	.3
Head, unspecified	00	1.8	(⁷)	(⁷)	.3	.3	(⁷)	.6	(⁷)	—
Cranial region, including skull	01	1.0	—	.1	.1	.1	(⁷)	.1	—	—
Cranial region, unspecified	010	(⁷)	—	—	(⁷)	(⁷)	—	(⁷)	—	—
Brain	011	.7	—	—	—	—	—	(⁷)	—	—
Scalp	012	.2	—	—	.1	.1	(⁷)	.1	—	—
Skull	013	.1	—	.1	—	—	—	(⁷)	—	—
Multiple cranial region locations	018	(⁷)	—	—	(⁷)	(⁷)	—	(⁷)	—	—
Cranial region, n.e.c.	019	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—
Ear(s)	02	.1	—	—	(⁷)	(⁷)	(⁷)	—	(⁷)	—
Face	03	4.1	(⁷)	.3	.7	.6	.1	.3	.1	.3
Face, unspecified	030	.4	—	(⁷)	.1	.1	—	.1	.1	(⁷)
Forehead	031	.2	—	(⁷)	.1	.1	—	.1	(⁷)	—
Eye(s)	032	2.6	(⁷)	—	.2	.1	.1	.1	(⁷)	.3
Nose, nasal cavity	033	.2	—	.1	(⁷)	(⁷)	—	(⁷)	—	—
Nose, except internal location of diseases or disorders	0330	.2	—	.1	(⁷)	(⁷)	—	(⁷)	—	—
Internal nasal location, unspecified	0331	(⁷)	—	—	—	—	—	—	—	—
Sinuses	0334	(⁷)	—	—	—	—	—	—	—	—
Cheek(s)	034	.1	—	(⁷)	.1	.1	(⁷)	(⁷)	(⁷)	—
Jaw/chin	035	.1	—	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—
Mouth	036	.2	—	.1	.1	.1	—	(⁷)	—	(⁷)
Mouth, unspecified	0360	.1	—	—	(⁷)	(⁷)	—	(⁷)	—	—
Lip(s)	0361	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—
Tooth(teeth)	0363	.1	—	.1	—	—	—	—	—	—
Multiple mouth locations	0368	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—
Multiple face locations	038	.2	—	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Face, n.e.c.	039	.1	—	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—
Multiple head locations	08	.1	(⁷)	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—
Head, n.e.c.	09	(⁷)	—	—	(⁷)	(⁷)	—	(⁷)	—	—
Neck, including throat	1	1.3	.9	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Neck, except internal location of diseases or disorders	10	1.3	.9	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Internal neck location, unspecified	11	(⁷)	—	—	—	—	—	—	—	—
Multiple internal neck locations	18	(⁷)	—	—	—	—	—	—	—	—
Trunk	2	35.7	23.0	1.1	.1	.1	(⁷)	1.9	.1	(⁷)
Trunk, unspecified	20	.2	.1	(⁷)	—	—	—	(⁷)	(⁷)	—
Shoulder, including clavicle, scapula	21	7.5	5.1	.2	(⁷)	(⁷)	—	.3	(⁷)	—
Chest, including ribs, internal organs	22	1.7	.3	.4	(⁷)	(⁷)	(⁷)	.5	(⁷)	—

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁵								All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total [964,990 cases]	0.7	1.0	0.4	4.3	1.1	1.6	11.3	3.6	17.7
Head	-	-	-	.2	.1	(⁷)	.6	-	3.3
Head, unspecified	-	-	-	.1	-	(⁷)	.3	-	.4
Cranial region, including skull	-	-	-	(⁷)	-	-	(⁷)	-	.7
Cranial region, unspecified	-	-	-	(⁷)	-	-	(⁷)	-	(⁷)
Brain	-	-	-	-	-	-	-	-	.7
Scalp	-	-	-	(⁷)	-	-	-	-	(⁷)
Skull	-	-	-	-	-	-	(⁷)	-	(⁷)
Multiple cranial region locations	-	-	-	(⁷)	-	-	(⁷)	-	(⁷)
Cranial region, n.e.c.	-	-	-	-	-	-	-	-	(⁷)
Ear(s)	-	-	-	-	-	-	(⁷)	-	.1
Face	-	-	-	.1	(⁷)	-	.2	-	2.0
Face, unspecified	-	-	-	(⁷)	-	-	(⁷)	-	.1
Forehead	-	-	-	(⁷)	-	-	(⁷)	-	(⁷)
Eye(s)	-	-	-	(⁷)	-	-	.1	-	1.8
Nose, nasal cavity	-	-	-	(⁷)	(⁷)	-	(⁷)	-	(⁷)
Nose, except internal location of diseases or disorders	-	-	-	(⁷)	(⁷)	-	(⁷)	-	(⁷)
Internal nasal location, unspecified	-	-	-	-	-	-	-	-	(⁷)
Sinuses	-	-	-	-	-	-	-	-	(⁷)
Cheek(s)	-	-	-	(⁷)	(⁷)	-	-	-	(⁷)
Jaw/chin	-	-	-	-	-	-	(⁷)	-	(⁷)
Mouth	-	-	-	(⁷)	(⁷)	-	(⁷)	-	(⁷)
Mouth, unspecified	-	-	-	-	-	-	(⁷)	-	(⁷)
Lip(s)	-	-	-	-	-	-	-	-	(⁷)
Tooth(teeth)	-	-	-	-	-	-	(⁷)	-	(⁷)
Multiple mouth locations	-	-	-	(⁷)	(⁷)	-	-	-	(⁷)
Multiple face locations	-	-	-	(⁷)	(⁷)	-	(⁷)	-	(⁷)
Face, n.e.c.	-	-	-	(⁷)	(⁷)	-	(⁷)	-	(⁷)
Multiple head locations	-	-	-	(⁷)	(⁷)	(⁷)	(⁷)	-	(⁷)
Head, n.e.c.	-	-	-	-	-	-	-	-	(⁷)
Neck, including throat	-	-	-	(⁷)	-	(⁷)	.2	-	.2
Neck, except internal location of diseases or disorders ...	-	-	-	(⁷)	-	(⁷)	.2	-	.2
Internal neck location, unspecified	-	-	-	-	-	-	-	-	(⁷)
Multiple internal neck locations	-	-	-	-	-	-	-	-	(⁷)
Trunk	-	-	.1	.4	.1	.2	5.3	3.6	3.8
Trunk, unspecified	-	-	-	-	-	-	.1	-	(⁷)
Shoulder, including clavicle, scapula	-	-	.1	(⁷)	(⁷)	(⁷)	1.0	-	.7
Chest, including ribs, internal organs	-	-	-	.1	.1	(⁷)	.2	-	.2

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Chest, except internal location of diseases or disorders	220	1.6	0.3	0.4	(7)	(7)	(7)	0.5	(7)	—
Internal chest location, unspecified	221	(7)	—	—	—	—	—	—	—	—
Heart	223	(7)	—	—	—	—	—	—	—	—
Bronchus	224	(7)	—	—	—	—	—	—	—	—
Lung(s), pleura	225	.1	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	21.5	16.1	.2	(7)	(7)	(7)	.6	(7)	(7)
Back, including spine, spinal cord, unspecified	230	8.7	6.4	.1	(7)	(7)	(7)	.2	(7)	(7)
Lumbar region	231	10.6	8.3	.1	—	—	—	.2	—	—
Thoracic region	232	.9	.7	(7)	(7)	(7)	—	(7)	—	—
Sacral region	233	(7)	(7)	(7)	—	—	—	(7)	—	—
Coccygeal region	234	.2	(7)	(7)	—	—	—	(7)	—	—
Multiple back regions	238	.6	.5	(7)	—	—	—	(7)	(7)	—
Back, including spine, spinal cord, n.e.c.	239	.4	.2	(7)	—	—	—	(7)	—	—
Abdomen	24	2.3	.4	(7)	(7)	(7)	(7)	.1	(7)	(7)
Abdomen, except internal location of diseases or disorders	240	.7	.4	(7)	(7)	(7)	(7)	.1	(7)	(7)
Internal abdominal location, unspecified	241	.7	—	—	—	—	—	—	—	—
Stomach organ	242	(7)	—	—	—	—	—	—	—	—
Urinary organs	244	(7)	—	—	—	—	—	—	—	—
Kidney(s)	2442	(7)	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	.9	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	.7	—	—	—	—	—	—	—	—
Peritoneum	2451	.1	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	(7)	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	(7)	—	—	—	—	—	—	—	—
Other digestive structures	246	(7)	—	—	—	—	—	—	—	—
Liver	2461	(7)	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(7)	—	—	—	—	—	—	—	—
Pelvic region	25	1.7	.8	.3	(7)	(7)	(7)	.3	(7)	—
Pelvic region, unspecified	250	(7)	(7)	(7)	—	—	—	(7)	—	—
Hip(s)	251	.9	.3	.2	(7)	(7)	—	.2	—	—
Pelvis	252	(7)	(7)	(7)	—	—	—	(7)	—	—
Buttock(s)	253	.1	(7)	—	(7)	(7)	(7)	.1	—	—
Groin	254	.6	.5	—	(7)	(7)	—	(7)	—	—
External reproductive tract structures	255	(7)	(7)	—	(7)	(7)	—	(7)	—	—
External reproductive tract structures, unspecified ..	2550	(7)	(7)	—	—	—	—	—	—	—
Scrotum	2551	(7)	(7)	—	—	—	—	(7)	—	—
Penis	2552	(7)	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	(7)	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	(7)	—	—	—	—	—	—	—	—
Uterus	2564	(7)	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	(7)	(7)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁵								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁶
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, except internal location of diseases or disorders	—	—	—	0.1	0.1	(⁷)	0.2	—	0.1
Internal chest location, unspecified	—	—	—	—	—	—	—	—	(⁷)
Heart	—	—	—	—	—	—	—	—	(⁷)
Bronchus	—	—	—	—	—	—	—	—	(⁷)
Lung(s), pleura	—	—	—	—	—	—	—	—	.1
Back, including spine, spinal cord	—	—	—	.1	(⁷)	.1	3.6	3.6	.9
Back, including spine, spinal cord, unspecified	—	—	—	(⁷)	(⁷)	(⁷)	1.6	1.6	.4
Lumbar region	—	—	—	(⁷)	—	(⁷)	1.7	1.7	.4
Thoracic region	—	—	—	(⁷)	—	(⁷)	.1	.1	(⁷)
Sacral region	—	—	—	—	—	—	(⁷)	(⁷)	—
Coccygeal region	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Multiple back regions	—	—	—	(⁷)	—	(⁷)	.1	.1	(⁷)
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	.1	.1	(⁷)
Abdomen	—	—	—	(⁷)	—	—	.1	—	1.7
Abdomen, except internal location of diseases or disorders	—	—	—	(⁷)	—	—	.1	—	.1
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	.7
Stomach organ	—	—	—	—	—	—	—	—	(⁷)
Urinary organs	—	—	—	—	—	—	—	—	(⁷)
Kidney(s)	—	—	—	—	—	—	—	—	(⁷)
Intestines, peritoneum	—	—	—	—	—	—	—	—	.9
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	.7
Peritoneum	—	—	—	—	—	—	—	—	.1
Large intestine/colon, rectum	—	—	—	—	—	—	—	—	(⁷)
Intestines, n.e.c.	—	—	—	—	—	—	—	—	(⁷)
Other digestive structures	—	—	—	—	—	—	—	—	(⁷)
Liver	—	—	—	—	—	—	—	—	(⁷)
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	(⁷)
Pelvic region	—	—	—	(⁷)	—	(⁷)	.2	—	.2
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—
Hip(s)	—	—	—	(⁷)	—	(⁷)	.1	—	.1
Pelvis	—	—	—	—	—	—	(⁷)	—	(⁷)
Buttock(s)	—	—	—	—	—	—	(⁷)	—	(⁷)
Groin	—	—	—	—	—	—	.1	—	(⁷)
External reproductive tract structures	—	—	—	—	—	—	(⁷)	—	(⁷)
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	(⁷)
Internal reproductive tract structures	—	—	—	—	—	—	—	—	(⁷)
Uterus	—	—	—	—	—	—	—	—	(⁷)
Multiple pelvic region locations	—	—	—	—	—	—	(⁷)	—	—

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Pelvic region, n.e.c.	259	(7)	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	.7	0.3	(7)	(7)	—	—	0.1	(7)	—	—
Trunk, n.e.c.	29	.1	(7)	(7)	(7)	(7)	—	(7)	—	—	—
Upper extremities	3	24.3	4.1	3.2	7.0	6.3	0.7	1.5	.9	0.1	—
Upper extremities, unspecified	30	(7)	(7)	(7)	(7)	(7)	(7)	—	—	—	—
Arm(s)	31	5.0	1.5	.8	.6	.6	.1	.4	.3	(7)	(7)
Arm(s), unspecified	310	1.5	.4	.3	.2	.2	(7)	.1	.1	(7)	(7)
Upper arm(s)	311	.5	.3	.1	(7)	(7)	(7)	(7)	(7)	—	—
Elbow(s)	312	1.6	.5	.3	.1	.1	(7)	.3	(7)	—	—
Forearm(s)	313	1.0	.2	.1	.3	.3	(7)	.1	.1	(7)	(7)
Multiple arm(s) locations	318	.3	.1	(7)	(7)	(7)	—	(7)	(7)	—	—
Arm(s), n.e.c.	319	.1	(7)	(7)	(7)	(7)	—	(7)	—	—	—
Wrist(s)	32	4.4	1.4	.9	.2	.2	(7)	.2	(7)	(7)	(7)
Hand(s), except finger(s)	33	4.3	.3	.4	1.6	1.3	.3	.4	.4	(7)	(7)
Finger(s), fingernail(s)	34	9.1	.6	1.0	4.4	4.0	.3	.4	.1	(7)	(7)
Multiple upper extremities locations	38	1.4	.3	.1	.2	.2	(7)	.1	.1	(7)	(7)
Multiple upper extremities locations, unspecified	380	(7)	(7)	—	—	—	—	(7)	—	—	—
Hand(s) and finger(s)	381	.4	(7)	(7)	.1	.1	(7)	(7)	(7)	(7)	(7)
Hand(s) and wrist(s)	382	.3	.1	(7)	(7)	(7)	—	(7)	(7)	(7)	(7)
Hand(s) and arm(s)	383	.2	(7)	(7)	(7)	(7)	—	(7)	(7)	(7)	(7)
Multiple upper extremities locations, n.e.c.	389	.5	.1	(7)	(7)	(7)	—	(7)	.1	(7)	(7)
Upper extremities, n.e.c.	39	(7)	(7)	—	(7)	(7)	—	—	—	—	—
Lower extremities	4	23.6	10.6	3.3	1.2	.9	.4	3.1	.3	.1	—
Lower extremities, unspecified	40	(7)	(7)	—	—	—	—	(7)	—	—	—
Leg(s)	41	12.8	6.2	.8	.7	.6	.1	1.8	.1	(7)	(7)
Leg(s), unspecified	410	1.5	.4	.2	.2	.2	(7)	.2	(7)	(7)	(7)
Thigh(s)	411	.5	.2	.1	.1	.1	(7)	.1	(7)	(7)	(7)
Knee(s)	412	9.2	5.3	.3	.1	.1	(7)	1.3	(7)	(7)	(7)
Lower leg(s)	413	1.1	.2	.2	.2	.2	(7)	.2	(7)	(7)	(7)
Multiple leg(s) locations	418	.4	.1	(7)	(7)	(7)	—	(7)	(7)	—	—
Leg(s), n.e.c.	419	.1	(7)	(7)	(7)	(7)	—	(7)	—	—	—
Ankle(s)	42	5.4	3.5	1.1	.1	.1	(7)	.2	(7)	—	—
Foot(feet), except toe(s)	43	3.6	.6	.9	.3	.1	.2	.8	.1	(7)	(7)
Foot(feet), except toe(s), unspecified	430	3.2	.5	.8	.3	.1	.2	.7	.1	(7)	(7)
Instep(s)	431	(7)	—	(7)	—	—	—	(7)	—	—	—
Sole	432	.2	(7)	.1	(7)	(7)	(7)	(7)	—	—	—
Sole(s), unspecified	4320	(7)	—	—	(7)	—	(7)	(7)	—	—	—
Ball(s) of foot	4321	(7)	—	—	(7)	—	(7)	—	—	—	—
Arch(es)	4322	(7)	—	—	—	—	—	—	—	—	—
Heel(s)	4323	.2	(7)	.1	(7)	(7)	(7)	(7)	—	—	—
Multiple foot(feet) locations	438	(7)	(7)	(7)	—	—	—	(7)	—	—	—
Foot(feet), n.e.c.	439	.1	(7)	(7)	(7)	(7)	—	(7)	—	—	—
Toe(s), toenail(s)	44	1.0	.1	.4	.1	.1	(7)	.2	(7)	—	—

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁵								All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	-	0.1	(7)	(7)	(7)	-	0.1
Trunk, n.e.c.	-	-	-	-	-	-	(7)	-	(7)
Upper extremities	0.6	1.0	0.3	.6	.2	.1	1.6	-	3.5
Upper extremities, unspecified	(7)	-	(7)	-	-	-	-	-	(7)
Arm(s)	(7)	-	.1	.1	(7)	(7)	.5	-	.7
Arm(s), unspecified	-	-	(7)	(7)	(7)	(7)	.2	-	.2
Upper arm(s)	-	-	(7)	(7)	-	(7)	(7)	-	(7)
Elbow(s)	-	-	(7)	(7)	(7)	(7)	.2	-	.2
Forearm(s)	(7)	-	(7)	(7)	(7)	-	(7)	-	.2
Multiple arm(s) locations	-	-	(7)	(7)	(7)	(7)	.1	-	.1
Arm(s), n.e.c.	-	-	-	-	-	-	(7)	-	(7)
Wrist(s)	-	1.0	.1	(7)	(7)	(7)	.3	-	.3
Hand(s), except finger(s)	(7)	-	.1	.1	(7)	(7)	.3	-	.7
Finger(s), fingernail(s)6	-	(7)	.3	.1	(7)	.3	-	1.5
Multiple upper extremities locations	-	-	(7)	.1	(7)	(7)	.2	-	.3
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	(7)	-	(7)
Hand(s) and finger(s)	-	-	-	(7)	(7)	(7)	(7)	-	.1
Hand(s) and wrist(s)	-	-	(7)	(7)	-	(7)	.1	-	.1
Hand(s) and arm(s)	-	-	-	(7)	-	-	(7)	-	(7)
Multiple upper extremities locations, n.e.c.	-	-	(7)	(7)	(7)	(7)	.1	-	.1
Upper extremities, n.e.c.	-	-	-	(7)	-	-	(7)	-	(7)
Lower extremities	(7)	-	(7)	.6	.1	.2	2.2	-	2.2
Lower extremities, unspecified	(7)	-	-	(7)	-	-	-	-	(7)
Leg(s)	(7)	-	(7)	.3	(7)	.1	1.5	-	1.3
Leg(s), unspecified	-	-	-	(7)	(7)	(7)	.2	-	.2
Thigh(s)	-	-	-	(7)	-	-	(7)	-	(7)
Knee(s)	-	-	(7)	.2	(7)	.1	1.2	-	.9
Lower leg(s)	(7)	-	-	(7)	(7)	(7)	.1	-	.1
Multiple leg(s) locations	-	-	-	(7)	(7)	(7)	(7)	-	.1
Leg(s), n.e.c.	-	-	-	(7)	-	-	(7)	-	(7)
Ankle(s)	-	-	(7)	.1	(7)	(7)	.3	-	.3
Foot(feet), except toe(s)	-	-	(7)	.1	(7)	(7)	.3	-	.4
Foot(feet), except toe(s), unspecified	-	-	(7)	.1	(7)	(7)	.3	-	.3
Instep(s)	-	-	-	-	-	-	-	-	-
Sole	-	-	(7)	-	-	-	(7)	-	(7)
Sole(s), unspecified	-	-	-	-	-	-	-	-	-
Ball(s) of foot	-	-	-	-	-	-	-	-	-
Arch(es)	-	-	-	-	-	-	-	-	-
Heel(s)	-	-	(7)	-	-	-	(7)	-	(7)
Multiple foot(feet) locations	-	-	-	(7)	-	-	(7)	-	(7)
Foot(feet), n.e.c.	-	-	-	-	-	-	(7)	-	(7)
Toe(s), toenail(s)	(7)	-	-	(7)	(7)	-	.1	-	.2

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple lower extremities locations	48	0.7	0.2	0.1	(⁷)	(⁷)	—	0.1	(⁷)	(⁷)
Multiple lower extremities locations, unspecified	480	(⁷)	(⁷)	(⁷)	—	—	—	(⁷)	—	—
Foot(feet) and leg(s)	481	.1	(⁷)	(⁷)	—	—	—	(⁷)	(⁷)	—
Foot(feet) and ankle(s)	482	.2	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Foot(feet) and toe(s)	483	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—
Multiple lower extremities locations, n.e.c.	489	.4	.1	(⁷)	—	—	—	(⁷)	(⁷)	—
Lower extremities, n.e.c.	49	(⁷)	(⁷)	(⁷)	—	—	—	(⁷)	—	—
Body systems	5	1.8	—	—	—	—	—	—	—	—
Multiple body parts	8	11.6	3.1	.3	.1	.1	(⁷)	1.4	.3	.1
Other body parts	9	(⁷)	(⁷)	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	(⁷)	(⁷)	—	—	—	—	—	—	—
Nonclassifiable	9999	.8	.1	(⁷)	(⁷)	(⁷)	(⁷)	.1	(⁷)	(⁷)

See footnotes at end of table.

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, private industry, 2009 — Continued

Part of body	Nature of injury or illness ⁵								All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple lower extremities locations	—	—	—	0.1	(⁷)	(⁷)	0.1	—	0.1
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	(⁷)	—	—
Foot(feet) and leg(s)	—	—	—	(⁷)	—	—	(⁷)	—	(⁷)
Foot(feet) and ankle(s)	—	—	—	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)
Foot(feet) and toe(s)	—	—	—	(⁷)	(⁷)	—	(⁷)	—	(⁷)
Multiple lower extremities locations, n.e.c.	—	—	—	.1	(⁷)	(⁷)	(⁷)	—	(⁷)
Lower extremities, n.e.c.	—	—	—	(⁷)	—	—	—	—	(⁷)
Body systems	—	—	—	—	—	—	—	—	1.8
Multiple body parts	—	—	(⁷)	2.5	.5	1.0	1.5	—	2.4
Other body parts	—	—	—	—	—	—	—	—	(⁷)
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	(⁷)
Nonclassifiable	—	—	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	.6

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains,

tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies