

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		964,990	20	160	22,330	91,780	209,670	231,750	236,030	132,110	27,620	13,520	
Head	0	64,590	-	-	1,870	9,180	16,340	14,650	12,630	7,630	1,690	590	
Head, unspecified	00	15,890	-	-	520	1,980	3,520	2,850	3,600	2,630	660	130	
Cranial region, including skull	01	9,460	-	-	220	1,320	1,920	2,220	2,040	1,320	360	50	
Cranial region, unspecified	010	320	-	-	-	60	20	60	60	120	-	-	
Brain	011	6,420	-	-	160	940	1,470	1,690	1,110	750	260	40	
Scalp	012	1,710	-	-	50	260	260	320	360	370	90	-	
Skull	013	830	-	-	-	40	150	110	440	60	-	-	
Multiple cranial region locations	018	120	-	-	-	-	-	40	60	-	-	-	
Cranial region, n.e.c.	019	60	-	-	-	-	20	-	-	-	-	-	
Ear(s)	02	1,040	-	-	20	50	220	310	240	190	-	-	
Face	03	37,260	-	-	1,060	5,780	10,570	9,040	6,510	3,290	620	400	
Face, unspecified	030	3,350	-	-	120	280	860	940	650	310	110	70	
Forehead	031	2,000	-	-	30	230	560	350	430	260	130	30	
Eye(s)	032	23,720	-	-	630	3,920	6,970	5,950	4,050	1,800	170	230	
Nose, nasal cavity	033	2,010	-	-	60	450	430	360	350	280	70	20	
Nose, except internal location of diseases or disorders	0330	1,950	-	-	60	450	390	350	340	270	70	20	
Internal nasal location, unspecified	0331	20	-	-	-	-	-	-	-	-	-	-	
Sinuses	0334	50	-	-	-	-	40	-	-	-	-	-	
Cheek(s)	034	1,060	-	-	160	30	300	320	110	100	-	30	
Jaw/chin	035	740	-	-	-	120	190	160	170	60	20	-	
Mouth	036	1,950	-	-	30	230	810	450	230	140	50	-	
Mouth, unspecified	0360	560	-	-	-	-	460	30	20	50	-	-	
Lip(s)	0361	410	-	-	-	20	130	150	50	30	20	-	
Tooth(teeth)	0363	810	-	-	20	170	190	190	140	50	30	-	
Multiple mouth locations	0368	150	-	-	-	30	20	80	20	-	-	-	
Multiple face locations	038	1,920	-	-	20	340	400	350	460	310	50	-	
Face, n.e.c.	039	500	-	-	-	180	60	160	70	20	-	-	
Multiple head locations	08	810	-	-	40	30	90	200	240	170	40	-	
Head, n.e.c.	09	130	-	-	-	30	20	20	-	30	-	-	
Neck, including throat	1	11,860	-	-	120	1,010	3,100	2,950	3,020	1,300	250	110	
Neck, except internal location of diseases or disorders ..	10	11,740	-	-	120	1,010	3,080	2,900	3,000	1,280	250	110	
Internal neck location, unspecified	11	50	-	-	-	-	-	30	-	-	-	-	
Multiple internal neck locations	18	40	-	-	-	-	-	-	-	-	-	-	
Trunk	2	324,130	20	20	4,450	25,760	71,120	84,270	81,770	43,140	9,610	3,970	
Trunk, unspecified	20	1,770	-	-	-	90	370	670	360	180	80	-	
Shoulder, including clavicle, scapula	21	67,730	-	-	1,070	4,150	11,160	16,500	18,950	12,720	2,260	910	
Chest, including ribs, internal organs	22	15,830	-	-	160	1,420	2,820	3,400	4,250	2,370	1,250	170	
Chest, except internal location of diseases or disorders	220	14,720	-	-	150	1,350	2,650	3,110	3,960	2,150	1,210	140	
Internal chest location, unspecified	221	110	-	-	-	-	20	50	-	-	-	-	
Heart	223	220	-	-	-	-	-	20	80	110	-	-	
Bronchus	224	80	-	-	-	-	-	60	-	-	-	-	
Lung(s), pleura	225	690	-	-	-	50	130	160	180	90	30	30	
Back, including spine, spinal cord	23	195,150	20	20	2,690	17,150	47,870	53,230	47,000	20,680	4,090	2,400	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Back, including spine, spinal cord, unspecified	230	79,350	—	—	1,320	7,640	18,730	21,200	18,200	9,050	1,970	1,220	
Lumbar region	231	96,530	—	—	1,090	7,620	23,660	27,310	24,150	9,840	1,910	930	
Thoracic region	232	8,570	—	—	120	1,030	2,840	1,920	1,820	720	40	60	
Sacral region	233	390	—	—	—	30	120	130	60	40	—	—	
Coccygeal region	234	1,480	—	—	—	50	340	320	550	180	20	30	
Multiple back regions	238	5,600	—	—	110	520	1,510	1,630	1,120	530	110	60	
Back, including spine, spinal cord, n.e.c.	239	3,220	—	—	30	250	660	700	1,100	340	40	100	
Abdomen	24	21,080	—	—	210	1,440	4,780	5,140	5,670	3,210	430	220	
Abdomen, except internal location of diseases or disorders	240	6,090	—	—	180	890	1,540	1,240	1,530	520	110	70	
Internal abdominal location, unspecified	241	6,740	—	—	20	220	1,720	1,790	1,760	1,060	90	80	
Stomach organ	242	340	—	—	—	20	50	70	150	40	—	—	
Urinary organs	244	50	—	—	—	—	—	—	—	20	—	—	
Kidney(s)	2442	20	—	—	—	—	—	—	—	—	—	—	
Intestines, peritoneum	245	7,730	—	—	—	300	1,420	2,010	2,200	1,520	210	60	
Intestines, peritoneum, unspecified	2450	6,420	—	—	—	230	1,050	1,850	1,670	1,370	190	50	
Peritoneum	2451	1,130	—	—	—	20	350	110	490	130	20	—	
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—	—	—	—	
Intestines, n.e.c.	2459	150	—	—	—	50	20	50	30	—	—	—	
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—	—	
Liver	2461	20	—	—	—	—	—	—	—	—	—	—	
Internal abdominal location, n.e.c.	249	90	—	—	—	—	20	—	—	50	—	—	
Pelvic region	25	15,800	—	—	180	930	2,700	3,560	3,830	3,080	1,300	220	
Pelvic region, unspecified	250	230	—	—	—	20	30	80	50	30	20	—	
Hip(s)	251	7,720	—	—	100	430	790	1,680	1,830	1,830	950	130	
Pelvis	252	410	—	—	—	50	60	70	70	120	30	—	
Buttock(s)	253	1,220	—	—	—	50	140	270	460	240	40	—	
Groin	254	5,890	—	—	60	360	1,630	1,400	1,340	790	240	80	
External reproductive tract structures	255	200	—	—	—	20	40	40	50	40	—	—	
External reproductive tract structures, unspecified ..	2550	70	—	—	—	—	20	—	—	30	—	—	
Scrotum	2551	70	—	—	—	—	20	20	20	—	—	—	
Penis	2552	30	—	—	—	—	—	—	—	—	—	—	
External reproductive tract structures, n.e.c.	2559	20	—	—	—	—	—	—	20	—	—	—	
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—	—	—	
Uterus	2564	20	—	—	—	—	—	—	—	—	—	—	
Multiple pelvic region locations	258	80	—	—	—	—	—	20	30	20	—	—	
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—	—	—	—	
Multiple trunk locations	28	6,200	—	—	140	500	1,380	1,600	1,570	850	140	40	
Trunk, n.e.c.	29	570	—	—	—	70	50	180	140	70	50	—	
Upper extremities	3	220,730	—	110	8,730	24,790	52,190	49,580	50,090	26,630	5,070	3,540	
Upper extremities, unspecified	30	320	—	—	—	—	80	90	70	50	20	—	
Arm(s)	31	45,600	—	—	1,460	4,000	9,160	10,500	12,330	6,410	1,160	580	
Arm(s), unspecified	310	13,770	—	—	370	1,210	2,570	3,090	3,970	2,030	350	190	
Upper arm(s)	311	4,640	—	—	20	170	780	1,330	1,020	1,030	250	30	
Elbow(s)	312	14,520	—	—	210	1,400	2,990	3,630	3,920	1,860	350	170	
Forearm(s)	313	9,160	—	—	810	1,030	2,110	1,730	2,100	1,120	130	150	
Multiple arm(s) locations	318	2,940	—	—	50	160	610	570	1,150	300	70	30	
Arm(s), n.e.c.	319	550	—	—	—	40	110	150	180	60	—	—	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Wrist(s)	32	40,220	—	—	750	3,480	8,710	8,770	10,060	6,740	1,200	490	
Hand(s), except finger(s)	33	39,040	—	—	2,080	5,200	10,100	9,740	7,240	3,310	920	440	
Finger(s), fingernail(s)	34	82,460	—	80	4,130	10,860	21,530	16,950	17,260	8,420	1,460	1,770	
Multiple upper extremities locations	38	12,910	—	20	310	1,230	2,560	3,480	3,080	1,670	310	260	
Multiple upper extremities locations, unspecified	380	150	—	—	—	30	40	20	40	20	—	—	
Hand(s) and finger(s)	381	3,800	—	—	90	410	810	1,040	780	480	80	100	
Hand(s) and wrist(s)	382	2,750	—	—	50	190	690	620	540	530	60	70	
Hand(s) and arm(s)	383	1,970	—	—	90	230	160	740	440	170	70	80	
Multiple upper extremities locations, n.e.c.	389	4,240	—	—	90	370	850	1,060	1,280	470	100	20	
Upper extremities, n.e.c.	39	180	—	—	—	—	50	40	40	30	—	—	
Lower extremities	4	214,220	—	—	5,500	20,360	43,710	50,610	54,350	31,410	5,900	2,370	
Lower extremities, unspecified	40	390	—	—	—	50	170	70	50	20	—	—	
Leg(s)	41	116,170	—	—	2,660	8,790	21,080	26,940	32,950	18,690	3,820	1,240	
Leg(s), unspecified	410	13,790	—	—	350	1,150	2,110	3,330	3,870	2,340	430	220	
Thigh(s)	411	4,900	—	—	90	320	1,430	950	980	720	180	210	
Knee(s)	412	83,730	—	—	1,750	6,320	15,200	18,920	24,430	13,660	2,710	730	
Lower leg(s)	413	9,770	—	—	210	750	1,520	3,030	2,560	1,300	320	60	
Multiple leg(s) locations	418	3,260	—	—	230	190	640	630	880	500	160	—	
Leg(s), n.e.c.	419	730	—	—	20	50	170	80	240	160	—	—	
Ankle(s)	42	49,050	—	—	1,330	5,520	12,100	12,600	9,570	6,650	740	550	
Foot(feet), except toe(s)	43	32,880	—	—	860	4,310	7,250	6,970	8,200	4,140	840	290	
Foot(feet), except toe(s), unspecified	430	29,110	—	—	790	3,870	6,450	5,990	7,250	3,720	750	270	
Instep(s)	431	120	—	—	—	20	20	30	30	—	—	—	
Sole	432	2,140	—	—	40	280	480	430	610	230	60	—	
Sole(s), unspecified	4320	240	—	—	—	30	60	20	70	50	—	—	
Ball(s) of foot	4321	40	—	—	—	—	20	—	—	—	—	—	
Arch(es)	4322	50	—	—	—	—	—	20	30	—	—	—	
Heel(s)	4323	1,800	—	—	30	240	400	380	510	170	50	—	
Multiple foot(feet) locations	438	390	—	—	—	30	100	60	130	40	—	—	
Foot(feet), n.e.c.	439	1,130	—	—	30	110	190	460	170	150	—	—	
Toe(s), toenail(s)	44	8,920	—	—	540	1,230	1,710	2,380	1,670	980	230	200	
Multiple lower extremities locations	48	6,530	—	—	100	460	1,360	1,610	1,750	890	280	80	
Multiple lower extremities locations, unspecified	480	130	—	—	—	—	30	40	30	20	—	—	
Foot(feet) and leg(s)	481	570	—	—	—	40	60	110	220	80	40	—	
Foot(feet) and ankle(s)	482	1,870	—	—	30	150	380	460	540	200	40	40	
Foot(feet) and toe(s)	483	720	—	—	—	90	240	150	110	110	—	—	
Multiple lower extremities locations, n.e.c.	489	3,240	—	—	40	170	650	850	850	480	190	30	
Lower extremities, n.e.c.	49	270	—	—	—	—	30	40	160	30	—	—	
Body systems	5	16,420	—	—	360	1,560	4,450	3,730	3,870	1,780	400	250	
Multiple body parts	8	105,510	—	—	1,220	8,350	17,500	24,520	29,140	19,260	4,350	1,160	
Other body parts	9	340	—	—	—	230	—	70	30	—	—	—	
Other body parts, n.e.c.	98	320	—	—	—	230	—	60	30	—	—	—	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	7,190	—	—	70	530	1,270	1,380	1,120	940	340	1,540

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies