

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		964,990	412,730	78,840	125,790	12,630	3,110	3,950	520	1,360	326,080
Head	0	64,590	27,890	5,620	9,910	810	210	200	20	270	19,650
Head, unspecified	00	15,890	6,440	1,830	1,780	290	40	60	-	-	5,440
Cranial region, including skull	01	9,460	4,530	540	1,030	80	-	-	-	-	3,000
Cranial region, unspecified	010	320	250	-	-	-	-	-	-	-	70
Brain	011	6,420	3,460	370	610	60	-	-	-	-	1,640
Scalp	012	1,710	520	110	350	20	-	-	-	-	720
Skull	013	830	230	50	60	-	-	-	-	-	480
Multiple cranial region locations	018	120	60	-	-	-	-	-	-	-	60
Cranial region, n.e.c.	019	60	20	-	-	-	-	-	-	-	20
Ear(s)	02	1,040	440	130	140	-	-	-	-	-	330
Face	03	37,260	16,120	2,980	6,890	410	160	120	20	-	10,560
Face, unspecified	030	3,350	1,300	420	540	20	-	-	-	-	1,060
Forehead	031	2,000	700	170	300	30	-	-	-	-	790
Eye(s)	032	23,720	10,270	1,520	5,150	240	130	70	-	-	6,330
Nose, nasal cavity	033	2,010	910	150	190	-	-	20	-	-	730
Nose, except internal location of diseases or disorders	0330	1,950	900	140	190	-	-	20	-	-	690
Internal nasal location, unspecified	0331	20	-	-	-	-	-	-	-	-	-
Sinuses	0334	50	-	-	-	-	-	-	-	-	40
Cheek(s)	034	1,060	710	70	60	-	-	-	-	-	220
Jaw/chin	035	740	300	40	100	-	-	-	-	-	300
Mouth	036	1,950	840	370	180	20	-	-	-	-	520
Mouth, unspecified	0360	560	70	280	-	-	-	-	-	-	200
Lip(s)	0361	410	160	20	80	20	-	-	-	-	120
Tooth(teeth)	0363	810	510	50	60	-	-	-	-	-	170
Multiple mouth locations	0368	150	100	-	30	-	-	-	-	-	20
Multiple face locations	038	1,920	860	160	320	70	-	-	-	-	510
Face, n.e.c.	039	500	240	90	50	-	-	-	-	-	110
Multiple head locations	08	810	320	140	60	20	-	-	-	-	260
Head, n.e.c.	09	130	40	-	20	-	-	-	-	-	70
Neck, including throat	1	11,860	4,960	1,180	980	110	20	40	-	-	4,560
Neck, except internal location of diseases or disorders ...	10	11,740	4,950	1,170	940	110	20	40	-	-	4,520
Internal neck location, unspecified	11	50	-	-	-	-	-	-	-	-	30
Multiple internal neck locations	18	40	-	-	-	-	-	-	-	-	-
Trunk	2	324,130	139,510	27,140	37,770	3,560	750	1,410	60	170	113,760
Trunk, unspecified	20	1,770	610	210	230	-	-	-	-	-	690
Shoulder, including clavicle, scapula	21	67,730	29,780	5,840	6,600	670	130	220	-	30	24,450
Chest, including ribs, internal organs	22	15,830	7,670	1,040	1,570	430	30	160	-	-	4,920
Chest, except internal location of diseases or disorders	220	14,720	7,180	920	1,490	420	30	150	-	-	4,530

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Internal chest location, unspecified	221	110	50	20	—	—	—	—	—	—	—	30
Heart	223	220	100	40	—	—	—	—	—	—	—	60
Bronchus	224	80	30	—	—	—	—	—	—	—	—	50
Lung(s), pleura	225	690	310	60	60	—	—	—	20	—	—	230
Back, including spine, spinal cord	23	195,150	81,100	17,420	24,550	2,200	550	830	40	110	—	68,370
Back, including spine, spinal cord, unspecified	230	79,350	35,140	7,600	10,880	760	180	300	30	40	—	24,420
Lumbar region	231	96,530	38,980	8,630	11,450	1,200	300	460	—	60	—	35,440
Thoracic region	232	8,570	3,200	560	870	70	20	20	—	—	—	3,840
Sacral region	233	390	230	30	20	—	—	—	—	—	—	120
Coccygeal region	234	1,480	520	60	140	20	—	—	—	—	—	740
Multiple back regions	238	5,600	2,440	470	480	90	—	20	—	—	—	2,090
Back, including spine, spinal cord, n.e.c.	239	3,220	590	60	720	60	30	30	—	—	—	1,730
Abdomen	24	21,080	10,640	920	2,490	60	20	50	—	20	—	6,870
Abdomen, except internal location of diseases or disorders	240	6,090	2,740	360	580	30	—	20	—	—	—	2,350
Internal abdominal location, unspecified	241	6,740	3,840	290	700	—	—	20	—	—	—	1,860
Stomach organ	242	340	170	20	70	20	—	—	—	—	—	60
Urinary organs	244	50	—	—	—	—	—	—	—	—	—	30
Kidney(s)	2442	20	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	3,820	220	1,100	—	—	20	—	—	—	2,540
Intestines, peritoneum, unspecified	2450	6,420	3,090	170	880	—	—	20	—	—	—	2,240
Peritoneum	2451	1,130	680	20	200	—	—	—	—	—	—	230
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	40	40	—	—	—	—	—	—	—	60
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	50	20	—	—	—	—	—	—	—	—
Pelvic region	25	15,800	6,640	1,160	1,550	140	—	100	—	—	—	6,210
Pelvic region, unspecified	250	230	60	—	—	—	—	—	—	—	—	150
Hip(s)	251	7,720	3,100	740	630	50	—	60	—	—	—	3,130
Pelvis	252	410	210	—	50	—	—	—	—	—	—	140
Buttock(s)	253	1,220	620	70	210	50	—	—	—	—	—	260
Groin	254	5,890	2,540	290	570	20	—	40	—	—	—	2,430
External reproductive tract structures	255	200	70	—	60	—	—	—	—	—	—	60
External reproductive tract structures, unspecified ..	2550	70	20	—	—	—	—	—	—	—	—	40
Scrotum	2551	70	20	—	30	—	—	—	—	—	—	20
Penis	2552	30	20	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	20	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	80	30	20	—	—	—	—	—	—	—	30
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	6,200	2,900	550	600	50	20	30	—	—	—	2,050
Trunk, n.e.c.	29	570	160	—	180	—	—	—	—	—	—	210

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Upper extremities	3	220,730	96,470	14,890	34,970	3,860	700	850	240	550	68,200
Upper extremities, unspecified	30	320	160	—	30	—	—	—	—	—	110
Arm(s)	31	45,600	20,080	3,160	5,710	780	110	150	140	—	15,460
Arm(s), unspecified	310	13,770	5,720	1,110	1,680	110	40	80	—	—	5,030
Upper arm(s)	311	4,640	2,320	360	500	30	—	—	—	—	1,420
Elbow(s)	312	14,520	6,540	870	1,700	420	30	20	50	—	4,900
Forearm(s)	313	9,160	3,830	630	1,430	110	40	30	—	—	3,020
Multiple arm(s) locations	318	2,940	1,500	120	360	110	—	—	—	—	850
Arm(s), n.e.c.	319	550	170	70	50	—	—	—	—	—	250
Wrist(s)	32	40,220	18,550	3,110	4,780	690	160	180	30	70	12,670
Hand(s), except finger(s)	33	39,040	16,580	2,610	6,540	840	100	240	20	20	12,100
Finger(s), fingernail(s)	34	82,460	35,510	4,980	15,690	1,270	300	260	50	440	23,950
Multiple upper extremities locations	38	12,910	5,540	1,020	2,180	260	20	30	—	—	3,860
Multiple upper extremities locations, unspecified	380	150	30	30	40	—	—	—	—	—	50
Hand(s) and finger(s)	381	3,800	1,770	350	620	80	—	—	—	—	970
Hand(s) and wrist(s)	382	2,750	1,120	250	410	60	—	—	—	—	890
Hand(s) and arm(s)	383	1,970	980	100	440	50	—	—	—	—	400
Multiple upper extremities locations, n.e.c.	389	4,240	1,640	290	670	70	—	—	—	—	1,550
Upper extremities, n.e.c.	39	180	50	—	40	—	—	—	—	—	60
Lower extremities	4	214,220	92,550	17,550	26,210	1,930	1,040	1,050	150	220	73,510
Lower extremities, unspecified	40	390	70	20	70	—	—	—	—	—	220
Leg(s)	41	116,170	52,270	9,820	13,410	920	320	540	100	80	38,730
Leg(s), unspecified	410	13,790	5,240	1,360	1,780	180	80	40	—	—	5,110
Thigh(s)	411	4,900	2,220	390	550	40	—	—	—	—	1,680
Knee(s)	412	83,730	38,450	7,040	9,380	560	200	440	90	60	27,510
Lower leg(s)	413	9,770	4,620	620	1,180	80	30	40	—	—	3,190
Multiple leg(s) locations	418	3,260	1,550	350	410	50	—	—	—	—	880
Leg(s), n.e.c.	419	730	200	50	100	—	—	—	—	—	360
Ankle(s)	42	49,050	20,730	3,650	5,670	460	170	260	50	70	17,990
Foot(feet), except toe(s)	43	32,880	12,930	2,630	4,500	280	470	160	—	40	11,860
Foot(feet), except toe(s), unspecified	430	29,110	11,420	2,370	3,700	260	400	110	—	40	10,800
Instep(s)	431	120	50	30	—	—	—	—	—	—	30
Sole	432	2,140	1,060	150	330	—	—	20	—	—	560
Sole(s), unspecified	4320	240	90	—	80	—	—	—	—	—	60
Ball(s) of foot	4321	40	20	—	—	—	—	—	—	—	—
Arch(es)	4322	50	20	—	—	—	—	—	—	—	30
Heel(s)	4323	1,800	930	140	240	—	—	20	—	—	470
Multiple foot(feet) locations	438	390	140	40	40	—	—	—	—	—	140
Foot(feet), n.e.c.	439	1,130	260	50	410	—	70	—	—	—	330
Toe(s), toenail(s)	44	8,920	3,770	700	1,410	210	50	50	—	30	2,700
Multiple lower extremities locations	48	6,530	2,700	710	1,040	50	30	40	—	—	1,960
Multiple lower extremities locations, unspecified	480	130	50	—	—	—	—	—	—	—	70
Foot(feet) and leg(s)	481	570	280	50	70	—	—	—	—	—	150
Foot(feet) and ankle(s)	482	1,870	900	180	250	20	—	20	—	—	490

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foot(feet) and toe(s)	483	720	180	50	160	—	—	—	—	—	330
Multiple lower extremities locations, n.e.c.	489	3,240	1,290	420	560	20	—	—	—	—	930
Lower extremities, n.e.c.	49	270	80	20	110	—	—	—	—	—	50
Body systems	5	16,420	6,020	1,370	1,740	440	50	90	—	100	6,600
Multiple body parts	8	105,510	42,730	10,590	13,290	1,800	310	260	30	40	36,450
Other body parts	9	340	290	—	20	—	—	—	—	—	30
Other body parts, n.e.c.	98	320	280	—	20	—	—	—	—	—	20
Nonclassifiable	9999	7,190	2,300	500	910	100	20	50	—	—	3,320

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies