

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		964,990	596,930	363,930	4,130	78,750	169,300	379,030	324,950	12,960
Head	0	64,590	43,510	20,810	270	6,070	12,540	25,370	19,870	740
Head, unspecified	00	15,890	8,460	7,380	50	1,420	2,850	6,620	4,850	140
Cranial region, including skull	01	9,460	5,180	4,230	60	680	1,860	3,730	3,100	100
Cranial region, unspecified	010	320	180	140	-	-	20	150	140	-
Brain	011	6,420	3,140	3,240	30	490	1,420	2,740	1,720	50
Scalp	012	1,710	1,070	620	20	160	250	600	670	40
Skull	013	830	690	130	-	-	140	190	480	-
Multiple cranial region locations	018	120	70	50	-	-	20	30	70	-
Cranial region, n.e.c.	019	60	20	40	-	-	20	-	20	-
Ear(s)	02	1,040	680	350	-	60	110	370	470	30
Face	03	37,260	28,590	8,530	150	3,830	7,570	14,240	11,160	470
Face, unspecified	030	3,350	1,980	1,370	-	260	560	1,580	890	60
Forehead	031	2,000	1,390	600	-	130	570	610	680	-
Eye(s)	032	23,720	19,580	4,080	60	2,690	4,490	9,130	7,150	260
Nose, nasal cavity	033	2,010	1,290	710	20	230	540	660	560	20
Nose, except internal location of diseases or disorders	0330	1,950	1,230	690	20	230	510	640	540	20
Internal nasal location, unspecified	0331	20	-	-	-	-	-	-	-	-
Sinuses	0334	50	50	-	-	-	30	-	-	-
Cheek(s)	034	1,060	900	150	-	190	120	310	400	30
Jaw/chin	035	740	400	330	-	30	130	350	210	20
Mouth	036	1,950	1,480	450	20	110	690	660	480	20
Mouth, unspecified	0360	560	510	50	-	-	420	60	70	-
Lip(s)	0361	410	270	140	-	-	70	220	110	-
Tooth(teeth)	0363	810	600	210	-	70	160	300	270	-
Multiple mouth locations	0368	150	110	40	-	20	20	80	20	-
Multiple face locations	038	1,920	1,200	710	-	130	250	840	680	-
Face, n.e.c.	039	500	360	130	-	60	230	100	100	20
Multiple head locations	08	810	530	280	-	80	100	390	240	-
Head, n.e.c.	09	130	80	40	-	-	40	40	50	-
Neck, including throat	1	11,860	6,580	5,170	110	900	1,880	5,060	3,830	180
Neck, except internal location of diseases or disorders ...	10	11,740	6,560	5,070	110	900	1,850	5,000	3,800	180
Internal neck location, unspecified	11	50	-	30	-	-	-	30	20	-
Multiple internal neck locations	18	40	-	40	-	-	-	20	-	-
Trunk	2	324,130	206,580	116,350	1,200	20,400	56,430	130,480	112,920	3,900
Trunk, unspecified	20	1,770	1,190	570	-	120	270	960	410	-
Shoulder, including clavicle, scapula	21	67,730	42,890	24,520	320	4,150	10,360	25,320	27,070	840
Chest, including ribs, internal organs	22	15,830	11,670	4,090	70	1,110	2,710	6,000	5,840	180
Chest, except internal location of diseases or disorders	220	14,720	11,130	3,530	70	1,040	2,520	5,630	5,380	160
Internal chest location, unspecified	221	110	50	50	-	-	-	30	60	-
Heart	223	220	150	70	-	-	40	80	80	-

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Bronchus	224	80	60	20	—	—	—	60	20	—
Lung(s), pleura	225	690	280	410	—	50	130	190	310	20
Back, including spine, spinal cord	23	195,150	118,040	76,450	670	12,750	35,480	82,430	62,200	2,290
Back, including spine, spinal cord, unspecified	230	79,350	48,850	30,480	30	5,990	14,950	33,680	23,990	750
Lumbar region	231	96,530	58,470	37,480	570	5,640	17,020	40,570	31,940	1,360
Thoracic region	232	8,570	4,870	3,650	60	490	1,680	3,770	2,550	90
Sacral region	233	390	200	190	—	20	60	130	170	—
Coccygeal region	234	1,480	830	660	—	190	250	680	360	—
Multiple back regions	238	5,600	2,810	2,780	—	270	1,030	2,300	1,960	30
Back, including spine, spinal cord, n.e.c.	239	3,220	2,010	1,210	—	140	490	1,300	1,230	60
Abdomen	24	21,080	18,010	3,030	40	890	2,930	8,160	8,750	360
Abdomen, except internal location of diseases or disorders	240	6,090	4,070	2,000	20	470	1,190	2,560	1,810	60
Internal abdominal location, unspecified	241	6,740	6,350	370	20	160	760	2,710	2,860	240
Stomach organ	242	340	250	90	—	—	50	130	160	—
Urinary organs	244	50	40	—	—	—	30	—	—	—
Kidney(s)	2442	20	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	7,210	520	—	240	890	2,710	3,850	50
Intestines, peritoneum, unspecified	2450	6,420	6,010	410	—	170	720	2,080	3,410	50
Peritoneum	2451	1,130	1,080	50	—	30	150	550	390	—
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	100	50	—	40	—	70	30	—
Other digestive structures	246	20	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	70	20	—	—	20	20	50	—
Pelvic region	25	15,800	10,650	5,060	100	860	3,110	5,310	6,330	190
Pelvic region, unspecified	250	230	190	40	—	70	20	50	90	—
Hip(s)	251	7,720	4,160	3,520	40	430	1,530	2,260	3,410	80
Pelvis	252	410	230	180	—	40	100	110	160	—
Buttock(s)	253	1,220	560	650	—	50	150	610	390	—
Groin	254	5,890	5,320	550	20	250	1,250	2,160	2,170	70
External reproductive tract structures	255	200	140	30	30	—	30	80	50	30
External reproductive tract structures, unspecified ..	2550	70	40	—	30	—	—	30	—	30
Scrotum	2551	70	70	—	—	—	20	20	30	—
Penis	2552	30	30	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	20	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	20	—	—	—	20	—	—
Uterus	2564	20	—	20	—	—	—	20	—	—
Multiple pelvic region locations	258	80	30	50	—	—	—	20	40	—
Pelvic region, n.e.c.	259	20	—	20	—	—	—	—	—	—
Multiple trunk locations	28	6,200	3,660	2,540	—	460	1,490	2,140	2,080	30
Trunk, n.e.c.	29	570	480	90	—	70	90	170	250	—
Upper extremities	3	220,730	140,870	79,180	680	22,690	38,580	84,860	71,250	3,350
Upper extremities, unspecified	30	320	130	180	—	20	80	90	130	—
Arm(s)	31	45,600	28,970	16,420	210	4,430	7,980	16,800	15,740	650
Arm(s), unspecified	310	13,770	8,240	5,530	—	970	2,770	5,520	4,310	210
Upper arm(s)	311	4,640	3,050	1,540	50	590	590	1,470	1,930	60

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Elbow(s)	312	14,520	9,630	4,810	80	1,530	2,460	4,630	5,710	190
Forearm(s)	313	9,160	6,340	2,750	70	1,190	1,750	3,650	2,400	160
Multiple arm(s) locations	318	2,940	1,420	1,520	—	90	340	1,300	1,200	—
Arm(s), n.e.c.	319	550	290	260	—	60	60	220	200	—
Wrist(s)	32	40,220	19,090	21,020	110	2,690	5,980	14,640	16,520	390
Hand(s), except finger(s)	33	39,040	27,560	11,390	100	5,160	7,380	15,050	10,980	480
Finger(s), fingernail(s)	34	82,460	57,400	24,820	230	9,410	15,010	33,640	22,750	1,650
Multiple upper extremities locations	38	12,910	7,610	5,280	20	970	2,140	4,600	5,030	170
Multiple upper extremities locations, unspecified	380	150	100	50	—	30	20	70	40	—
Hand(s) and finger(s)	381	3,800	2,700	1,090	20	330	670	1,520	1,220	60
Hand(s) and wrist(s)	382	2,750	1,380	1,380	—	310	450	880	1,070	30
Hand(s) and arm(s)	383	1,970	1,230	740	—	90	330	550	940	—
Multiple upper extremities locations, n.e.c.	389	4,240	2,200	2,030	—	210	670	1,580	1,770	—
Upper extremities, n.e.c.	39	180	100	80	—	—	20	50	100	—
Lower extremities	4	214,220	135,690	77,590	940	19,020	36,850	80,960	75,120	2,260
Lower extremities, unspecified	40	390	180	190	20	20	180	90	90	20
Leg(s)	41	116,170	74,120	41,500	550	9,910	18,440	42,240	44,320	1,260
Leg(s), unspecified	410	13,790	9,410	4,380	—	1,440	2,410	5,140	4,680	120
Thigh(s)	411	4,900	3,370	1,490	40	810	700	1,460	1,870	60
Knee(s)	412	83,730	51,820	31,500	410	6,370	13,160	30,780	32,520	900
Lower leg(s)	413	9,770	7,170	2,500	100	880	1,600	3,400	3,730	150
Multiple leg(s) locations	418	3,260	1,880	1,380	—	350	490	1,210	1,180	20
Leg(s), n.e.c.	419	730	460	260	—	60	80	240	340	—
Ankle(s)	42	49,050	29,370	19,440	240	4,610	9,380	19,770	14,770	540
Foot(feet), except toe(s)	43	32,880	22,010	10,770	100	2,980	6,190	12,360	11,040	310
Foot(feet), except toe(s), unspecified	430	29,110	19,200	9,820	90	2,680	5,580	10,850	9,720	270
Instep(s)	431	120	60	60	—	—	—	60	40	—
Sole	432	2,140	1,600	530	—	160	400	830	730	30
Sole(s), unspecified	4320	240	210	30	—	20	20	110	90	—
Ball(s) of foot	4321	40	30	—	—	—	—	—	—	—
Arch(es)	4322	50	20	40	—	—	—	—	30	—
Heel(s)	4323	1,800	1,350	450	—	120	370	700	590	20
Multiple foot(feet) locations	438	390	240	140	—	70	90	130	90	—
Foot(feet), n.e.c.	439	1,130	910	210	—	60	110	490	470	—
Toe(s), toenail(s)	44	8,920	6,100	2,800	30	1,010	1,520	3,720	2,590	90
Multiple lower extremities locations	48	6,530	3,730	2,810	—	490	1,120	2,700	2,170	50
Multiple lower extremities locations, unspecified	480	130	80	50	—	—	—	70	50	—
Foot(feet) and leg(s)	481	570	350	230	—	20	100	230	220	—
Foot(feet) and ankle(s)	482	1,870	990	880	—	140	330	810	540	40
Foot(feet) and toe(s)	483	720	560	170	—	60	130	280	240	—
Multiple lower extremities locations, n.e.c.	489	3,240	1,760	1,480	—	260	540	1,310	1,120	—
Lower extremities, n.e.c.	49	270	190	70	—	—	30	80	150	—
Body systems	5	16,420	6,950	9,450	20	1,120	3,520	6,450	5,080	240
Multiple body parts	8	105,510	52,650	52,720	140	8,180	18,280	43,530	34,710	810
Other body parts	9	340	250	90	—	—	230	70	40	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other body parts, n.e.c.	98	320	240	90	—	—	230	60	30	—
Nonclassifiable	9999	7,190	3,840	2,580	770	360	1,000	2,240	2,130	1,460

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies