

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		964,990	140,400	14.5	105,900	11.0	168,500	17.5
Head	0	64,590	20,930	32.4	10,890	16.9	13,910	21.5
Head, unspecified	00	15,890	4,580	28.8	2,440	15.4	3,740	23.5
Cranial region, including skull	01	9,460	1,900	20.1	1,120	11.8	2,020	21.4
Cranial region, unspecified	010	320	80	25.0	90	28.1	90	28.1
Brain	011	6,420	1,150	17.9	650	10.1	1,470	22.9
Scalp	012	1,710	550	32.2	330	19.3	310	18.1
Skull	013	830	100	12.0	20	2.4	80	9.6
Multiple cranial region locations	018	120	-	-	20	16.7	60	50.0
Cranial region, n.e.c.	019	60	-	-	-	-	20	33.3
Ear(s)	02	1,040	360	34.6	130	12.5	230	22.1
Face	03	37,260	13,920	37.4	7,090	19.0	7,700	20.7
Face, unspecified	030	3,350	850	25.4	760	22.7	630	18.8
Forehead	031	2,000	800	40.0	330	16.5	410	20.5
Eye(s)	032	23,720	9,980	42.1	4,900	20.7	4,450	18.8
Nose, nasal cavity	033	2,010	610	30.3	170	8.5	590	29.4
Nose, except internal location of diseases or disorders	0330	1,950	600	30.8	160	8.2	550	28.2
Internal nasal location, unspecified	0331	20	-	-	-	-	-	-
Sinuses	0334	50	-	-	-	-	-	-
Cheek(s)	034	1,060	120	11.3	130	12.3	320	30.2
Jaw/chin	035	740	260	35.1	90	12.2	160	21.6
Mouth	036	1,950	590	30.3	330	16.9	690	35.4
Mouth, unspecified	0360	560	180	32.1	30	5.4	330	58.9
Lip(s)	0361	410	110	26.8	130	31.7	100	24.4
Tooth(teeth)	0363	810	250	30.9	150	18.5	230	28.4
Multiple mouth locations	0368	150	40	26.7	20	13.3	30	20.0
Multiple face locations	038	1,920	450	23.4	330	17.2	360	18.8
Face, n.e.c.	039	500	260	52.0	60	12.0	90	18.0
Multiple head locations	08	810	110	13.6	100	12.3	190	23.5
Head, n.e.c.	09	130	60	46.2	-	-	30	23.1
Neck, including throat	1	11,860	2,090	17.6	1,420	12.0	2,210	18.6
Neck, except internal location of diseases or disorders ...	10	11,740	2,060	17.5	1,410	12.0	2,190	18.7
Internal neck location, unspecified	11	50	30	60.0	-	-	-	-
Multiple internal neck locations	18	40	-	-	-	-	-	-
Trunk	2	324,130	35,630	11.0	31,870	9.8	57,680	17.8
Trunk, unspecified	20	1,770	240	13.6	180	10.2	270	15.3
Shoulder, including clavicle, scapula	21	67,730	5,060	7.5	4,370	6.5	9,290	13.7
Chest, including ribs, internal organs	22	15,830	2,480	15.7	1,750	11.1	3,330	21.0
Chest, except internal location of diseases or disorders	220	14,720	2,300	15.6	1,580	10.7	3,120	21.2
Internal chest location, unspecified	221	110	50	45.5	20	18.2	-	-
Heart	223	220	-	-	-	-	50	22.7
Bronchus	224	80	-	-	-	-	-	-

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	120,370	12.5	110,590	11.5	61,600	6.4	257,630	26.7	8
Head	6,690	10.4	5,270	8.2	1,340	2.1	5,560	8.6	3
Head, unspecified	1,780	11.2	1,330	8.4	460	2.9	1,550	9.8	3
Cranial region, including skull	1,660	17.5	1,020	10.8	280	3.0	1,470	15.5	5
Cranial region, unspecified	—	—	40	12.5	—	—	—	—	2
Brain	1,440	22.4	410	6.4	240	3.7	1,060	16.5	5
Scalp	150	8.8	160	9.4	20	1.2	190	11.1	2
Skull	40	4.8	390	47.0	—	—	180	21.7	14
Multiple cranial region locations	—	—	—	—	—	—	20	16.7	5
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	3
Ear(s)	100	9.6	100	9.6	30	2.9	80	7.7	3
Face	3,030	8.1	2,770	7.4	500	1.3	2,240	6.0	2
Face, unspecified	420	12.5	340	10.1	60	1.8	290	8.7	3
Forehead	210	10.5	80	4.0	50	2.5	120	6.0	2
Eye(s)	1,610	6.8	1,460	6.2	180	.8	1,150	4.8	2
Nose, nasal cavity	290	14.4	190	9.5	60	3.0	110	5.5	3
Nose, except internal location of diseases or disorders	280	14.4	190	9.7	60	3.1	110	5.6	3
Internal nasal location, unspecified	—	—	—	—	—	—	—	—	8
Sinuses	—	—	—	—	—	—	—	—	3
Cheek(s)	90	8.5	290	27.4	20	1.9	100	9.4	5
Jaw/chin	80	10.8	50	6.8	40	5.4	60	8.1	3
Mouth	150	7.7	120	6.2	20	1.0	60	3.1	3
Mouth, unspecified	—	—	—	—	—	—	—	—	4
Lip(s)	40	9.8	—	—	—	—	20	4.9	2
Tooth(teeth)	80	9.9	70	8.6	—	—	—	—	3
Multiple mouth locations	30	20.0	30	20.0	—	—	—	—	5
Multiple face locations	140	7.3	220	11.5	70	3.6	360	18.8	4
Face, n.e.c.	40	8.0	30	6.0	—	—	20	4.0	1
Multiple head locations	120	14.8	50	6.2	50	6.2	200	24.7	6
Head, n.e.c.	—	—	—	—	—	—	20	15.4	2
Neck, including throat	1,320	11.1	1,120	9.4	630	5.3	3,060	25.8	6
Neck, except internal location of diseases or disorders ...	1,320	11.2	1,120	9.5	610	5.2	3,040	25.9	6
Internal neck location, unspecified	—	—	—	—	—	—	—	—	1
Multiple internal neck locations	—	—	—	—	—	—	—	—	3
Trunk	43,090	13.3	37,980	11.7	23,200	7.2	94,690	29.2	10
Trunk, unspecified	630	35.6	150	8.5	50	2.8	240	13.6	10
Shoulder, including clavicle, scapula	6,690	9.9	7,760	11.5	5,410	8.0	29,150	43.0	22
Chest, including ribs, internal organs	2,100	13.3	2,360	14.9	1,030	6.5	2,780	17.6	6
Chest, except internal location of diseases or disorders	1,930	13.1	2,210	15.0	1,000	6.8	2,580	17.5	6
Internal chest location, unspecified	—	—	—	—	—	—	20	18.2	2
Heart	20	9.1	30	13.6	—	—	90	40.9	15
Bronchus	—	—	40	50.0	—	—	—	—	11

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Lung(s), pleura	225	690	120	17.4	140	20.3	130	18.8
Back, including spine, spinal cord	23	195,150	24,040	12.3	22,250	11.4	38,950	20.0
Back, including spine, spinal cord, unspecified	230	79,350	9,660	12.2	9,490	12.0	16,850	21.2
Lumbar region	231	96,530	11,520	11.9	10,520	10.9	18,450	19.1
Thoracic region	232	8,570	1,570	18.3	1,310	15.3	1,720	20.1
Sacral region	233	390	60	15.4	20	5.1	100	25.6
Coccygeal region	234	1,480	190	12.8	120	8.1	180	12.2
Multiple back regions	238	5,600	840	15.0	550	9.8	1,100	19.6
Back, including spine, spinal cord, n.e.c.	239	3,220	210	6.5	230	7.1	550	17.1
Abdomen	24	21,080	1,210	5.7	840	4.0	2,130	10.1
Abdomen, except internal location of diseases or disorders	240	6,090	890	14.6	530	8.7	970	15.9
Internal abdominal location, unspecified	241	6,740	140	2.1	90	1.3	560	8.3
Stomach organ	242	340	20	5.9	60	17.6	40	11.8
Urinary organs	244	50	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	150	1.9	160	2.1	560	7.2
Intestines, peritoneum, unspecified	2450	6,420	110	1.7	120	1.9	520	8.1
Peritoneum	2451	1,130	40	3.5	30	2.7	20	1.8
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	—	—	—	—	20	13.3
Other digestive structures	246	20	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	—
Pelvic region	25	15,800	1,940	12.3	1,440	9.1	2,320	14.7
Pelvic region, unspecified	250	230	30	13.0	—	—	—	—
Hip(s)	251	7,720	920	11.9	580	7.5	1,090	14.1
Pelvis	252	410	20	4.9	—	—	60	14.6
Buttock(s)	253	1,220	240	19.7	170	13.9	200	16.4
Groin	254	5,890	690	11.7	650	11.0	870	14.8
External reproductive tract structures	255	200	30	15.0	20	10.0	60	30.0
External reproductive tract structures, unspecified ..	2550	70	—	—	—	—	30	42.9
Scrotum	2551	70	—	—	—	—	20	28.6
Penis	2552	30	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—
Multiple pelvic region locations	258	80	—	—	—	—	20	25.0
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—
Multiple trunk locations	28	6,200	630	10.2	970	15.6	1,280	20.6
Trunk, n.e.c.	29	570	20	3.5	70	12.3	120	21.1
Upper extremities	3	220,730	37,900	17.2	25,250	11.4	37,270	16.9
Upper extremities, unspecified	30	320	30	9.4	20	6.2	90	28.1
Arm(s)	31	45,600	7,520	16.5	4,680	10.3	7,630	16.7
Arm(s), unspecified	310	13,770	2,030	14.7	1,570	11.4	2,350	17.1
Upper arm(s)	311	4,640	420	9.1	720	15.5	560	12.1
Elbow(s)	312	14,520	1,830	12.6	1,310	9.0	2,550	17.6
Forearm(s)	313	9,160	2,700	29.5	890	9.7	1,400	15.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Lung(s), pleura	140	20.3	50	7.2	20	2.9	90	13.0	5
Back, including spine, spinal cord	28,450	14.6	21,170	10.8	12,520	6.4	47,770	24.5	7
Back, including spine, spinal cord, unspecified	10,600	13.4	8,210	10.3	5,310	6.7	19,230	24.2	7
Lumbar region	14,910	15.4	10,870	11.3	6,150	6.4	24,120	25.0	7
Thoracic region	1,080	12.6	920	10.7	500	5.8	1,470	17.2	5
Sacral region	40	10.3	80	20.5	—	—	70	17.9	6
Coccygeal region	210	14.2	120	8.1	110	7.4	560	37.8	15
Multiple back regions	870	15.5	600	10.7	310	5.5	1,320	23.6	7
Back, including spine, spinal cord, n.e.c.	750	23.3	370	11.5	130	4.0	990	30.7	8
Abdomen	2,260	10.7	4,060	19.3	3,000	14.2	7,570	35.9	21
Abdomen, except internal location of diseases or disorders	810	13.3	950	15.6	750	12.3	1,190	19.5	10
Internal abdominal location, unspecified	640	9.5	1,540	22.8	1,070	15.9	2,700	40.1	24
Stomach organ	30	8.8	40	11.8	80	23.5	80	23.5	17
Urinary organs	—	—	—	—	—	—	—	—	7
Kidney(s)	—	—	—	—	—	—	—	—	7
Intestines, peritoneum	760	9.8	1,510	19.5	1,080	14.0	3,510	45.4	27
Intestines, peritoneum, unspecified	720	11.2	1,320	20.6	1,040	16.2	2,600	40.5	23
Peritoneum	40	3.5	170	15.0	40	3.5	800	70.8	62
Large intestine/colon, rectum	—	—	—	—	—	—	—	—	2
Intestines, n.e.c.	—	—	—	—	—	—	100	66.7	35
Other digestive structures	—	—	—	—	—	—	—	—	11
Liver	—	—	—	—	—	—	—	—	11
Internal abdominal location, n.e.c.	—	—	—	—	—	—	70	77.8	63
Pelvic region	2,080	13.2	1,620	10.3	820	5.2	5,600	35.4	12
Pelvic region, unspecified	—	—	70	30.4	20	8.7	80	34.8	13
Hip(s)	840	10.9	490	6.3	340	4.4	3,470	44.9	20
Pelvis	50	12.2	30	7.3	30	7.3	220	53.7	31
Buttock(s)	290	23.8	150	12.3	40	3.3	130	10.7	5
Groin	820	13.9	840	14.3	390	6.6	1,620	27.5	10
External reproductive tract structures	40	20.0	30	15.0	—	—	30	15.0	6
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	20	28.6	3
Scrotum	20	28.6	—	—	—	—	20	28.6	5
Penis	—	—	—	—	—	—	—	—	7
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	13
Internal reproductive tract structures	—	—	—	—	—	—	20	66.7	176
Uterus	—	—	—	—	—	—	—	—	176
Multiple pelvic region locations	20	25.0	—	—	—	—	20	25.0	6
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	90
Multiple trunk locations	770	12.4	780	12.6	350	5.6	1,420	22.9	7
Trunk, n.e.c.	100	17.5	80	14.0	20	3.5	160	28.1	9
Upper extremities	27,750	12.6	27,140	12.3	14,300	6.5	51,120	23.2	7
Upper extremities, unspecified	—	—	40	12.5	20	6.2	100	31.2	11
Arm(s)	5,000	11.0	4,990	10.9	3,230	7.1	12,560	27.5	8
Arm(s), unspecified	1,250	9.1	1,470	10.7	1,040	7.6	4,070	29.6	9
Upper arm(s)	480	10.3	470	10.1	200	4.3	1,790	38.6	13
Elbow(s)	1,670	11.5	2,010	13.8	1,150	7.9	4,010	27.6	10
Forearm(s)	1,130	12.3	850	9.3	660	7.2	1,530	16.7	5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple arm(s) locations	318	2,940	490	16.7	140	4.8	730	24.8
Arm(s), n.e.c.	319	550	50	9.1	40	7.3	50	9.1
Wrist(s)	32	40,220	4,120	10.2	3,550	8.8	5,430	13.5
Hand(s), except finger(s)	33	39,040	7,730	19.8	5,530	14.2	6,620	17.0
Finger(s), fingernail(s)	34	82,460	16,840	20.4	10,100	12.2	15,540	18.8
Multiple upper extremities locations	38	12,910	1,650	12.8	1,360	10.5	1,960	15.2
Multiple upper extremities locations, unspecified	380	150	—	—	—	—	30	20.0
Hand(s) and finger(s)	381	3,800	560	14.7	460	12.1	630	16.6
Hand(s) and wrist(s)	382	2,750	320	11.6	360	13.1	530	19.3
Hand(s) and arm(s)	383	1,970	290	14.7	110	5.6	190	9.6
Multiple upper extremities locations, n.e.c.	389	4,240	470	11.1	420	9.9	580	13.7
Upper extremities, n.e.c.	39	180	—	—	—	—	—	—
Lower extremities	4	214,220	25,400	11.9	21,160	9.9	35,770	16.7
Lower extremities, unspecified	40	390	40	10.3	30	7.7	90	23.1
Leg(s)	41	116,170	12,730	11.0	9,800	8.4	18,080	15.6
Leg(s), unspecified	410	13,790	2,020	14.6	1,260	9.1	2,680	19.4
Thigh(s)	411	4,900	650	13.3	490	10.0	710	14.5
Knee(s)	412	83,730	7,730	9.2	6,660	8.0	12,440	14.9
Lower leg(s)	413	9,770	1,880	19.2	870	8.9	1,450	14.8
Multiple leg(s) locations	418	3,260	350	10.7	450	13.8	690	21.2
Leg(s), n.e.c.	419	730	80	11.0	70	9.6	110	15.1
Ankle(s)	42	49,050	5,970	12.2	5,540	11.3	9,250	18.9
Foot(feet), except toe(s)	43	32,880	4,420	13.4	3,720	11.3	5,680	17.3
Foot(feet), except toe(s), unspecified	430	29,110	4,010	13.8	3,410	11.7	5,180	17.8
Instep(s)	431	120	20	16.7	—	—	20	16.7
Sole	432	2,140	240	11.2	180	8.4	290	13.6
Sole(s), unspecified	4320	240	60	25.0	60	25.0	30	12.5
Ball(s) of foot	4321	40	—	—	—	—	—	—
Arch(es)	4322	50	—	—	—	—	—	—
Heel(s)	4323	1,800	160	8.9	120	6.7	230	12.8
Multiple foot(feet) locations	438	390	30	7.7	70	17.9	90	23.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple arm(s) locations	350	11.9	180	6.1	160	5.4	900	30.6	7
Arm(s), n.e.c.	110	20.0	30	5.5	—	—	270	49.1	24
Wrist(s)	4,400	10.9	6,130	15.2	2,870	7.1	13,720	34.1	14
Hand(s), except finger(s)	4,550	11.7	4,580	11.7	2,390	6.1	7,630	19.5	5
Finger(s), fingernail(s)	12,010	14.6	9,400	11.4	5,060	6.1	13,500	16.4	5
Multiple upper extremities locations	1,710	13.2	1,980	15.3	700	5.4	3,550	27.5	10
Multiple upper extremities locations, unspecified	—	—	30	20.0	—	—	50	33.3	20
Hand(s) and finger(s)	280	7.4	830	21.8	190	5.0	860	22.6	10
Hand(s) and wrist(s)	270	9.8	380	13.8	180	6.5	710	25.8	7
Hand(s) and arm(s)	610	31.0	350	17.8	60	3.0	350	17.8	9
Multiple upper extremities locations, n.e.c.	530	12.5	380	9.0	270	6.4	1,580	37.3	13
Upper extremities, n.e.c.	60	33.3	20	11.1	20	11.1	60	33.3	17
Lower extremities	25,420	11.9	25,400	11.9	14,750	6.9	66,320	31.0	10
Lower extremities, unspecified	—	—	140	35.9	—	—	70	17.9	13
Leg(s)	14,290	12.3	13,650	11.8	8,270	7.1	39,340	33.9	13
Leg(s), unspecified	1,400	10.2	1,570	11.4	970	7.0	3,900	28.3	9
Thigh(s)	790	16.1	470	9.6	340	6.9	1,440	29.4	8
Knee(s)	10,370	12.4	10,140	12.1	6,050	7.2	30,340	36.2	14
Lower leg(s)	1,160	11.9	1,080	11.1	620	6.3	2,700	27.6	8
Multiple leg(s) locations	540	16.6	260	8.0	220	6.7	740	22.7	6
Leg(s), n.e.c.	30	4.1	120	16.4	80	11.0	230	31.5	18
Ankle(s)	5,650	11.5	6,090	12.4	3,010	6.1	13,540	27.6	8
Foot(feet), except toe(s)	3,840	11.7	3,550	10.8	2,230	6.8	9,450	28.7	9
Foot(feet), except toe(s), unspecified	3,510	12.1	3,300	11.3	1,920	6.6	7,770	26.7	8
Instep(s)	20	16.7	—	—	—	—	30	25.0	6
Sole	150	7.0	130	6.1	230	10.7	920	43.0	24
Sole(s), unspecified	20	8.3	20	8.3	—	—	40	16.7	2
Ball(s) of foot	—	—	—	—	—	—	20	50.0	3
Arch(es)	—	—	—	—	—	—	30	60.0	45
Heel(s)	120	6.7	100	5.6	220	12.2	840	46.7	28
Multiple foot(feet) locations	60	15.4	40	10.3	20	5.1	70	17.9	6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot(feet), n.e.c.	439	1,130	120	10.6	40	3.5	100	8.8
Toe(s), toenail(s)	44	8,920	1,430	16.0	1,450	16.3	1,520	17.0
Multiple lower extremities locations	48	6,530	700	10.7	610	9.3	1,140	17.5
Multiple lower extremities locations, unspecified	480	130	20	15.4	—	—	—	—
Foot(feet) and leg(s)	481	570	50	8.8	50	8.8	190	33.3
Foot(feet) and ankle(s)	482	1,870	140	7.5	190	10.2	320	17.1
Foot(feet) and toe(s)	483	720	110	15.3	80	11.1	120	16.7
Multiple lower extremities locations, n.e.c.	489	3,240	380	11.7	280	8.6	510	15.7
Lower extremities, n.e.c.	49	270	100	37.0	—	—	30	11.1
Body systems	5	16,420	4,090	24.9	2,890	17.6	3,020	18.4
Multiple body parts	8	105,510	12,690	12.0	11,560	11.0	17,650	16.7
Other body parts	9	340	—	—	250	73.5	—	—
Other body parts, n.e.c.	98	320	—	—	240	75.0	—	—
Nonclassifiable	9999	7,190	1,620	22.5	610	8.5	980	13.6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot(feet), n.e.c.	100	8.8	70	6.2	40	3.5	650	57.5	42
Toe(s), toenail(s)	970	10.9	1,250	14.0	630	7.1	1,670	18.7	6
Multiple lower extremities locations	650	10.0	700	10.7	580	8.9	2,160	33.1	12
Multiple lower extremities locations, unspecified	20	15.4	20	15.4	—	—	50	38.5	21
Foot(feet) and leg(s)	40	7.0	30	5.3	20	3.5	190	33.3	5
Foot(feet) and ankle(s)	180	9.6	280	15.0	180	9.6	580	31.0	12
Foot(feet) and toe(s)	110	15.3	70	9.7	40	5.6	200	27.8	7
Multiple lower extremities locations, n.e.c.	300	9.3	300	9.3	330	10.2	1,140	35.2	15
Lower extremities, n.e.c.	20	7.4	20	7.4	—	—	80	29.6	5
Body systems	1,820	11.1	1,130	6.9	680	4.1	2,790	17.0	3
Multiple body parts	13,390	12.7	11,720	11.1	6,240	5.9	32,250	30.6	10
Other body parts	—	—	—	—	—	—	20	5.9	2
Other body parts, n.e.c.	—	—	—	—	—	—	20	6.2	2
Nonclassifiable	870	12.1	820	11.4	470	6.5	1,810	25.2	7

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies