

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|--|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Total | | 964,990 | 6,680 | 78,320 | 94,510 | 202,270 | 152,730 | 135,230 | 65,860 | 15,860 | 5,790 | 730 | 207,020 |
| Traumatic injuries and disorders | 0 | 904,450 | 6,530 | 74,780 | 90,800 | 193,190 | 145,260 | 129,090 | 62,640 | 15,100 | 5,530 | 710 | 180,820 |
| Traumatic injuries and disorders, unspecified | 00 | 35,330 | 240 | 2,990 | 3,150 | 6,220 | 5,950 | 4,720 | 1,850 | 450 | 240 | – | 9,510 |
| Traumatic injuries to bones, nerves, spinal cord | 01 | 85,190 | 1,270 | 6,750 | 7,830 | 18,480 | 14,630 | 13,530 | 7,170 | 1,550 | 480 | 100 | 13,410 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 010 | 1,040 | 90 | 80 | 30 | 150 | 160 | 90 | 80 | – | – | – | 350 |
| Dislocations | 011 | 6,560 | 30 | 520 | 620 | 1,190 | 1,160 | 1,190 | 470 | 180 | 50 | – | 1,170 |
| Fractures | 012 | 75,070 | 1,140 | 6,020 | 7,020 | 16,520 | 12,870 | 11,740 | 6,400 | 1,310 | 420 | 100 | 11,530 |
| Traumatic injuries to spinal cord | 013 | 80 | – | – | – | 30 | – | – | – | – | – | – | 30 |
| Traumatic injuries to nerves, except the spinal cord | 014 | 530 | – | – | – | 50 | 220 | 140 | 40 | – | – | – | 70 |
| Multiple traumatic injuries to bones, nerves, spinal cord | 018 | 1,660 | – | 110 | 100 | 500 | 210 | 350 | 90 | 60 | – | – | 230 |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 019 | 240 | – | – | 40 | 40 | – | 20 | 90 | – | – | – | 20 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 02 | 385,260 | 2,130 | 32,260 | 38,500 | 81,760 | 60,740 | 53,060 | 25,160 | 6,410 | 2,500 | 400 | 82,330 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 020 | 1,730 | – | 110 | 90 | 380 | 220 | 210 | 100 | 40 | – | – | 570 |
| Sprains, strains, tears | 021 | 379,340 | 2,110 | 31,850 | 38,140 | 80,300 | 59,990 | 52,300 | 24,860 | 6,330 | 2,480 | 400 | 80,560 |
| Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 029 | 4,190 | – | 310 | 270 | 1,080 | 530 | 560 | 200 | 30 | – | – | 1,200 |
| Open wounds | 03 | 100,680 | 120 | 7,830 | 11,120 | 23,690 | 15,800 | 15,630 | 6,470 | 1,560 | 620 | 20 | 17,820 |
| Open wounds, unspecified | 030 | 850 | – | 40 | 100 | 90 | 90 | 130 | 160 | – | – | – | 240 |
| Amputations | 031 | 5,930 | – | 350 | 540 | 1,630 | 1,050 | 1,010 | 460 | 130 | – | – | 740 |
| Amputations, fingertip | 0311 | 4,140 | – | 210 | 350 | 1,170 | 770 | 720 | 380 | 110 | – | – | 420 |
| Amputations, except fingertip | 0319 | 1,790 | – | 140 | 190 | 450 | 280 | 290 | 90 | 20 | – | – | 320 |
| Animal or insect bites | 032 | 4,730 | – | 320 | 460 | 1,110 | 560 | 450 | 220 | 20 | – | – | 1,560 |
| Avulsions | 033 | 1,210 | – | 110 | 100 | 320 | 200 | 170 | 110 | 20 | – | – | 160 |
| Cuts, lacerations | 034 | 75,890 | 110 | 5,980 | 9,360 | 17,010 | 12,150 | 12,100 | 4,570 | 1,240 | 560 | 20 | 12,790 |
| Gunshot wounds | 036 | 150 | – | – | – | 30 | 60 | – | – | – | – | – | 30 |
| Punctures, except bites | 037 | 11,570 | – | 1,010 | 530 | 3,420 | 1,660 | 1,700 | 850 | 130 | 20 | – | 2,230 |
| Multiple open wounds | 038 | 130 | – | – | – | 40 | 20 | – | 40 | – | – | – | – |
| Open wounds, n.e.c. | 039 | 230 | – | – | – | 40 | 20 | 50 | 40 | – | – | – | 60 |
| Surface wounds and bruises | 04 | 98,590 | 1,030 | 8,150 | 9,260 | 21,900 | 16,890 | 14,880 | 7,980 | 1,770 | 460 | 70 | 16,190 |
| Surface wounds and bruises, unspecified | 040 | 360 | – | 60 | 20 | 130 | 30 | 80 | 30 | – | – | – | 20 |
| Abrasions, scratches | 041 | 6,810 | 30 | 500 | 890 | 1,570 | 1,050 | 790 | 530 | 140 | – | – | 1,310 |
| Blisters | 042 | 240 | – | – | – | 110 | 30 | – | 20 | – | – | – | 50 |
| Bruises, contusions | 043 | 82,690 | 1,000 | 7,060 | 7,880 | 18,320 | 14,110 | 12,800 | 6,670 | 1,510 | 440 | 60 | 12,850 |
| Foreign bodies (superficial splinters, chips) | 044 | 7,720 | – | 450 | 420 | 1,570 | 1,580 | 1,010 | 680 | 120 | – | – | 1,880 |
| Friction burns | 045 | 50 | – | – | – | – | 30 | – | – | – | – | – | – |
| Multiple surface wounds and bruises ... | 048 | 560 | – | 60 | 20 | 190 | 40 | 120 | 60 | 20 | – | – | 60 |
| Surface wounds and bruises, n.e.c. | 049 | 160 | – | – | 20 | – | – | 70 | – | – | – | – | 30 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Burns | 05 | 20,520 | 40 | 1,820 | 2,650 | 4,550 | 3,400 | 2,990 | 1,150 | 290 | 260 | — | 3,380 |
| Burns, unspecified | 050 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Chemical burns | 051 | 4,740 | 20 | 440 | 520 | 900 | 580 | 780 | 330 | 110 | 110 | — | 950 |
| Electrical burns | 052 | 1,020 | — | 340 | 60 | 160 | 60 | 180 | 30 | — | — | — | 170 |
| Heat burns, scalds | 053 | 14,710 | 20 | 1,030 | 2,060 | 3,470 | 2,760 | 2,010 | 790 | 170 | 150 | — | 2,250 |
| Intracranial injuries | 06 | 5,640 | 70 | 390 | 590 | 1,140 | 1,030 | 780 | 350 | 230 | 20 | — | 1,040 |
| Intracranial injuries, unspecified | 060 | 220 | — | 30 | — | 60 | 20 | 40 | — | — | — | — | 40 |
| Cerebral hemorrhages | 061 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Concussions | 062 | 5,350 | 70 | 350 | 570 | 1,070 | 1,000 | 720 | 330 | 220 | 20 | — | 990 |
| Intracranial injuries, n.e.c. | 069 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Effects of environmental conditions | 07 | 1,910 | — | 20 | 100 | 290 | 500 | 330 | 250 | 80 | 30 | — | 320 |
| Effects of environmental conditions, unspecified | 070 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Effects of reduced temperature | 071 | 90 | — | — | — | 20 | — | 30 | — | — | — | — | 30 |
| Frostbite | 0711 | 60 | — | — | — | — | — | — | — | — | — | — | 20 |
| Effects of heat and light | 072 | 1,680 | — | — | 90 | 260 | 400 | 290 | 240 | 80 | 30 | — | 270 |
| Effects of heat and light, unspecified | 0720 | 40 | — | — | — | — | — | — | — | — | — | — | — |
| Heat stroke | 0721 | 200 | — | — | — | 60 | 20 | 20 | 30 | — | — | — | 80 |
| Heat syncope | 0722 | 70 | — | — | 30 | — | — | — | — | — | — | — | — |
| Heat fatigue | 0723 | 210 | — | — | — | 30 | 30 | 30 | 80 | 20 | — | — | — |
| Multiple effects of heat and light | 0728 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Effects of heat and light, n.e.c. | 0729 | 1,130 | — | — | 50 | 170 | 330 | 220 | 120 | 50 | 30 | — | 150 |
| Effects of air pressure | 073 | 120 | — | — | — | — | 90 | — | — | — | — | — | — |
| Effects of air pressure, unspecified .. | 0730 | 80 | — | — | — | — | — | — | — | — | — | — | — |
| Effects of air pressure, n.e.c. | 0739 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders .. | 08 | 38,820 | 760 | 3,830 | 4,190 | 9,140 | 6,000 | 6,110 | 3,200 | 870 | 340 | 40 | 4,330 |
| Multiple traumatic injuries and disorders, unspecified | 080 | 2,090 | 60 | 160 | 120 | 440 | 330 | 300 | 140 | 30 | — | — | 520 |
| Cuts, abrasions, bruises | 081 | 6,280 | 170 | 530 | 840 | 1,630 | 710 | 840 | 560 | 110 | 50 | — | 840 |
| Sprains and bruises | 082 | 14,160 | 340 | 1,650 | 1,430 | 3,090 | 2,670 | 1,890 | 1,150 | 390 | 70 | — | 1,470 |
| Fractures and burns | 083 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Fractures and other injuries | 084 | 9,640 | 90 | 780 | 1,230 | 2,220 | 1,420 | 2,010 | 620 | 230 | 130 | — | 890 |
| Burns and other injuries | 085 | 190 | — | 40 | — | — | — | 60 | 50 | — | — | — | 20 |
| Intracranial injuries and injuries to internal organs | 086 | 60 | — | — | — | 20 | — | 30 | — | — | — | — | — |
| Other combinations of traumatic injuries and disorders, n.e.c. | 089 | 6,370 | 110 | 690 | 580 | 1,730 | 850 | 970 | 680 | 100 | 80 | — | 590 |
| Other traumatic injuries and disorders | 09 | 132,520 | 880 | 10,740 | 13,410 | 26,020 | 20,310 | 17,060 | 9,070 | 1,900 | 590 | 70 | 32,480 |
| Other traumatic injuries and disorders, unspecified | 090 | 210 | — | 30 | 20 | 20 | 40 | 20 | 40 | — | — | — | 30 |
| Asphyxiations/strangulations, suffocations | 091 | 160 | — | — | — | 70 | 20 | 20 | — | — | — | — | 20 |
| Electrocutions, electric shocks | 093 | 1,600 | — | 170 | 110 | 230 | 310 | 110 | 370 | 30 | — | — | 250 |
| Internal injuries to organs and blood vessels of the trunk | 094 | 60 | — | — | — | — | 30 | — | — | — | — | — | — |
| Other poisonings and toxic effects | 095 | 6,320 | — | 370 | 790 | 730 | 1,100 | 590 | 450 | 30 | — | — | 2,240 |
| Other poisonings and toxic effects, unspecified | 0950 | 280 | — | — | 20 | 40 | 20 | 140 | — | — | — | — | 50 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | Not reported |
|--|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|---------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | |
| Animal or insect bites and stings, venomous | 0951 | 3,810 | — | 190 | 670 | 540 | 620 | 280 | 390 | — | — | — | 1,080 |
| Other poisonings and toxic effects, n.e.c. | 0959 | 2,230 | — | 170 | 100 | 150 | 460 | 170 | 50 | — | — | — | 1,110 |
| Traumatic complications | 096 | 80 | — | — | — | — | 40 | — | — | — | — | — | — |
| Multiple traumatic complications | 0968 | 50 | — | — | — | — | 30 | — | — | — | — | — | — |
| Traumatic complications, n.e.c. | 0969 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Nonspecified injuries and disorders | 097 | 123,370 | 860 | 10,070 | 12,400 | 24,760 | 18,630 | 16,240 | 8,110 | 1,800 | 580 | 60 | 29,860 |
| Crushing injuries | 0971 | 11,600 | 30 | 690 | 1,490 | 2,530 | 1,870 | 1,830 | 910 | 320 | 80 | — | 1,850 |
| Back pain, hurt back | 0972 | 32,690 | 190 | 2,780 | 3,460 | 6,900 | 4,770 | 4,050 | 1,510 | 400 | 190 | — | 8,450 |
| Soreness, pain, hurt, except the back | 0973 | 69,890 | 540 | 5,730 | 6,500 | 13,750 | 10,500 | 9,060 | 4,950 | 930 | 270 | 40 | 17,610 |
| Multiple nonspecified injuries and disorders | 0978 | 5,100 | 60 | 490 | 570 | 860 | 850 | 750 | 450 | 40 | 30 | — | 980 |
| Nonspecified injuries and disorders, n.e.c. | 0979 | 4,090 | 40 | 380 | 380 | 710 | 640 | 550 | 290 | 110 | — | — | 970 |
| Other traumatic injuries and disorders, n.e.c. | 099 | 710 | — | 80 | 80 | 190 | 140 | 60 | 80 | — | — | — | 50 |
| Systemic diseases and disorders | 1 | 42,050 | 60 | 2,190 | 2,470 | 6,410 | 5,180 | 4,440 | 2,100 | 420 | 170 | — | 18,600 |
| Systemic diseases and disorders, unspecified | 10 | 40 | — | — | — | — | 20 | — | — | — | — | — | — |
| Diseases of the blood and blood forming organs | 11 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 12 | 12,660 | 20 | 650 | 500 | 1,360 | 1,130 | 920 | 440 | 70 | 100 | — | 7,490 |
| Nervous system and sense organs diseases, unspecified | 120 | 80 | — | — | — | — | — | — | 30 | — | — | — | — |
| Inflammatory diseases of the central nervous system | 121 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Degenerative diseases of the central nervous system | 122 | 30 | — | — | — | — | — | — | — | — | — | — | 20 |
| Degenerative diseases of the central nervous system, n.e.c. | 1229 | 20 | — | — | — | — | — | — | — | — | — | — | 20 |
| Other disorders of the central nervous system | 123 | 70 | — | — | — | — | 40 | — | — | — | — | — | — |
| Other disorders of the central nervous system, unspecified | 1230 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Migraine | 1232 | 30 | — | — | — | — | 20 | — | — | — | — | — | — |
| Disorders of the peripheral nervous system | 124 | 9,600 | — | 440 | 320 | 690 | 740 | 320 | 200 | 20 | 100 | — | 6,770 |
| Disorders of the peripheral nervous system, unspecified | 1240 | 210 | — | — | — | — | — | — | — | — | — | — | 170 |
| Carpal tunnel syndrome | 1241 | 9,150 | — | 430 | 300 | 650 | 720 | 280 | 190 | — | 90 | — | 6,450 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | 1242 | 30 | — | — | — | — | — | — | — | — | — | — | 20 |
| Other disorders of the peripheral nervous system, n.e.c. | 1249 | 220 | — | — | — | 20 | — | 30 | — | — | — | — | 130 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|--|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Disorders of the eye, adnexa, vision | 125 | 2,630 | — | 200 | 140 | 570 | 330 | 480 | 190 | 50 | — | — | 650 |
| Disorders of the eye, adnexa, vision, unspecified | 1250 | 470 | — | — | — | 250 | 50 | 110 | 30 | — | — | — | 20 |
| Conjunctivitis non-viral | 1252 | 370 | — | 30 | 50 | 60 | 80 | 70 | 20 | — | — | — | 50 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | 1253 | 440 | — | 90 | 30 | 30 | 20 | 70 | 60 | 20 | — | — | 110 |
| Blindness, low vision | 1255 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Welder's flash | 1256 | 740 | — | — | — | 110 | 80 | 130 | 60 | — | — | — | 320 |
| Visual disturbances | 1258 | 50 | — | — | — | — | — | 30 | — | — | — | — | — |
| Disorders of the eye, adnexa, vision, n.e.c. | 1259 | 540 | — | 60 | 50 | 130 | 80 | 60 | 20 | — | — | — | 130 |
| Disorders of the ear, mastoid process, hearing | 126 | 240 | — | — | 30 | 90 | — | 60 | 20 | — | — | — | 30 |
| Disorders of the ear, mastoid process, hearing, unspecified | 1260 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Deafness, hearing loss or impairment | 1261 | 170 | — | — | 30 | 80 | — | 40 | — | — | — | — | — |
| Tinnitus | 1262 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Otitis media (except aero-) | 1265 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Circulatory system diseases | 13 | 430 | — | 30 | 30 | 50 | 50 | 80 | 30 | — | — | — | 150 |
| Circulatory system diseases, unspecified | 130 | 60 | — | — | — | — | — | — | — | — | — | — | 40 |
| Hypertensive disease | 132 | 40 | — | — | — | — | — | — | — | — | — | — | 30 |
| Ischemic heart disease, including heart attack | 133 | 160 | — | — | 20 | 20 | 20 | 40 | — | — | — | — | 40 |
| Myocardial infarction (heart attack) .. | 1331 | 150 | — | — | 20 | 20 | 20 | 30 | — | — | — | — | 40 |
| Other forms of heart disease | 135 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Cerebrovascular disease | 136 | 90 | — | — | — | — | 30 | 20 | — | — | — | — | — |
| Stroke | 1361 | 80 | — | — | — | — | 20 | 20 | — | — | — | — | — |
| Diseases of arteries, arterioles, capillaries | 137 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Diseases of the veins, lymphatics | 138 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Respiratory system diseases | 14 | 1,630 | — | 110 | 90 | 310 | 140 | 120 | 50 | 20 | — | — | 790 |
| Respiratory system diseases, unspecified | 140 | 130 | — | — | 40 | — | 20 | — | — | — | — | — | 50 |
| Acute respiratory infections (including common cold) | 141 | 150 | — | — | — | 40 | 30 | — | — | — | — | — | 40 |
| Other diseases of upper respiratory tract | 142 | 110 | — | — | — | 30 | — | — | — | — | — | — | 30 |
| Other diseases of upper respiratory tract, unspecified | 1420 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Allergic rhinitis | 1421 | 50 | — | — | — | 20 | — | — | — | — | — | — | — |
| Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis) | 1422 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Other diseases of upper respiratory tract, n.e.c. | 1429 | 20 | — | — | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Pneumonia, influenza | 143 | 690 | — | 40 | — | 80 | 20 | — | — | — | — | — | 510 |
| Influenza | 1432 | 650 | — | 40 | — | 80 | 20 | — | — | — | — | — | 490 |
| Pneumonia, influenza, n.e.c. | 1439 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions | 144 | 470 | — | 40 | 20 | 130 | 50 | 60 | 20 | — | — | — | 140 |
| Chronic obstructive pulmonary disease and allied conditions, unspecified | 1440 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 1441 | 60 | — | — | — | — | — | — | — | — | — | — | — |
| Extrinsic asthma | 1443 | 250 | — | 20 | 20 | 50 | 40 | 40 | — | — | — | — | 70 |
| Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) | 1444 | 70 | — | — | — | 30 | — | — | — | — | — | — | 30 |
| Chronic obstructive pulmonary disease and allied conditions, n.e.c. | 1449 | 50 | — | — | — | — | — | — | — | — | — | — | — |
| Other respiratory system diseases | 149 | 70 | — | — | — | — | — | 20 | — | — | — | — | 20 |
| Other respiratory system diseases, unspecified | 1490 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Atelectasis, collapsed lung | 1495 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Other respiratory system diseases, n.e.c. | 1499 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Digestive system diseases and disorders | 15 | 14,590 | — | 630 | 1,230 | 3,040 | 2,250 | 2,090 | 980 | 170 | 20 | — | 4,150 |
| Hernia | 153 | 14,550 | — | 630 | 1,230 | 3,020 | 2,250 | 2,090 | 980 | 170 | 20 | — | 4,140 |
| Hernia, unspecified | 1530 | 6,310 | — | 320 | 510 | 1,390 | 830 | 980 | 380 | 50 | — | — | 1,830 |
| Inguinal hernia | 1531 | 5,580 | — | 140 | 490 | 1,160 | 1,160 | 570 | 470 | 60 | — | — | 1,530 |
| Hiatal hernia | 1532 | 170 | — | — | — | 40 | 20 | — | — | — | — | — | 90 |
| Ventral hernia | 1533 | 1,480 | — | 70 | 100 | 160 | 130 | 430 | 70 | 40 | — | — | 450 |
| Hernia, n.e.c. | 1539 | 1,010 | — | 100 | 130 | 270 | 110 | 100 | 50 | — | — | — | 240 |
| Genitourinary system diseases and disorders | 16 | 50 | — | — | — | — | — | — | — | — | — | — | 30 |
| Genitourinary system diseases and disorders, n.e.c. | 169 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 17 | 8,610 | 20 | 450 | 500 | 1,140 | 1,160 | 770 | 330 | 80 | — | — | 4,150 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | 170 | 140 | — | — | — | 30 | — | — | — | — | — | — | 100 |
| Arthropathies and related disorders (arthritis) | 171 | 180 | — | — | — | — | — | 40 | — | — | — | — | 110 |
| Dorsopathies | 172 | 880 | — | 80 | 40 | 140 | 350 | 60 | 20 | — | — | — | 180 |
| Dorsopathies, unspecified | 1720 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Sciatica | 1721 | 240 | — | 50 | 20 | 60 | 30 | 30 | — | — | — | — | 50 |
| Lumbago | 1722 | 70 | — | — | — | — | 40 | — | — | — | — | — | 20 |
| Disc disorders, except dislocation | 1723 | 160 | — | — | — | 40 | 20 | 20 | — | — | — | — | 60 |
| Dorsopathies, n.e.c. | 1729 | 400 | — | 20 | — | 30 | 250 | 20 | 20 | — | — | — | 50 |
| Rheumatism, except the back | 173 | 7,280 | — | 340 | 440 | 950 | 780 | 650 | 280 | 70 | — | — | 3,740 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|--|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Rheumatism, except the back, unspecified | 1730 | 560 | — | 20 | 30 | 60 | 100 | 20 | — | — | — | — | 320 |
| Bursitis | 1731 | 480 | — | — | 30 | 40 | 30 | 140 | 30 | — | — | — | 200 |
| Synovitis | 1732 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Tendonitis | 1733 | 3,480 | — | 150 | 220 | 490 | 380 | 250 | 150 | 40 | — | — | 1,800 |
| Tenosynovitis | 1734 | 630 | — | 30 | 60 | 90 | 60 | 50 | 20 | — | — | — | 330 |
| Ganglion/cystic tumor | 1735 | 330 | — | 20 | — | 30 | 40 | 20 | — | — | — | — | 200 |
| Rheumatism, except the back, n.e.c. | 1739 | 1,780 | — | 120 | 100 | 240 | 170 | 170 | 70 | 20 | — | — | 880 |
| Osteopathies, chondropathies, acquired deformities | 174 | 60 | — | 20 | — | — | — | — | — | — | — | — | — |
| Osteopathies, chondropathies, acquired deformities, n.e.c. | 1749 | 60 | — | 20 | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | 179 | 60 | — | — | — | — | — | — | — | — | — | — | 20 |
| Disorders of the skin and subcutaneous tissue | 18 | 3,900 | — | 310 | 110 | 500 | 430 | 440 | 260 | 60 | 30 | — | 1,750 |
| Disorders of the skin and subcutaneous tissue, unspecified | 180 | 90 | — | — | — | — | 20 | — | — | — | — | — | 40 |
| Infections of the skin and subcutaneous tissue | 181 | 1,060 | — | 120 | 40 | 190 | 110 | 70 | 80 | — | — | — | 450 |
| Infections of the skin and subcutaneous tissue, unspecified .. | 1810 | 450 | — | 70 | 20 | 40 | 50 | 20 | 30 | — | — | — | 230 |
| Cellulitis and abscess | 1812 | 490 | — | 30 | 20 | 130 | 30 | 50 | 40 | — | — | — | 180 |
| Pilonidal cyst | 1815 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue, n.e.c. | 1819 | 90 | — | — | — | 20 | 20 | — | — | — | — | — | 30 |
| Dermatitis | 182 | 2,450 | — | 150 | 40 | 270 | 280 | 330 | 130 | 40 | 30 | — | 1,190 |
| Dermatitis, unspecified | 1820 | 270 | — | 30 | — | 20 | 40 | 30 | — | 30 | — | — | 100 |
| Atopic dermatitis and related conditions | 1821 | 70 | — | — | — | — | — | — | — | — | — | — | — |
| Contact dermatitis, unspecified | 1822 | 510 | — | 40 | — | 80 | 30 | 50 | — | — | — | — | 290 |
| Allergic contact dermatitis | 1823 | 1,120 | — | 30 | — | 80 | 90 | 190 | 30 | — | — | — | 680 |
| Irritant contact dermatitis | 1824 | 450 | — | 60 | — | 70 | 120 | 50 | 40 | — | — | — | 90 |
| Dermatitis, n.e.c. | 1829 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Other inflammatory conditions of the skin | 183 | 80 | — | — | — | — | — | — | — | — | — | — | 30 |
| Other inflammatory conditions of the skin, unspecified | 1830 | 40 | — | — | — | — | — | — | — | — | — | — | 20 |
| Other inflammatory conditions, n.e.c. | 1839 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Diseases of sebaceous glands | 184 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Sebaceous cyst | 1842 | 30 | — | — | — | — | — | — | — | — | — | — | — |
| Other diseases and disorders of the skin and subcutaneous tissue | 189 | 190 | — | 20 | — | 20 | 20 | 20 | 50 | 20 | — | — | 30 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|-----|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported | |
| Other diseases and disorders of the skin and subcutaneous tissue, unspecified | 1890 | 20 | - | - | - | - | - | - | - | - | - | - | - | - |
| Urticaria, hives | 1898 | 80 | - | 20 | - | 20 | - | - | - | - | - | - | - | - |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | 1899 | 80 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other systemic diseases and disorders ... | 19 | 120 | - | - | - | - | - | - | - | - | - | - | - | 70 |
| Endocrine, nutritional, metabolic, and immunity disorder | 191 | 40 | - | - | - | - | - | - | - | - | - | - | - | - |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | 1919 | 30 | - | - | - | - | - | - | - | - | - | - | - | - |
| Systemic diseases and disorders, n.e.c. | 199 | 80 | - | - | - | - | - | - | - | - | - | - | - | 50 |
| Infectious and parasitic diseases | 2 | 1,530 | - | 190 | 60 | 140 | 80 | 70 | 50 | 20 | 20 | - | - | 890 |
| Infectious and parasitic diseases, unspecified | 20 | 160 | - | - | - | 60 | - | - | - | - | - | - | - | 70 |
| Bacterial diseases | 21 | 240 | - | - | - | 20 | 20 | - | 20 | - | - | - | - | 160 |
| Tuberculosis | 211 | 50 | - | - | - | - | - | - | - | - | - | - | - | 40 |
| Tuberculosis, unspecified | 2110 | 40 | - | - | - | - | - | - | - | - | - | - | - | 40 |
| Other bacterial diseases | 219 | 170 | - | - | - | 20 | 20 | - | - | - | - | - | - | 110 |
| Other bacterial diseases, unspecified | 2190 | 20 | - | - | - | - | - | - | - | - | - | - | - | 20 |
| Streptococcal sore throat and scarlatina | 2193 | 20 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other bacterial diseases, n.e.c. | 2199 | 120 | - | - | - | - | - | - | - | - | - | - | - | 80 |
| Viral diseases | 22 | 330 | - | 30 | - | 20 | 30 | 30 | - | - | - | - | - | 210 |
| Viral diseases, unspecified | 220 | 50 | - | - | - | - | - | - | - | - | - | - | - | 40 |
| Human immunodeficiency virus (HIV) infection | 221 | 20 | - | - | - | - | - | - | - | - | - | - | - | - |
| Viral diseases accompanied by exanthem (eruptive fever) | 223 | 150 | - | - | - | - | - | - | - | - | - | - | - | 120 |
| Chickenpox | 2233 | 60 | - | - | - | - | - | - | - | - | - | - | - | 50 |
| Herpes zoster | 2234 | 80 | - | - | - | - | - | - | - | - | - | - | - | 70 |
| Viral hepatitis | 225 | 20 | - | - | - | - | - | - | - | - | - | - | - | - |
| Viral diseases of the conjunctiva | 226 | 70 | - | 20 | - | 20 | - | - | - | - | - | - | - | 20 |
| Viral conjunctivitis (ophthalmia) | 2262 | 70 | - | 20 | - | 20 | - | - | - | - | - | - | - | 20 |
| Other diseases due to viruses and Chlamydiae | 229 | 30 | - | - | - | - | - | - | - | - | - | - | - | 20 |
| Other diseases due to viruses and Chlamydiae, unspecified | 2290 | 20 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other arthropod-borne diseases | 23 | 30 | - | - | - | - | - | - | - | - | - | - | - | - |
| Lyme disease | 237 | 30 | - | - | - | - | - | - | - | - | - | - | - | - |
| Infectious diseases peculiar to the intestines | 26 | 110 | - | - | - | - | - | - | - | - | - | - | - | 70 |
| Infectious diseases peculiar to the intestines, unspecified | 260 | 40 | - | - | - | - | - | - | - | - | - | - | - | 30 |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|-------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported | |
| Other salmonella infections | 263 | 30 | — | — | — | — | — | — | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines, n.e.c. | 269 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other infectious and parasitic diseases ... | 29 | 650 | — | 150 | 20 | 40 | 30 | 20 | — | — | — | — | — | 360 |
| Acariasis (including scabies, chiggers, mites) | 294 | 540 | — | 130 | 20 | 20 | 20 | 20 | — | — | — | — | — | 290 |
| Other infectious and parasitic diseases, n.e.c. | 299 | 90 | — | — | — | — | — | — | — | — | — | — | — | 60 |
| Symptoms, signs, and ill-defined conditions | 4 | 9,860 | 60 | 850 | 670 | 1,770 | 1,620 | 1,000 | 770 | 250 | 40 | — | — | 2,820 |
| Symptoms, signs, and ill-defined conditions, unspecified | 40 | 180 | — | — | — | 20 | 30 | — | — | — | — | — | — | 90 |
| Symptoms | 41 | 9,290 | 50 | 840 | 660 | 1,610 | 1,560 | 890 | 700 | 250 | 40 | — | — | 2,710 |
| Symptoms, unspecified | 410 | 50 | — | — | — | — | — | — | — | — | — | — | — | — |
| General symptoms | 411 | 4,910 | 30 | 510 | 390 | 820 | 950 | 410 | 370 | 140 | — | — | — | 1,280 |
| General symptoms, unspecified | 4110 | 340 | — | — | 30 | — | 120 | — | — | 70 | — | — | — | 100 |
| Loss of consciousness not heat related | 4111 | 1,270 | — | 50 | 120 | 290 | 300 | 90 | 120 | — | — | — | — | 300 |
| Convulsions, seizures | 4112 | 460 | — | 130 | 50 | 80 | 60 | 90 | — | — | — | — | — | 40 |
| Malaise and fatigue | 4113 | 40 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dizziness | 4114 | 430 | — | 40 | 30 | 70 | 70 | 90 | 40 | — | — | — | — | 70 |
| Non-specified allergic reaction | 4115 | 990 | — | 210 | 60 | 230 | 70 | 50 | 120 | — | — | — | — | 250 |
| Multiple general symptoms | 4118 | 460 | — | 30 | 40 | 30 | 100 | 20 | — | — | — | — | — | 230 |
| General symptoms, n.e.c. | 4119 | 920 | — | 50 | 60 | 90 | 230 | 50 | 80 | 40 | — | — | — | 300 |
| Symptoms involving nervous and musculoskeletal systems | 412 | 1,030 | — | 30 | 30 | 70 | 90 | 70 | 50 | — | — | — | — | 690 |
| Symptoms involving nervous and musculoskeletal systems, unspecified | 4120 | 210 | — | — | — | — | — | — | — | — | — | — | — | 170 |
| Spasms or tremors, n.e.c. | 4121 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |
| Earache | 4122 | 90 | — | — | — | — | 40 | — | — | — | — | — | — | 40 |
| Multiple symptoms involving nervous and musculoskeletal systems | 4128 | 140 | — | — | — | 30 | 20 | 20 | 20 | — | — | — | — | 20 |
| Symptoms involving nervous and musculoskeletal systems, n.e.c. ... | 4129 | 570 | — | — | 20 | 30 | — | 20 | — | — | — | — | — | 450 |
| Symptoms involving skin and other integumentary tissue | 413 | 890 | — | 50 | 30 | 310 | 140 | 140 | 20 | 20 | — | — | — | 160 |
| Edema (including dropsy) | 4131 | 840 | — | 50 | 20 | 300 | 140 | 140 | 20 | 20 | — | — | — | 130 |
| Symptoms involving skin and other integumentary tissue, n.e.c. | 4139 | 30 | — | — | — | — | — | — | — | — | — | — | — | — |
| Symptoms involving head and neck ... | 414 | 770 | — | 90 | 80 | 70 | 140 | 90 | 150 | 50 | — | — | — | 100 |
| Symptoms involving head and neck, unspecified | 4140 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |
| Headache, except migraine | 4141 | 540 | — | 80 | 70 | 50 | 110 | 70 | 30 | 50 | — | — | — | 70 |
| Multiple symptoms involving head and neck | 4148 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported | |
| Symptoms involving head and neck, n.e.c. | 4149 | 190 | — | — | — | — | — | — | — | 130 | — | — | — | 20 |
| Symptoms involving cardiovascular system | 415 | 50 | — | — | — | — | — | 20 | — | — | — | — | — | — |
| Symptoms involving cardiovascular system, unspecified | 4150 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 416 | 1,000 | — | 110 | 70 | 180 | 100 | 110 | 30 | 30 | — | — | — | 360 |
| Symptoms involving respiratory system and chest, unspecified | 4160 | 510 | — | 70 | 20 | 70 | 50 | 50 | 20 | — | — | — | — | 240 |
| Chest pain | 4164 | 170 | — | — | 30 | 60 | 20 | — | — | — | — | — | — | 40 |
| Multiple symptoms involving respiratory system and chest | 4168 | 50 | — | — | — | 20 | — | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 4169 | 260 | — | 30 | 20 | 40 | 20 | 50 | — | 20 | — | — | — | 80 |
| Symptoms involving digestive and urinary system | 417 | 200 | — | 20 | 30 | 20 | 70 | 20 | — | — | — | — | — | 30 |
| Nausea and vomiting | 4171 | 140 | — | 20 | 20 | 20 | 60 | 20 | — | — | — | — | — | — |
| Symptoms involving digestive and urinary system, n.e.c. | 4179 | 30 | — | — | — | — | — | — | — | — | — | — | — | — |
| Multiple symptoms | 418 | 360 | — | 20 | 20 | 90 | 30 | 40 | 70 | — | — | — | — | 80 |
| Other symptoms, n.e.c. | 419 | 40 | — | — | — | — | 20 | — | — | — | — | — | — | — |
| Abnormal findings | 42 | 70 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other abnormal findings | 429 | 60 | — | — | — | — | — | — | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions | 48 | 220 | — | — | — | 130 | 30 | 30 | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions, unspecified | 480 | 130 | — | — | — | — | — | — | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions, n.e.c. | 489 | 90 | — | — | — | — | 20 | 30 | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions, n.e.c. | 49 | 100 | — | — | — | — | — | 60 | — | — | — | — | — | — |
| Other diseases, conditions, and disorders | 5 | 3,100 | — | 190 | 380 | 510 | 290 | 220 | 200 | 70 | 20 | — | — | 1,210 |
| Mental disorders or syndromes | 52 | 3,060 | — | 190 | 370 | 510 | 290 | 210 | 190 | 70 | 20 | — | — | 1,200 |
| Mental disorder or syndrome, unspecified | 520 | 20 | — | — | — | — | — | — | — | — | — | — | — | — |
| Anxiety, stress, neurotic disorders | 521 | 3,030 | — | 190 | 370 | 500 | 280 | 200 | 190 | 70 | 20 | — | — | 1,180 |
| Anxiety, stress, neurotic disorders, unspecified | 5210 | 1,280 | — | 100 | 70 | 370 | 60 | 20 | 100 | — | — | — | — | 550 |
| Post-traumatic anxiety acute | 5211 | 380 | — | 40 | 50 | 80 | 50 | 50 | 40 | 30 | — | — | — | 40 |
| Panic disorder | 5213 | 60 | — | — | — | — | — | — | — | — | — | — | — | — |
| Neurotic reaction to stress | 5214 | 1,210 | — | 60 | 240 | 40 | 130 | 130 | 40 | 30 | — | — | — | 540 |
| Multiple anxiety, stress, neurotic disorders | 5218 | 70 | — | — | — | — | — | — | — | — | — | — | — | 40 |
| Neurotic disorders, n.e.c. | 5219 | 30 | — | — | — | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

| Nature | Nature code ² | Private industry ³ | Hours on the job before event occurred | | | | | | | | | | |
|---|--------------------------|-------------------------------|--|------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------|--------------|
| | | | Before shift began | Less than 1 hour | 1 hour to less than 2 hours | 2 hours to less than 4 hours | 4 hours to less than 6 hours | 6 hours to less than 8 hours | 8 hours to less than 10 hours | 10 hours to less than 12 hours | 12 hours to less than 16 hours | More than 16 hours | Not reported |
| Other diseases, conditions, and disorders, n.e.c. | 59 | 20 | — | — | — | — | — | — | — | — | — | — | — |
| Multiple diseases, conditions, and disorders | 8 | 800 | — | 70 | 70 | 110 | 180 | 140 | 50 | — | — | — | 170 |
| Nonclassifiable | 9999 | 3,210 | — | 40 | 70 | 120 | 110 | 280 | 50 | — | — | — | 2,510 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies