

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2009

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		964,990	6,680	78,320	94,510	202,270	152,730	135,230	65,860	15,860	5,790	730	207,020
<b>Head</b> .....	0	64,590	340	4,570	6,240	13,230	11,540	10,180	4,760	1,250	320	90	12,070
Head, unspecified .....	00	15,890	160	1,370	1,570	2,950	3,210	2,130	1,250	310	90	50	2,800
Cranial region, including skull .....	01	9,460	100	630	840	2,080	1,770	1,160	640	260	60	-	1,920
Cranial region, unspecified .....	010	320	-	-	20	60	70	70	70	-	-	-	30
Brain .....	011	6,420	80	430	610	1,190	1,090	780	390	230	20	-	1,590
Scalp .....	012	1,710	20	120	150	640	190	260	150	-	20	-	160
Skull .....	013	830	-	40	50	110	410	40	30	-	-	-	130
Multiple cranial region locations .....	018	120	-	-	-	60	20	-	-	-	-	-	-
Cranial region, n.e.c. ....	019	60	-	20	-	-	-	-	-	-	-	-	-
Ear(s) .....	02	1,040	-	20	150	180	200	160	100	-	-	-	210
Face .....	03	37,260	70	2,450	3,520	7,890	6,200	6,600	2,680	610	170	40	7,030
Face, unspecified .....	030	3,350	30	230	230	970	560	530	190	50	-	-	560
Forehead .....	031	2,000	-	170	180	580	300	310	140	30	-	-	270
Eye(s) .....	032	23,720	20	1,410	2,230	5,000	3,910	3,980	1,740	440	120	-	4,870
Nose, nasal cavity .....	033	2,010	-	220	280	450	290	270	190	20	-	-	290
Nose, except internal location of diseases or disorders .....	0330	1,950	-	210	280	450	260	260	190	20	-	-	270
Internal nasal location, unspecified ..	0331	20	-	-	-	-	-	-	-	-	-	-	-
Sinuses .....	0334	50	-	-	-	-	-	-	-	-	-	-	-
Cheek(s) .....	034	1,060	-	60	200	100	190	300	30	-	-	-	180
Jaw/chin .....	035	740	-	50	90	130	180	110	40	30	-	-	110
Mouth .....	036	1,950	-	90	150	270	310	500	140	20	-	20	430
Mouth, unspecified .....	0360	560	-	-	20	-	50	290	30	-	-	-	160
Lip(s) .....	0361	410	-	30	30	80	90	80	20	-	-	-	80
Tooth(teeth) .....	0363	810	-	30	80	180	130	120	90	-	-	20	140
Multiple mouth locations .....	0368	150	-	20	20	-	40	-	-	-	-	-	40
Multiple face locations .....	038	1,920	-	170	150	340	390	400	120	30	-	-	310
Face, n.e.c. ....	039	500	-	30	20	40	80	210	90	-	-	-	20
Multiple head locations .....	08	810	-	100	150	110	140	100	80	50	-	-	70
Head, n.e.c. ....	09	130	-	-	-	20	30	20	-	-	-	-	40
<b>Neck, including throat</b> .....	1	11,860	30	850	1,180	2,440	1,870	1,500	910	270	80	-	2,720
Neck, except internal location of diseases or disorders .....	10	11,740	30	830	1,160	2,430	1,830	1,500	910	270	80	-	2,700
Internal neck location, unspecified .....	11	50	-	20	-	-	-	-	-	-	-	-	-
Multiple internal neck locations .....	18	40	-	-	-	-	30	-	-	-	-	-	-
<b>Trunk</b> .....	2	324,130	1,610	25,790	33,470	67,750	52,070	43,320	19,940	4,830	1,960	230	73,160
Trunk, unspecified .....	20	1,770	30	90	120	660	230	200	120	-	-	-	310
Shoulder, including clavicle, scapula .....	21	67,730	310	4,700	5,810	14,330	11,530	9,260	4,640	1,190	410	80	15,490
Chest, including ribs, internal organs .....	22	15,830	70	970	1,720	3,830	3,310	2,110	940	270	70	-	2,540
Chest, except internal location of diseases or disorders .....	220	14,720	60	910	1,640	3,600	3,170	1,950	860	240	70	-	2,210
Internal chest location, unspecified .....	221	110	-	-	20	-	20	20	-	-	-	-	30
Heart .....	223	220	-	-	20	30	20	40	30	-	-	-	60
Bronchus .....	224	80	-	-	-	50	-	-	-	-	-	-	20

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Lung(s), pleura .....	225	690	—	40	30	130	90	100	30	30	—	—	220
Back, including spine, spinal cord .....	23	195,150	970	17,200	21,810	39,950	29,870	25,220	11,240	2,830	1,320	140	44,610
Back, including spine, spinal cord, unspecified .....	230	79,350	350	6,270	8,490	15,280	11,200	10,590	4,110	1,260	420	50	21,340
Lumbar region .....	231	96,530	400	9,150	11,370	20,260	15,250	12,090	6,010	1,270	790	90	19,840
Thoracic region .....	232	8,570	30	780	860	1,990	1,790	1,070	440	90	40	—	1,500
Sacral region .....	233	390	—	30	80	50	80	20	—	—	—	—	100
Coccygeal region .....	234	1,480	70	110	100	560	220	100	140	30	—	—	150
Multiple back regions .....	238	5,600	70	480	580	1,080	980	990	340	130	60	—	890
Back, including spine, spinal cord, n.e.c. ....	239	3,220	50	370	330	730	360	350	190	40	—	—	790
Abdomen .....	24	21,080	—	1,030	1,820	4,360	3,600	3,100	1,320	220	40	—	5,560
Abdomen, except internal location of diseases or disorders .....	240	6,090	—	370	560	1,280	1,260	960	330	50	20	—	1,260
Internal abdominal location, unspecified .....	241	6,740	—	280	570	1,560	890	1,050	410	60	—	—	1,900
Stomach organ .....	242	340	—	30	30	50	90	30	—	—	—	—	100
Urinary organs .....	244	50	—	—	—	—	—	—	—	—	—	—	20
Kidney(s) .....	2442	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	7,730	—	310	670	1,430	1,340	1,020	560	110	—	—	2,270
Intestines, peritoneum, unspecified .....	2450	6,420	—	280	560	1,270	880	940	300	100	—	—	2,060
Peritoneum .....	2451	1,130	—	20	60	140	440	60	220	—	—	—	170
Large intestine/colon, rectum .....	2453	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	150	—	—	50	—	—	—	—	—	—	—	30
Other digestive structures .....	246	20	—	—	—	—	—	—	—	—	—	—	—
Liver .....	2461	20	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	—	40	—	—	20	—	—	—	—	—	—
Pelvic region .....	25	15,800	180	1,230	1,370	3,030	2,530	2,370	1,210	230	70	—	3,590
Pelvic region, unspecified .....	250	230	—	—	30	70	—	—	—	—	—	—	90
Hip(s) .....	251	7,720	140	660	530	1,520	1,490	1,210	370	70	40	—	1,690
Pelvis .....	252	410	—	30	40	100	50	60	60	—	—	—	50
Buttock(s) .....	253	1,220	20	130	60	190	120	110	360	30	—	—	200
Groin .....	254	5,890	—	360	690	1,080	820	930	400	120	30	—	1,450
External reproductive tract structures ..	255	200	—	30	—	40	—	20	—	—	—	—	80
External reproductive tract structures, unspecified .....	2550	70	—	—	—	—	—	—	—	—	—	—	60
Scrotum .....	2551	70	—	—	—	20	—	20	—	—	—	—	—
Penis .....	2552	30	—	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c. ....	2559	20	—	20	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures ..	256	30	—	—	—	—	—	—	—	—	—	—	—
Uterus .....	2564	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	80	—	—	—	20	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	259	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	6,200	50	540	810	1,360	890	1,010	460	80	40	—	950
Trunk, n.e.c. ....	29	570	—	30	20	230	120	60	—	—	—	—	100
<b>Upper extremities .....</b>	<b>3</b>	<b>220,730</b>	<b>880</b>	<b>17,370</b>	<b>21,990</b>	<b>47,790</b>	<b>31,650</b>	<b>32,210</b>	<b>14,240</b>	<b>3,240</b>	<b>1,010</b>	<b>40</b>	<b>50,320</b>

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Upper extremities, unspecified .....	30	320	—	30	30	100	20	70	20	—	—	—	50
Arm(s) .....	31	45,600	240	3,680	4,250	9,740	6,400	6,490	3,240	570	160	—	10,820
Arm(s), unspecified .....	310	13,770	50	1,240	1,130	2,710	1,980	1,970	1,120	220	30	—	3,320
Upper arm(s) .....	311	4,640	30	290	540	1,150	770	640	250	100	30	—	830
Elbow(s) .....	312	14,520	110	1,320	1,690	2,690	1,820	1,990	940	150	50	—	3,780
Forearm(s) .....	313	9,160	20	680	690	2,150	1,370	1,570	570	80	30	—	2,000
Multiple arm(s) locations .....	318	2,940	20	140	160	970	300	230	340	20	—	—	760
Arm(s), n.e.c. ....	319	550	—	—	50	80	160	80	30	—	—	—	130
Wrist(s) .....	32	40,220	380	3,110	3,080	7,230	5,100	5,200	2,200	500	240	—	13,170
Hand(s), except finger(s) .....	33	39,040	140	3,320	3,550	8,790	5,030	5,830	2,140	600	100	—	9,550
Finger(s), fingernail(s) .....	34	82,460	70	6,200	9,350	19,570	12,890	12,990	5,770	1,370	430	—	13,800
Multiple upper extremities locations .....	38	12,910	40	990	1,720	2,340	2,190	1,610	850	210	80	—	2,880
Multiple upper extremities locations, unspecified .....	380	150	—	—	40	20	—	—	30	—	—	—	40
Hand(s) and finger(s) .....	381	3,800	—	340	440	630	940	510	270	90	20	—	550
Hand(s) and wrist(s) .....	382	2,750	—	230	240	560	410	350	170	30	—	—	730
Hand(s) and arm(s) .....	383	1,970	—	90	710	190	180	200	50	—	—	—	540
Multiple upper extremities locations, n.e.c. ....	389	4,240	20	330	290	940	650	540	330	80	40	—	1,010
Upper extremities, n.e.c. ....	39	180	—	30	—	40	20	20	20	—	—	—	30
<b>Lower extremities</b> .....	<b>4</b>	<b>214,220</b>	<b>2,160</b>	<b>18,170</b>	<b>20,510</b>	<b>44,740</b>	<b>34,750</b>	<b>31,140</b>	<b>16,440</b>	<b>4,040</b>	<b>1,530</b>	<b>250</b>	<b>40,490</b>
Lower extremities, unspecified .....	40	390	—	30	40	80	—	20	—	—	—	—	190
Leg(s) .....	41	116,170	1,070	10,010	11,150	24,190	18,460	16,460	7,740	2,380	670	210	23,830
Leg(s), unspecified .....	410	13,790	180	960	1,380	2,710	2,080	1,920	970	430	50	—	3,120
Thigh(s) .....	411	4,900	—	490	410	800	890	590	460	90	30	—	1,130
Knee(s) .....	412	83,730	770	7,630	7,410	18,160	13,310	11,550	5,390	1,480	490	210	17,330
Lower leg(s) .....	413	9,770	50	610	1,590	1,890	1,280	1,800	660	200	50	—	1,640
Multiple leg(s) locations .....	418	3,260	30	230	190	570	760	580	210	170	50	—	450
Leg(s), n.e.c. ....	419	730	40	80	150	60	130	30	40	20	—	—	160
Ankle(s) .....	42	49,050	610	3,900	4,750	10,010	8,340	7,240	4,020	850	540	20	8,770
Foot(feet), except toe(s) .....	43	32,880	310	2,570	2,630	7,080	5,430	5,170	3,600	560	210	—	5,300
Foot(feet), except toe(s), unspecified ..	430	29,110	250	2,290	2,300	6,100	5,010	4,540	3,100	510	200	—	4,790
Instep(s) .....	431	120	—	—	20	30	—	20	—	—	—	—	20
Sole .....	432	2,140	60	150	200	440	230	380	300	40	—	—	340
Sole(s), unspecified .....	4320	240	—	—	—	40	20	40	70	—	—	—	30
Ball(s) of foot .....	4321	40	—	—	—	—	—	—	—	—	—	—	—
Arch(es) .....	4322	50	—	—	—	—	—	20	—	—	—	—	—
Heel(s) .....	4323	1,800	50	130	170	390	200	300	220	30	—	—	290
Multiple foot(feet) locations .....	438	390	—	50	20	80	30	50	110	—	—	—	50
Foot(feet), n.e.c. ....	439	1,130	—	80	90	430	140	170	90	20	—	—	90
Toe(s), toenail(s) .....	44	8,920	20	960	1,120	2,070	1,290	1,300	610	160	30	—	1,360
Multiple lower extremities locations .....	48	6,530	130	670	780	1,220	1,190	920	450	70	80	—	1,020
Multiple lower extremities locations, unspecified .....	480	130	—	—	—	—	30	—	—	—	—	—	40
Foot(feet) and leg(s) .....	481	570	—	90	20	80	160	120	30	—	—	—	60
Foot(feet) and ankle(s) .....	482	1,870	30	140	240	410	280	250	190	20	—	—	300
Foot(feet) and toe(s) .....	483	720	—	40	100	150	200	80	20	—	—	—	110

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple lower extremities locations, n.e.c. ....	489	3,240	80	400	410	570	520	460	210	40	60	—	510
Lower extremities, n.e.c. ....	49	270	—	20	50	100	40	30	—	—	—	—	20
<b>Body systems</b> .....	5	16,420	60	1,300	1,150	2,570	2,460	1,460	1,380	330	70	—	5,650
<b>Multiple body parts</b> .....	8	105,510	1,510	9,740	9,580	22,920	17,590	14,720	7,950	1,850	770	100	18,780
<b>Other body parts</b> .....	9	340	—	230	—	—	20	—	20	—	—	—	60
Other body parts, n.e.c. ....	98	320	—	230	—	—	—	—	20	—	—	—	60
<b>Nonclassifiable</b> .....	9999	7,190	70	310	400	820	790	710	240	50	30	—	3,780

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies