

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		964,990	62,360	172,520	175,380	166,830	162,140	148,920	76,860
Head	0	64,590	3,890	10,840	11,800	12,310	11,600	9,260	4,880
Head, unspecified	00	15,890	760	2,590	3,190	3,090	2,710	2,030	1,530
Cranial region, including skull	01	9,460	580	1,550	1,650	1,200	1,870	1,890	740
Cranial region, unspecified	010	320	30	110	30	20	70	60	-
Brain	011	6,420	420	1,040	1,040	800	980	1,470	650
Scalp	012	1,710	80	320	470	240	300	230	70
Skull	013	830	20	70	50	100	490	90	-
Multiple cranial region locations	018	120	-	-	30	20	20	20	-
Cranial region, n.e.c.	019	60	-	-	20	20	-	20	-
Ear(s)	02	1,040	80	170	150	130	180	120	200
Face	03	37,260	2,410	6,380	6,660	7,780	6,660	5,030	2,340
Face, unspecified	030	3,350	210	470	460	610	730	630	240
Forehead	031	2,000	120	380	350	330	280	280	260
Eye(s)	032	23,720	1,640	4,220	4,330	4,820	4,380	2,940	1,380
Nose, nasal cavity	033	2,010	130	300	340	530	360	260	110
Nose, except internal location of diseases or disorders	0330	1,950	130	280	330	520	360	220	100
Internal nasal location, unspecified ..	0331	20	-	-	-	-	-	-	-
Sinuses	0334	50	-	-	-	-	-	-	-
Cheek(s)	034	1,060	-	100	440	180	80	210	40
Jaw/chin	035	740	20	120	110	220	100	140	40
Mouth	036	1,950	120	390	270	610	260	170	130
Mouth, unspecified	0360	560	30	20	40	430	20	-	-
Lip(s)	0361	410	40	50	110	30	40	60	60
Tooth(teeth)	0363	810	30	270	80	120	160	90	50
Multiple mouth locations	0368	150	-	40	30	20	30	-	-
Multiple face locations	038	1,920	110	310	320	320	370	370	130
Face, n.e.c.	039	500	50	70	40	170	110	30	30
Multiple head locations	08	810	60	100	140	90	170	170	70
Head, n.e.c.	09	130	-	40	-	20	20	20	-
Neck, including throat	1	11,860	530	2,260	2,160	2,270	1,770	1,890	980
Neck, except internal location of diseases or disorders	10	11,740	530	2,240	2,150	2,240	1,750	1,830	980
Internal neck location, unspecified	11	50	-	-	-	-	-	30	-
Multiple internal neck locations	18	40	-	-	-	-	-	-	-
Trunk	2	324,130	22,800	60,630	58,960	54,540	52,550	49,170	25,480
Trunk, unspecified	20	1,770	70	300	690	220	170	220	90
Shoulder, including clavicle, scapula	21	67,730	4,270	12,000	12,130	11,740	11,780	9,940	5,870
Chest, including ribs, internal organs	22	15,830	1,170	3,740	2,540	2,480	2,540	2,430	930
Chest, except internal location of diseases or disorders	220	14,720	1,080	3,450	2,360	2,300	2,390	2,310	840
Internal chest location, unspecified	221	110	-	20	30	20	20	-	-
Heart	223	220	20	70	20	50	30	20	20
Bronchus	224	80	-	-	-	-	-	-	-
Lung(s), pleura	225	690	30	190	130	110	90	80	60
Back, including spine, spinal cord	23	195,150	14,100	36,610	35,870	32,480	30,980	29,870	15,240

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Back, including spine, spinal cord, unspecified	230	79,350	5,840	15,210	14,090	13,470	11,310	13,210	6,220
Lumbar region	231	96,530	7,030	18,180	18,250	15,610	16,230	13,910	7,320
Thoracic region	232	8,570	470	1,290	1,790	1,450	1,530	1,170	880
Sacral region	233	390	—	70	130	50	50	60	30
Coccygeal region	234	1,480	80	170	200	450	380	120	80
Multiple back regions	238	5,600	430	1,000	880	980	940	850	510
Back, including spine, spinal cord, n.e.c.	239	3,220	240	680	540	480	530	550	200
Abdomen	24	21,080	1,360	4,100	3,650	3,780	3,490	3,220	1,480
Abdomen, except internal location of diseases or disorders	240	6,090	370	990	1,100	1,190	970	920	550
Internal abdominal location, unspecified	241	6,740	730	1,410	1,180	990	1,110	900	420
Stomach organ	242	340	—	60	100	40	70	20	50
Urinary organs	244	50	—	—	—	30	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	7,730	240	1,600	1,260	1,510	1,340	1,350	430
Intestines, peritoneum, unspecified	2450	6,420	220	1,320	1,060	1,090	1,250	1,120	350
Peritoneum	2451	1,130	—	260	130	400	80	170	70
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	—	—	70	—	—	50	—
Other digestive structures	246	20	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	30	—	—	—	—	—
Pelvic region	25	15,800	1,350	2,820	2,590	2,560	2,600	2,630	1,240
Pelvic region, unspecified	250	230	—	30	30	50	80	20	—
Hip(s)	251	7,720	800	1,410	1,190	1,070	1,200	1,290	760
Pelvis	252	410	20	110	40	70	90	60	20
Buttock(s)	253	1,220	110	380	200	160	100	240	30
Groin	254	5,890	360	870	1,040	1,160	1,080	980	400
External reproductive tract structures ..	255	200	30	20	70	20	30	20	20
External reproductive tract structures, unspecified	2550	70	20	—	—	—	—	—	20
Scrotum	2551	70	—	—	30	—	—	—	—
Penis	2552	30	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	20	—	—	—	—
Internal reproductive tract structures ..	256	30	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—
Multiple pelvic region locations	258	80	—	—	—	—	—	20	—
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—
Multiple trunk locations	28	6,200	460	1,020	1,300	1,150	900	760	610
Trunk, n.e.c.	29	570	—	40	180	130	80	100	20
Upper extremities	3	220,730	13,190	39,010	40,390	38,640	38,560	33,980	16,960
Upper extremities, unspecified	30	320	—	30	70	40	70	80	—
Arm(s)	31	45,600	2,920	7,480	8,510	8,380	7,490	6,880	3,930
Arm(s), unspecified	310	13,770	830	2,100	2,580	2,390	2,240	2,350	1,280
Upper arm(s)	311	4,640	220	800	1,210	910	550	720	230
Elbow(s)	312	14,520	1,440	2,110	2,320	3,230	2,300	2,080	1,040

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Forearm(s)	313	9,160	340	2,000	1,960	1,340	1,830	750	950
Multiple arm(s) locations	318	2,940	80	310	310	440	500	890	400
Arm(s), n.e.c.	319	550	—	170	120	60	80	80	30
Wrist(s)	32	40,220	2,200	8,030	7,050	7,110	7,200	5,780	2,850
Hand(s), except finger(s)	33	39,040	2,510	6,730	7,180	6,720	7,190	6,100	2,600
Finger(s), fingernail(s)	34	82,460	4,960	14,640	14,870	14,120	14,290	13,240	6,340
Multiple upper extremities locations	38	12,910	580	2,060	2,650	2,220	2,300	1,870	1,230
Multiple upper extremities locations, unspecified	380	150	—	50	—	—	20	30	—
Hand(s) and finger(s)	381	3,800	160	530	820	700	630	590	370
Hand(s) and wrist(s)	382	2,750	100	430	450	530	540	430	280
Hand(s) and arm(s)	383	1,970	70	230	720	230	390	90	240
Multiple upper extremities locations, n.e.c.	389	4,240	240	820	650	750	720	730	330
Upper extremities, n.e.c.	39	180	—	20	50	40	20	30	—
Lower extremities	4	214,220	14,080	36,570	38,870	36,370	36,010	34,620	17,690
Lower extremities, unspecified	40	390	—	70	40	20	70	40	130
Leg(s)	41	116,170	7,100	19,850	20,910	18,890	20,230	19,900	9,290
Leg(s), unspecified	410	13,790	990	2,480	2,190	2,350	2,600	1,890	1,290
Thigh(s)	411	4,900	270	910	1,160	680	780	710	390
Knee(s)	412	83,730	4,970	14,550	14,880	13,870	13,750	14,960	6,740
Lower leg(s)	413	9,770	640	1,440	1,900	1,380	2,380	1,370	650
Multiple leg(s) locations	418	3,260	180	350	700	470	560	860	130
Leg(s), n.e.c.	419	730	40	120	90	130	160	100	90
Ankle(s)	42	49,050	3,370	8,290	8,930	9,040	8,230	7,230	3,970
Foot(feet), except toe(s)	43	32,880	2,630	5,890	5,920	5,310	5,060	5,270	2,790
Foot(feet), except toe(s), unspecified ..	430	29,110	2,440	5,220	5,090	4,520	4,520	4,730	2,600
Instep(s)	431	120	—	—	40	20	20	20	—
Sole	432	2,140	130	420	330	490	310	330	110
Sole(s), unspecified	4320	240	20	30	80	80	20	—	—
Ball(s) of foot	4321	40	—	—	—	—	—	—	—
Arch(es)	4322	50	—	—	40	—	—	—	—
Heel(s)	4323	1,800	110	370	210	410	290	310	110
Multiple foot(feet) locations	438	390	20	50	70	120	70	—	40
Foot(feet), n.e.c.	439	1,130	40	190	390	160	140	180	40
Toe(s), toenail(s)	44	8,920	560	1,420	1,840	1,560	1,360	1,250	930
Multiple lower extremities locations	48	6,530	410	1,020	1,120	1,530	1,010	890	560
Multiple lower extremities locations, unspecified	480	130	—	—	40	—	40	20	—
Foot(feet) and leg(s)	481	570	20	160	60	140	50	110	30
Foot(feet) and ankle(s)	482	1,870	100	290	330	440	320	270	130
Foot(feet) and toe(s)	483	720	20	190	150	150	90	80	50
Multiple lower extremities locations, n.e.c.	489	3,240	270	370	540	790	520	420	340
Lower extremities, n.e.c.	49	270	—	30	120	20	40	40	20
Body systems	5	16,420	1,100	2,330	3,320	2,860	2,970	2,720	1,120

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple body parts	8	105,510	6,170	19,880	18,170	18,410	17,300	16,320	9,260
Other body parts	9	340	—	—	—	60	240	20	—
Other body parts, n.e.c.	98	320	—	—	—	60	240	20	—
Nonclassifiable	9999	7,190	580	1,000	1,690	1,360	1,130	940	480

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies