

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2009

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		964,990	29,860	92,820	284,150	219,180	101,650	54,510	182,810
Head	0	64,590	2,050	4,710	20,110	16,300	7,110	3,590	10,710
Head, unspecified	00	15,890	450	1,400	4,150	4,290	2,190	850	2,560
Cranial region, including skull	01	9,460	600	710	2,880	1,910	1,020	570	1,780
Cranial region, unspecified	010	320	—	—	90	120	70	—	20
Brain	011	6,420	200	460	1,940	1,260	640	390	1,520
Scalp	012	1,710	50	140	620	430	240	120	120
Skull	013	830	350	60	160	80	40	40	110
Multiple cranial region locations	018	120	—	30	50	—	20	—	—
Cranial region, n.e.c.	019	60	—	—	20	—	—	—	—
Ear(s)	02	1,040	30	30	260	280	190	50	190
Face	03	37,260	890	2,470	12,510	9,590	3,590	2,090	6,120
Face, unspecified	030	3,350	130	180	1,330	640	330	240	500
Forehead	031	2,000	60	220	570	420	310	190	240
Eye(s)	032	23,720	520	1,420	8,400	5,640	2,150	1,170	4,420
Nose, nasal cavity	033	2,010	40	300	600	470	230	140	230
Nose, except internal location of diseases or disorders	0330	1,950	40	300	590	430	230	140	220
Internal nasal location, unspecified ..	0331	20	—	—	—	—	—	—	—
Sinuses	0334	50	—	—	—	—	—	—	—
Cheek(s)	034	1,060	—	30	160	610	80	40	130
Jaw/chin	035	740	30	70	190	220	100	50	80
Mouth	036	1,950	50	90	610	750	100	90	260
Mouth, unspecified	0360	560	—	20	170	310	—	20	30
Lip(s)	0361	410	—	30	100	130	40	20	70
Tooth(teeth)	0363	810	30	30	280	270	30	40	120
Multiple mouth locations	0368	150	—	—	50	30	—	—	40
Multiple face locations	038	1,920	40	140	570	570	220	120	250
Face, n.e.c.	039	500	—	30	80	260	80	50	—
Multiple head locations	08	810	60	90	270	190	120	30	50
Head, n.e.c.	09	130	—	20	40	40	—	—	—
Neck, including throat	1	11,860	340	910	3,410	2,740	1,490	640	2,320
Neck, except internal location of diseases or disorders	10	11,740	340	880	3,360	2,730	1,490	640	2,290
Internal neck location, unspecified	11	50	—	30	—	—	—	—	—
Multiple internal neck locations	18	40	—	—	—	—	—	—	—
Trunk	2	324,130	10,630	34,400	96,090	67,910	31,650	18,460	65,000
Trunk, unspecified	20	1,770	40	170	720	330	150	80	280
Shoulder, including clavicle, scapula	21	67,730	2,210	6,800	20,030	14,710	6,620	3,830	13,530
Chest, including ribs, internal organs	22	15,830	480	1,930	5,370	3,760	1,290	760	2,230
Chest, except internal location of diseases or disorders	220	14,720	460	1,850	5,080	3,550	1,170	700	1,920
Internal chest location, unspecified	221	110	—	—	30	20	20	—	30
Heart	223	220	—	20	50	50	30	—	60
Bronchus	224	80	—	—	50	—	—	—	—
Lung(s), pleura	225	690	20	60	160	130	60	50	210
Back, including spine, spinal cord	23	195,150	6,320	21,600	57,600	39,190	19,630	10,870	39,930

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Back, including spine, spinal cord, unspecified	230	79,350	2,390	7,740	22,460	15,400	7,160	4,110	20,080
Lumbar region	231	96,530	3,350	11,800	29,230	19,650	9,910	5,480	17,110
Thoracic region	232	8,570	300	920	2,770	1,850	1,080	610	1,040
Sacral region	233	390	—	20	150	50	50	30	90
Coccygeal region	234	1,480	30	100	700	190	280	60	140
Multiple back regions	238	5,600	180	630	1,410	1,520	800	330	740
Back, including spine, spinal cord, n.e.c.	239	3,220	70	380	880	540	350	260	740
Abdomen	24	21,080	770	1,790	5,820	4,660	1,590	1,230	5,230
Abdomen, except internal location of diseases or disorders	240	6,090	140	600	1,750	1,330	680	420	1,170
Internal abdominal location, unspecified	241	6,740	170	570	1,920	1,500	390	430	1,760
Stomach organ	242	340	—	50	80	70	30	30	90
Urinary organs	244	50	—	—	—	30	—	—	—
Kidney(s)	2442	20	—	—	—	20	—	—	—
Intestines, peritoneum	245	7,730	440	570	2,000	1,710	480	350	2,180
Intestines, peritoneum, unspecified	2450	6,420	130	510	1,780	1,240	440	330	1,980
Peritoneum	2451	1,130	310	40	160	410	40	—	170
Large intestine/colon, rectum	2453	20	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	150	—	—	50	50	—	—	30
Other digestive structures	246	20	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	60	—	—	—	—
Pelvic region	25	15,800	600	1,510	4,200	3,610	1,770	1,140	2,960
Pelvic region, unspecified	250	230	20	30	110	30	—	—	—
Hip(s)	251	7,720	290	690	2,200	1,720	900	580	1,330
Pelvis	252	410	—	40	130	110	40	40	40
Buttock(s)	253	1,220	30	80	330	430	180	40	120
Groin	254	5,890	240	630	1,360	1,230	590	450	1,390
External reproductive tract structures ..	255	200	—	20	50	50	30	—	30
External reproductive tract structures, unspecified	2550	70	—	20	—	—	—	—	—
Scrotum	2551	70	—	—	30	20	—	—	—
Penis	2552	30	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	20	—	—	—	—	—	—	—
Internal reproductive tract structures ..	256	30	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—
Multiple pelvic region locations	258	80	—	—	—	30	20	—	—
Pelvic region, n.e.c.	259	20	—	—	—	—	—	—	—
Multiple trunk locations	28	6,200	190	580	2,040	1,590	530	510	750
Trunk, n.e.c.	29	570	—	20	290	60	80	20	80
Upper extremities	3	220,730	5,650	19,850	65,090	50,180	23,170	11,900	44,890
Upper extremities, unspecified	30	320	—	40	90	90	50	—	40
Arm(s)	31	45,600	1,470	4,140	12,820	10,260	4,710	2,410	9,780
Arm(s), unspecified	310	13,770	460	1,240	3,930	3,040	1,340	750	3,020
Upper arm(s)	311	4,640	180	450	1,260	1,210	530	310	700

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Elbow(s)	312	14,520	420	1,570	3,700	3,270	1,400	670	3,500
Forearm(s)	313	9,160	260	610	2,830	1,940	1,180	540	1,800
Multiple arm(s) locations	318	2,940	120	230	1,000	590	210	110	690
Arm(s), n.e.c.	319	550	30	40	100	220	60	30	80
Wrist(s)	32	40,220	910	3,610	9,950	7,750	3,780	2,240	11,980
Hand(s), except finger(s)	33	39,040	940	3,720	11,980	8,530	3,520	2,170	8,170
Finger(s), fingernail(s)	34	82,460	1,880	7,180	26,300	20,720	9,850	4,310	12,220
Multiple upper extremities locations	38	12,910	440	1,120	3,910	2,790	1,240	760	2,660
Multiple upper extremities locations, unspecified	380	150	—	—	50	50	—	—	20
Hand(s) and finger(s)	381	3,800	170	410	1,150	930	410	240	500
Hand(s) and wrist(s)	382	2,750	60	200	820	570	190	230	680
Hand(s) and arm(s)	383	1,970	60	200	620	350	150	60	530
Multiple upper extremities locations, n.e.c.	389	4,240	160	300	1,260	880	480	210	940
Upper extremities, n.e.c.	39	180	—	30	50	50	20	—	30
Lower extremities	4	214,220	6,830	20,620	62,540	53,130	24,010	12,490	34,600
Lower extremities, unspecified	40	390	—	—	120	30	40	—	170
Leg(s)	41	116,170	3,700	11,320	35,130	27,090	12,190	6,570	20,180
Leg(s), unspecified	410	13,790	340	1,170	4,130	3,580	1,330	510	2,730
Thigh(s)	411	4,900	90	370	1,510	920	720	290	990
Knee(s)	412	83,730	2,690	8,440	25,530	18,480	8,800	5,100	14,690
Lower leg(s)	413	9,770	260	890	2,920	3,100	890	430	1,270
Multiple leg(s) locations	418	3,260	290	310	840	850	380	210	380
Leg(s), n.e.c.	419	730	20	140	180	170	80	40	110
Ankle(s)	42	49,050	1,390	4,650	13,460	13,370	5,810	2,670	7,710
Foot(foot), except toe(s)	43	32,880	1,140	2,540	9,090	9,010	4,230	2,300	4,570
Foot(foot), except toe(s), unspecified ..	430	29,110	1,030	2,310	8,040	7,670	3,850	2,080	4,140
Instep(s)	431	120	—	—	40	20	—	—	20
Sole	432	2,140	70	140	690	570	230	130	310
Sole(s), unspecified	4320	240	—	—	70	100	20	—	30
Ball(s) of foot	4321	40	—	—	—	—	—	—	—
Arch(es)	4322	50	—	—	—	—	—	40	—
Heel(s)	4323	1,800	70	130	610	460	200	80	260
Multiple foot(foot) locations	438	390	30	40	80	150	30	30	20
Foot(foot), n.e.c.	439	1,130	—	40	240	600	110	60	80
Toe(s), toenail(s)	44	8,920	310	1,210	2,670	2,140	970	490	1,130
Multiple lower extremities locations	48	6,530	280	840	1,940	1,470	740	440	810
Multiple lower extremities locations, unspecified	480	130	—	20	30	30	—	20	—
Foot(foot) and leg(s)	481	570	20	60	150	220	40	20	60
Foot(foot) and ankle(s)	482	1,870	60	140	560	430	250	160	270
Foot(foot) and toe(s)	483	720	50	70	230	130	120	50	70
Multiple lower extremities locations, n.e.c.	489	3,240	140	540	980	660	320	200	400
Lower extremities, n.e.c.	49	270	—	40	130	20	30	20	20
Body systems	5	16,420	540	980	3,970	3,560	1,420	620	5,340

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2009 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple body parts	8	105,510	3,680	11,030	31,410	24,270	12,240	6,540	16,330
Other body parts	9	340	—	—	—	30	—	—	60
Other body parts, n.e.c.	98	320	—	—	—	30	—	—	60
Nonclassifiable	9999	7,190	150	310	1,290	1,070	540	260	3,570

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies