

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		75,840	660	4,650	2,880	1,770	2,190
Traumatic injuries and disorders	0	71,250	330	4,470	2,760	1,730	2,150
Traumatic injuries and disorders, unspecified	00	3,110	20	70	100	20	40
Traumatic injuries to bones, nerves, spinal cord	01	3,930	—	60	90	130	110
Dislocations	011	500	—	—	—	20	20
Fractures	012	3,280	—	50	70	90	90
Traumatic injuries to nerves, except the spinal cord	014	20	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	120	—	—	—	20	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	30,360	—	2,270	960	650	1,040
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	350	—	20	—	30	—
Sprains, strains, tears	021	29,830	—	2,240	950	620	1,040
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	180	—	—	—	—	—
Open wounds	03	2,870	—	50	90	240	310
Open wounds, unspecified	030	30	—	—	—	—	—
Amputations	031	70	—	—	—	30	—
Amputations, fingertip	0311	30	—	—	—	—	—
Amputations, except fingertip	0319	40	—	—	—	30	—
Animal or insect bites	032	310	—	—	—	—	—
Avulsions	033	60	—	—	—	—	—
Cuts, lacerations	034	2,050	—	40	90	210	270
Punctures, except bites	037	340	—	—	—	—	30
Surface wounds and bruises	04	11,100	—	310	690	350	230
Abrasions, scratches	041	810	—	—	20	—	—
Bruises, contusions	043	9,890	—	300	670	350	220
Foreign bodies (superficial splinters, chips)	044	330	—	—	—	—	—
Multiple surface wounds and bruises	048	30	—	—	—	—	—
Surface wounds and bruises, n.e.c.	049	30	—	—	—	—	—
Burns	05	620	130	50	—	—	80
Chemical burns	051	120	120	—	—	—	—
Electrical burns	052	40	—	—	—	—	30
Heat burns, scalds	053	460	—	50	—	—	60
Intracranial injuries	06	560	—	30	240	—	40
Concussions	062	550	—	30	240	—	40
Effects of environmental conditions	07	110	—	—	—	—	—
Effects of reduced temperature	071	20	—	—	—	—	—
Effects of heat and light	072	90	—	—	—	—	—
Heat fatigue	0723	60	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	20	—	—	—	—	—
Multiple traumatic injuries and disorders	08	4,410	—	70	120	100	70
Multiple traumatic injuries and disorders, unspecified ..	080	250	—	—	—	—	—
Cuts, abrasions, bruises	081	600	—	40	30	20	20
Sprains and bruises	082	2,330	—	20	50	50	20

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	17,240	1,590	6,270	12,250	10,980	16,930	10,840	9,410
Traumatic injuries and disorders	17,060	1,580	6,070	10,220	10,020	16,560	10,660	8,330
Traumatic injuries and disorders, unspecified	960	30	300	440	430	690	330	440
Traumatic injuries to bones, nerves, spinal cord	1,890	70	350	130	120	660	290	440
Dislocations	290	—	—	50	50	60	30	30
Fractures	1,560	60	290	70	70	580	260	420
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	30	—	50	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	5,510	570	2,240	7,380	7,290	7,330	5,000	2,410
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	100	—	20	30	30	140	90	20
Sprains, strains, tears	5,380	560	2,210	7,260	7,180	7,190	4,910	2,370
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	30	—	—	100	90	—	—	20
Open wounds	210	510	270	—	—	400	180	790
Open wounds, unspecified	—	—	—	—	—	—	—	20
Amputations	—	—	—	—	—	—	—	—
Amputations, fingertip	—	—	—	—	—	—	—	—
Amputations, except fingertip	—	—	—	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	180	140	130
Avulsions	—	—	—	—	—	20	—	—
Cuts, lacerations	200	430	250	—	—	140	20	430
Punctures, except bites	—	40	—	—	—	60	—	190
Surface wounds and bruises	3,320	210	1,110	—	—	3,060	2,250	1,810
Abrasions, scratches	170	—	20	—	—	220	180	370
Bruises, contusions	3,130	210	1,090	—	—	2,800	2,070	1,110
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	320
Multiple surface wounds and bruises	—	—	—	—	—	20	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—
Burns	—	—	—	—	—	—	—	320
Chemical burns	—	—	—	—	—	—	—	—
Electrical burns	—	—	—	—	—	—	—	—
Heat burns, scalds	—	—	—	—	—	—	—	320
Intracranial injuries	120	—	50	—	—	30	20	40
Concussions	120	—	50	—	—	30	20	40
Effects of environmental conditions	—	—	—	—	—	—	—	110
Effects of reduced temperature	—	—	—	—	—	—	—	20
Effects of heat and light	—	—	—	—	—	—	—	90
Heat fatigue	—	—	—	—	—	—	—	60
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders	1,800	50	660	—	—	1,250	700	290
Multiple traumatic injuries and disorders, unspecified ..	60	—	100	—	—	90	20	—
Cuts, abrasions, bruises	240	—	70	—	—	140	70	40
Sprains and bruises	1,000	40	280	—	—	690	390	170

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Fractures and burns	083	100	—	—	—	—	—
Fractures and other injuries	084	360	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	770	—	—	30	—	30
Other traumatic injuries and disorders	09	14,180	180	1,570	460	230	240
Asphyxiations/strangulations, suffocations	091	120	—	—	—	—	—
Electrocutions, electric shocks	093	60	—	—	—	—	20
Other poisonings and toxic effects	095	420	80	—	—	—	—
Animal or insect bites and stings, venomous	0951	270	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	140	80	—	—	—	—
Nonspecified injuries and disorders	097	13,510	90	1,570	450	210	210
Crushing injuries	0971	450	—	—	—	40	90
Back pain, hurt back	0972	2,880	—	290	150	70	40
Soreness, pain, hurt, except the back	0973	8,410	90	1,240	210	100	80
Multiple nonspecified injuries and disorders	0978	1,160	—	30	20	—	—
Nonspecified injuries and disorders, n.e.c.	0979	600	—	—	60	—	—
Other traumatic injuries and disorders, n.e.c.	099	60	—	—	—	—	—
Systemic diseases and disorders	1	2,150	40	180	110	20	20
Systemic diseases and disorders, unspecified	10	30	—	—	—	—	—
Nervous system and sense organs diseases	12	700	—	—	—	—	—
Disorders of the peripheral nervous system	124	640	—	—	—	—	—
Carpal tunnel syndrome	1241	620	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	50	—	—	—	—	—
Conjunctivitis non-viral	1252	40	—	—	—	—	—
Circulatory system diseases	13	120	—	—	—	—	—
Hypertensive disease	132	80	—	—	—	—	—
Respiratory system diseases	14	110	—	—	—	—	—
Pneumonia, influenza	143	70	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	20	—	—	—	—	—
Digestive system diseases and disorders	15	440	—	130	60	—	—
Hernia	153	440	—	130	60	—	—
Hernia, unspecified	1530	130	—	—	—	—	—
Inguinal hernia	1531	240	—	100	50	—	—
Hernia, n.e.c.	1539	50	—	20	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	400	—	40	50	—	—
Dorsopathies	172	80	—	—	40	—	—
Sciatica	1721	20	—	—	—	—	—
Dorsopathies, n.e.c.	1729	50	—	—	—	—	—
Rheumatism, except the back	173	320	—	30	—	—	—
Tendonitis	1733	100	—	—	—	—	—
Tenosynovitis	1734	40	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Fractures and burns	100	-	-	-	-	-	-	-
Fractures and other injuries	190	-	70	-	-	70	60	-
Other combinations of traumatic injuries and disorders, n.e.c.	210	-	140	-	-	260	150	70
Other traumatic injuries and disorders	3,260	130	1,080	2,240	2,150	3,120	1,900	1,680
Asphyxiations/strangulations, suffocations	-	-	-	-	-	-	-	120
Electrocutions, electric shocks	-	-	-	-	-	-	-	-
Other poisonings and toxic effects	-	-	-	-	-	-	-	330
Animal or insect bites and stings, venomous	-	-	-	-	-	-	-	270
Other poisonings and toxic effects, n.e.c.	-	-	-	-	-	-	-	50
Nonspecified injuries and disorders	3,240	130	1,070	2,240	2,150	3,090	1,870	1,200
Crushing injuries	-	-	30	-	-	-	-	250
Back pain, hurt back	580	60	190	630	580	690	500	170
Soreness, pain, hurt, except the back	2,070	70	540	1,190	1,160	2,110	1,250	720
Multiple nonspecified injuries and disorders	410	-	270	140	140	230	110	50
Nonspecified injuries and disorders, n.e.c.	170	-	40	270	270	50	-	-
Other traumatic injuries and disorders, n.e.c.	20	-	-	-	-	-	-	-
Systemic diseases and disorders	40	-	30	1,070	900	90	50	560
Systemic diseases and disorders, unspecified	-	-	-	20	-	-	-	-
Nervous system and sense organs diseases	-	-	-	630	630	30	20	40
Disorders of the peripheral nervous system	-	-	-	620	620	20	20	-
Carpal tunnel syndrome	-	-	-	620	620	-	-	-
Disorders of the eye, adnexa, vision	-	-	-	-	-	-	-	30
Conjunctivitis non-viral	-	-	-	-	-	-	-	30
Circulatory system diseases	-	-	-	120	-	-	-	-
Hypertensive disease	-	-	-	80	-	-	-	-
Respiratory system diseases	-	-	-	-	-	-	-	80
Pneumonia, influenza	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	-	-	-	40	40	-	-	170
Hernia	-	-	-	40	40	-	-	170
Hernia, unspecified	-	-	-	-	-	-	-	100
Inguinal hernia	-	-	-	30	30	-	-	50
Hernia, n.e.c.	-	-	-	-	-	-	-	20
Musculoskeletal system and connective tissue diseases and disorders	40	-	20	230	220	-	-	-
Dorsopathies	-	-	-	-	-	-	-	-
Sciatica	-	-	-	-	-	-	-	-
Dorsopathies, n.e.c.	-	-	-	-	-	-	-	-
Rheumatism, except the back	30	-	-	210	200	-	-	-
Tendonitis	-	-	-	80	70	-	-	-
Tenosynovitis	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Rheumatism, except the back, n.e.c.	1739	160	—	20	—	—	—
Disorders of the skin and subcutaneous tissue	18	350	30	—	—	—	—
Infections of the skin and subcutaneous tissue	181	100	—	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	60	—	—	—	—	—
Cellulitis and abscess	1812	20	—	—	—	—	—
Dermatitis	182	230	20	—	—	—	—
Dermatitis, unspecified	1820	30	—	—	—	—	—
Contact dermatitis, unspecified	1822	20	—	—	—	—	—
Allergic contact dermatitis	1823	130	—	—	—	—	—
Irritant contact dermatitis	1824	30	—	—	—	—	—
Infectious and parasitic diseases	2	200	—	—	—	—	—
Bacterial diseases	21	60	—	—	—	—	—
Other bacterial diseases	219	40	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	40	—	—	—	—	—
Viral diseases	22	80	—	—	—	—	—
Viral diseases, unspecified	220	40	—	—	—	—	—
Viral diseases of the conjunctiva	226	40	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	40	—	—	—	—	—
Other arthropod-borne diseases	23	20	—	—	—	—	—
Other infectious and parasitic diseases	29	30	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1,120	190	—	—	—	—
Symptoms	41	1,070	190	—	—	—	—
General symptoms	411	340	80	—	—	—	—
General symptoms, unspecified	4110	30	—	—	—	—	—
Loss of consciousness not heat related	4111	80	—	—	—	—	—
Dizziness	4114	30	20	—	—	—	—
Non-specified allergic reaction	4115	60	40	—	—	—	—
Multiple general symptoms	4118	20	20	—	—	—	—
General symptoms, n.e.c.	4119	120	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	413	330	—	—	—	—	—
Edema (including dropsy)	4131	300	—	—	—	—	—
Symptoms involving head and neck	414	30	—	—	—	—	—
Headache, except migraine	4141	20	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	20	—	—	—	—	—
Symptoms involving respiratory system and chest	416	300	90	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	70	50	—	—	—	—
Chest pain	4164	170	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Rheumatism, except the back, n.e.c.	—	—	—	110	110	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	20	—	20	—	260
Infections of the skin and subcutaneous tissue	—	—	—	20	—	20	—	40
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	20	—	20	—	20
Cellulitis and abscess	—	—	—	—	—	—	—	20
Dermatitis	—	—	—	—	—	—	—	210
Dermatitis, unspecified	—	—	—	—	—	—	—	20
Contact dermatitis, unspecified	—	—	—	—	—	—	—	20
Allergic contact dermatitis	—	—	—	—	—	—	—	130
Irritant contact dermatitis	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	—	—	—	—	—	—	—	200
Bacterial diseases	—	—	—	—	—	—	—	60
Other bacterial diseases	—	—	—	—	—	—	—	40
Other bacterial diseases, n.e.c.	—	—	—	—	—	—	—	40
Viral diseases	—	—	—	—	—	—	—	80
Viral diseases, unspecified	—	—	—	—	—	—	—	40
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	40
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	40
Other arthropod-borne diseases	—	—	—	—	—	—	—	20
Other infectious and parasitic diseases	—	—	—	—	—	—	—	30
Acariasis (including scabies, chiggers, mites)	—	—	—	—	—	—	—	30
Symptoms, signs, and ill-defined conditions	130	—	30	370	40	120	40	240
Symptoms	130	—	30	340	40	110	40	240
General symptoms	40	—	—	120	20	—	—	70
General symptoms, unspecified	—	—	—	—	—	—	—	—
Loss of consciousness not heat related	40	—	—	20	—	—	—	—
Dizziness	—	—	—	—	—	—	—	—
Non-specified allergic reaction	—	—	—	—	—	—	—	—
Multiple general symptoms	—	—	—	—	—	—	—	—
General symptoms, n.e.c.	—	—	—	80	—	—	—	20
Symptoms involving skin and other integumentary tissue	80	—	—	—	—	80	30	120
Edema (including dropsy)	80	—	—	—	—	80	30	100
Symptoms involving head and neck	—	—	—	—	—	20	—	—
Headache, except migraine	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	180	—	—	—	30
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	20
Chest pain	—	—	—	160	—	—	—	—
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Symptoms involving respiratory system and chest, n.e.c.	4169	40	20	—	—	—	—
Multiple symptoms	418	30	—	—	—	—	—
Other symptoms, n.e.c.	419	20	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	20	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—
Other diseases, conditions, and disorders	5	760	—	—	—	—	—
Mental disorders or syndromes	52	740	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	740	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	290	—	—	—	—	—
Post-traumatic anxiety acute	5211	180	—	—	—	—	—
Neurotic reaction to stress	5214	230	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	40	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	160	—	—	—	—	—
Nonclassifiable	9999	120	20	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Symptoms involving respiratory system and chest, n.e.c.	-	-	-	-	-	-	-	-
Multiple symptoms	-	-	-	-	-	-	-	-
Other symptoms, n.e.c.	-	-	-	-	-	-	-	-
Abnormal findings	-	-	-	-	-	-	-	-
Abnormal findings from histological and immunological studies	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-	-	-
Other diseases, conditions, and disorders	-	-	40	580	-	130	70	-
Mental disorders or syndromes	-	-	40	570	-	130	70	-
Anxiety, stress, neurotic disorders	-	-	40	570	-	130	70	-
Anxiety, stress, neurotic disorders, unspecified	-	-	-	190	-	70	40	-
Post-traumatic anxiety acute	-	-	-	140	-	30	-	-
Neurotic reaction to stress	-	-	-	210	-	20	-	-
Multiple anxiety, stress, neurotic disorders	-	-	-	30	-	-	-	-
Multiple diseases, conditions, and disorders	-	-	110	-	-	-	-	-
Nonclassifiable	-	-	-	-	-	20	-	70

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999

(Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies