

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009

| Nature | Nature code ² | State government ³ | Event or exposure leading to injury or illness ⁴ | | | | | | |
|--|--------------------------|-------------------------------|---|------------------|-----------------------|------------------------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in or compressed or crushed | | | |
| Total | | 75,840 | 11,290 | 5,630 | 3,520 | 1,160 | 3,330 | 12,730 | 3,980 |
| Traumatic injuries and disorders | 0 | 71,250 | 11,060 | 5,500 | 3,440 | 1,140 | 3,290 | 12,630 | 3,960 |
| Traumatic injuries and disorders, unspecified | 00 | 3,110 | 370 | 210 | 100 | 40 | 270 | 750 | 90 |
| Traumatic injuries to bones, nerves, spinal cord | 01 | 3,930 | 930 | 480 | 340 | 80 | 470 | 1,400 | 40 |
| Dislocations | 011 | 500 | 40 | 20 | — | — | 40 | 260 | 20 |
| Fractures | 012 | 3,280 | 870 | 450 | 330 | 80 | 380 | 1,130 | 20 |
| Traumatic injuries to nerves, except the spinal cord | 014 | 20 | — | — | — | — | — | — | — |
| Multiple traumatic injuries to bones nerves, spinal cord | 018 | 120 | — | — | — | — | 50 | — | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 02 | 30,360 | 1,620 | 460 | 740 | 180 | 1,110 | 3,620 | 3,160 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 020 | 350 | — | — | — | — | 20 | 70 | 20 |
| Sprains, strains, tears | 021 | 29,830 | 1,600 | 460 | 720 | 180 | 1,080 | 3,530 | 3,130 |
| Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 029 | 180 | — | — | — | — | — | — | — |
| Open wounds | 03 | 2,870 | 1,760 | 920 | 570 | 150 | 80 | 220 | — |
| Open wounds, unspecified | 030 | 30 | 30 | — | — | — | — | — | — |
| Amputations | 031 | 70 | 70 | 30 | — | 40 | — | — | — |
| Amputations, fingertip | 0311 | 30 | 30 | 20 | — | — | — | — | — |
| Amputations, except fingertip | 0319 | 40 | 40 | — | — | 30 | — | — | — |
| Animal or insect bites | 032 | 310 | — | — | — | — | — | — | — |
| Avulsions | 033 | 60 | 30 | — | — | — | — | — | — |
| Cuts, lacerations | 034 | 2,050 | 1,400 | 740 | 470 | 100 | 80 | 210 | — |
| Punctures, except bites | 037 | 340 | 230 | 120 | 90 | — | — | — | — |
| Surface wounds and bruises | 04 | 11,100 | 3,930 | 2,180 | 940 | 340 | 410 | 2,820 | — |
| Abrasions, scratches | 041 | 810 | 410 | 200 | 100 | — | 40 | 130 | — |
| Bruises, contusions | 043 | 9,890 | 3,150 | 1,880 | 820 | 340 | 370 | 2,680 | — |
| Foreign bodies (superficial splinters, chips) | 044 | 330 | 330 | 90 | — | — | — | — | — |
| Multiple surface wounds and bruises | 048 | 30 | — | — | — | — | — | — | — |
| Surface wounds and bruises, n.e.c. | 049 | 30 | — | — | — | — | — | — | — |
| Burns | 05 | 620 | — | — | — | — | — | — | — |
| Chemical burns | 051 | 120 | — | — | — | — | — | — | — |
| Electrical burns | 052 | 40 | — | — | — | — | — | — | — |
| Heat burns, scalds | 053 | 460 | — | — | — | — | — | — | — |
| Intracranial injuries | 06 | 560 | 330 | 70 | 260 | — | 20 | 120 | — |
| Concussions | 062 | 550 | 330 | 70 | 260 | — | 20 | 110 | — |
| Effects of environmental conditions | 07 | 110 | — | — | — | — | — | — | — |
| Effects of reduced temperature | 071 | 20 | — | — | — | — | — | — | — |
| Effects of heat and light | 072 | 90 | — | — | — | — | — | — | — |
| Heat fatigue | 0723 | 60 | — | — | — | — | — | — | — |
| Effects of heat and light, n.e.c. | 0729 | 20 | — | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders | 08 | 4,410 | 710 | 370 | 140 | 170 | 450 | 1,390 | — |
| Multiple traumatic injuries and disorders, unspecified .. | 080 | 250 | — | — | — | — | — | 50 | — |
| Cuts, abrasions, bruises | 081 | 600 | 140 | 60 | 40 | 40 | 120 | 130 | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Event or exposure leading to injury or illness ⁴ | | | | | | | | | | | All other events ⁵ |
|--|---|------------|-------------------|--|--------------------------|------------------|----------------------|---------------------------|---------------------|--------------------|-------------------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | | Fires and explosions | Assaults and violent acts | | | All other events ⁵ | |
| | Total | In lifting | | | Total | Highway accident | | Total | As-saults by person | All other assaults | | |
| | | | | | | | Total | Assaults by animal | | | | |
| Total | 14,560 | 6,020 | 1,740 | 2,750 | 4,500 | 3,310 | 120 | 12,200 | 10,640 | 1,560 | 210 | 8,650 |
| Traumatic injuries and disorders | 13,990 | 5,790 | 870 | 1,330 | 4,350 | 3,160 | 100 | 11,930 | 10,380 | 1,540 | 190 | 7,740 |
| Traumatic injuries and disorders, unspecified | 220 | 40 | 130 | 40 | 280 | 220 | — | 620 | 480 | 140 | — | 340 |
| Traumatic injuries to bones, nerves, spinal cord | 40 | — | — | — | 280 | 140 | — | 630 | 440 | 190 | 20 | 140 |
| Dislocations | 20 | — | — | — | 30 | — | — | 50 | 50 | — | — | 40 |
| Fractures | 20 | — | — | — | 200 | 110 | — | 570 | 380 | 180 | 20 | 90 |
| Traumatic injuries to nerves, except the spinal cord | — | — | — | — | — | — | — | — | — | — | — | — |
| Multiple traumatic injuries to bones nerves, spinal cord | — | — | — | — | 50 | — | — | — | — | — | — | — |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 10,470 | 3,950 | 440 | — | 1,520 | 1,040 | — | 3,300 | 2,830 | 470 | — | 5,130 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 90 | 40 | — | — | 20 | 20 | — | 100 | 100 | — | — | 30 |
| Sprains, strains, tears | 10,330 | 3,890 | 440 | — | 1,500 | 1,020 | — | 3,200 | 2,740 | 470 | — | 5,000 |
| Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 40 | 20 | — | — | — | — | — | — | — | — | — | 100 |
| Open wounds | — | — | — | — | 190 | 140 | — | 600 | 460 | 140 | 140 | — |
| Open wounds, unspecified | — | — | — | — | — | — | — | — | — | — | — | — |
| Amputations | — | — | — | — | — | — | — | — | — | — | — | — |
| Amputations, fingertip | — | — | — | — | — | — | — | — | — | — | — | — |
| Amputations, except fingertip | — | — | — | — | — | — | — | — | — | — | — | — |
| Animal or insect bites | — | — | — | — | — | — | — | 310 | 180 | 130 | 130 | — |
| Avulsions | — | — | — | — | — | — | — | 20 | 20 | — | — | — |
| Cuts, lacerations | — | — | — | — | 190 | 140 | — | 160 | 150 | — | — | — |
| Punctures, except bites | — | — | — | — | — | — | — | 100 | 100 | — | — | — |
| Surface wounds and bruises | — | — | — | — | 610 | 420 | — | 3,220 | 2,980 | 240 | — | 80 |
| Abrasions, scratches | — | — | — | — | — | — | — | 220 | 200 | 20 | — | — |
| Bruises, contusions | — | — | — | — | 600 | 400 | — | 2,980 | 2,760 | 230 | — | 80 |
| Foreign bodies (superficial splinters, chips) | — | — | — | — | — | — | — | — | — | — | — | — |
| Multiple surface wounds and bruises | — | — | — | — | — | — | — | 20 | 20 | — | — | — |
| Surface wounds and bruises, n.e.c. | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns | — | — | — | 600 | — | — | — | — | — | — | — | — |
| Chemical burns | — | — | — | 120 | — | — | — | — | — | — | — | — |
| Electrical burns | — | — | — | 40 | — | — | — | — | — | — | — | — |
| Heat burns, scalds | — | — | — | 440 | — | — | — | — | — | — | — | — |
| Intracranial injuries | — | — | — | — | 50 | 50 | — | 50 | 50 | — | — | — |
| Concussions | — | — | — | — | 50 | 50 | — | 40 | 40 | — | — | — |
| Effects of environmental conditions | — | — | — | 110 | — | — | — | — | — | — | — | — |
| Effects of reduced temperature | — | — | — | 20 | — | — | — | — | — | — | — | — |
| Effects of heat and light | — | — | — | 90 | — | — | — | — | — | — | — | — |
| Heat fatigue | — | — | — | 60 | — | — | — | — | — | — | — | — |
| Effects of heat and light, n.e.c. | — | — | — | 20 | — | — | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders | 40 | 30 | — | — | 460 | 350 | — | 1,350 | 1,270 | 80 | — | 20 |
| Multiple traumatic injuries and disorders, unspecified .. | — | — | — | — | 30 | 30 | — | 90 | 90 | — | — | — |
| Cuts, abrasions, bruises | — | — | — | — | 50 | 40 | — | 160 | 160 | — | — | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Nature code ² | State government ³ | Event or exposure leading to injury or illness ⁴ | | | | | | |
|--|--------------------------|-------------------------------|---|------------------|-----------------------|------------------------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in or compressed or crushed | | | |
| Sprains and bruises | 082 | 2,330 | 360 | 230 | 60 | 40 | 240 | 780 | — |
| Fractures and burns | 083 | 100 | — | — | — | — | — | 100 | — |
| Fractures and other injuries | 084 | 360 | 40 | 30 | — | — | 50 | 140 | — |
| Other combinations of traumatic injuries and disorders, n.e.c. | 089 | 770 | 100 | 50 | 40 | — | 40 | 180 | — |
| Other traumatic injuries and disorders | 09 | 14,180 | 1,410 | 800 | 350 | 190 | 490 | 2,320 | 680 |
| Asphyxiations/strangulations, suffocations | 091 | 120 | — | — | — | — | — | — | — |
| Electrocutions, electric shocks | 093 | 60 | — | — | — | — | — | — | — |
| Other poisonings and toxic effects | 095 | 420 | — | — | — | — | — | — | — |
| Animal or insect bites and stings, venomous | 0951 | 270 | — | — | — | — | — | — | — |
| Other poisonings and toxic effects, n.e.c. | 0959 | 140 | — | — | — | — | — | — | — |
| Nonspecified injuries and disorders | 097 | 13,510 | 1,400 | 800 | 350 | 190 | 490 | 2,300 | 670 |
| Crushing injuries | 0971 | 450 | 410 | 270 | — | 140 | — | — | — |
| Back pain, hurt back | 0972 | 2,880 | 80 | 60 | — | — | 110 | 340 | 220 |
| Soreness, pain, hurt, except the back | 0973 | 8,410 | 820 | 410 | 330 | 40 | 250 | 1,410 | 440 |
| Multiple nonspecified injuries and disorders | 0978 | 1,160 | 70 | 50 | 20 | — | 120 | 320 | 20 |
| Nonspecified injuries and disorders, n.e.c. | 0979 | 600 | — | — | — | — | — | 230 | — |
| Other traumatic injuries and disorders, n.e.c. | 099 | 60 | — | — | — | — | — | 20 | — |
| Systemic diseases and disorders | 1 | 2,150 | 50 | — | 30 | — | — | 40 | — |
| Systemic diseases and disorders, unspecified | 10 | 30 | — | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 12 | 700 | 20 | — | — | — | — | — | — |
| Disorders of the peripheral nervous system | 124 | 640 | — | — | — | — | — | — | — |
| Carpal tunnel syndrome | 1241 | 620 | — | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision | 125 | 50 | — | — | — | — | — | — | — |
| Conjunctivitis non-viral | 1252 | 40 | — | — | — | — | — | — | — |
| Circulatory system diseases | 13 | 120 | — | — | — | — | — | — | — |
| Hypertensive disease | 132 | 80 | — | — | — | — | — | — | — |
| Respiratory system diseases | 14 | 110 | — | — | — | — | — | — | — |
| Pneumonia, influenza | 143 | 70 | — | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions | 144 | 20 | — | — | — | — | — | — | — |
| Digestive system diseases and disorders | 15 | 440 | — | — | — | — | — | — | — |
| Hernia | 153 | 440 | — | — | — | — | — | — | — |
| Hernia, unspecified | 1530 | 130 | — | — | — | — | — | — | — |
| Inguinal hernia | 1531 | 240 | — | — | — | — | — | — | — |
| Hernia, n.e.c. | 1539 | 50 | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 17 | 400 | 20 | — | 20 | — | — | 40 | — |
| Dorsopathies | 172 | 80 | — | — | — | — | — | — | — |
| Sciatica | 1721 | 20 | — | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | 1729 | 50 | — | — | — | — | — | — | — |
| Rheumatism, except the back | 173 | 320 | 20 | — | 20 | — | — | 30 | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Event or exposure leading to injury or illness ⁴ | | | | | | | | | | | All other events ⁵ |
|--|---|--------------|-------------------|--|--------------------------|------------------|----------------------|---------------------------|---------------------|--------------------|-------------------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | | Fires and explosions | Assaults and violent acts | | | All other events ⁵ | |
| | Total | In lifting | | | Total | Highway accident | | Total | As-saults by person | All other assaults | | |
| | | | | | | | Total | Assaults by animal | | | | |
| Sprains and bruises | 40 | 30 | — | — | 180 | 150 | — | 740 | 700 | — | — | — |
| Fractures and burns | — | — | — | — | — | — | — | — | — | — | — | — |
| Fractures and other injuries | — | — | — | — | 60 | 40 | — | 70 | 40 | — | — | — |
| Other combinations of traumatic injuries and disorders, n.e.c. | — | — | — | — | 140 | 90 | — | 290 | 290 | — | — | — |
| Other traumatic injuries and disorders | 3,220 | 1,770 | 300 | 580 | 960 | 800 | 50 | 2,140 | 1,860 | 280 | — | 2,030 |
| Asphyxiations/strangulations, suffocations | — | — | — | — | — | — | — | — | — | — | — | 110 |
| Electrocutions, electric shocks | — | — | — | 60 | — | — | — | — | — | — | — | — |
| Other poisonings and toxic effects | — | — | — | 400 | — | — | 20 | — | — | — | — | — |
| Animal or insect bites and stings, venomous | — | — | — | 270 | — | — | — | — | — | — | — | — |
| Other poisonings and toxic effects, n.e.c. | — | — | — | 120 | — | — | 20 | — | — | — | — | — |
| Nonspecified injuries and disorders | 3,190 | 1,740 | 300 | 90 | 960 | 800 | — | 2,140 | 1,860 | 280 | — | 1,920 |
| Crushing injuries | — | — | — | — | — | — | — | — | — | — | — | — |
| Back pain, hurt back | 1,090 | 560 | — | — | 170 | 130 | — | 260 | 260 | — | — | 590 |
| Soreness, pain, hurt, except the back | 1,990 | 1,170 | 220 | 90 | 500 | 420 | — | 1,670 | 1,390 | 280 | — | 990 |
| Multiple nonspecified injuries and disorders | 110 | — | 70 | — | 250 | 220 | — | 150 | 150 | — | — | 70 |
| Nonspecified injuries and disorders, n.e.c. | — | — | — | — | 30 | 30 | — | 40 | 40 | — | — | 270 |
| Other traumatic injuries and disorders, n.e.c. | 30 | 30 | — | — | — | — | — | — | — | — | — | — |
| Systemic diseases and disorders | 510 | 220 | 840 | 530 | — | — | — | 30 | 20 | — | — | 150 |
| Systemic diseases and disorders, unspecified | — | — | — | — | — | — | — | — | — | — | — | — |
| Nervous system and sense organs diseases | — | — | 620 | 50 | — | — | — | — | — | — | — | — |
| Disorders of the peripheral nervous system | — | — | 620 | — | — | — | — | — | — | — | — | — |
| Carpal tunnel syndrome | — | — | 620 | — | — | — | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision | — | — | — | 40 | — | — | — | — | — | — | — | — |
| Conjunctivitis non-viral | — | — | — | 30 | — | — | — | — | — | — | — | — |
| Circulatory system diseases | — | — | — | 70 | — | — | — | — | — | — | — | 50 |
| Hypertensive disease | — | — | — | 70 | — | — | — | — | — | — | — | — |
| Respiratory system diseases | — | — | — | 110 | — | — | — | — | — | — | — | — |
| Pneumonia, influenza | — | — | — | 70 | — | — | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions | — | — | — | 20 | — | — | — | — | — | — | — | — |
| Digestive system diseases and disorders | 390 | 170 | — | — | — | — | — | — | — | — | — | 40 |
| Hernia | 390 | 170 | — | — | — | — | — | — | — | — | — | 40 |
| Hernia, unspecified | 130 | 50 | — | — | — | — | — | — | — | — | — | — |
| Inguinal hernia | 210 | 110 | — | — | — | — | — | — | — | — | — | 40 |
| Hernia, n.e.c. | 40 | — | — | — | — | — | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 120 | 50 | 200 | — | — | — | — | — | — | — | — | 30 |
| Dorsopathies | 60 | — | — | — | — | — | — | — | — | — | — | — |
| Sciatica | — | — | — | — | — | — | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | 40 | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism, except the back | 60 | 30 | 190 | — | — | — | — | — | — | — | — | 20 |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Nature code ² | State government ³ | Event or exposure leading to injury or illness ⁴ | | | | | | |
|--|--------------------------|-------------------------------|---|------------------|-----------------------|------------------------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in or compressed or crushed | | | |
| Tendonitis | 1733 | 100 | — | — | — | — | — | — | — |
| Tenosynovitis | 1734 | 40 | — | — | — | — | — | — | — |
| Rheumatism, except the back, n.e.c. | 1739 | 160 | 20 | — | 20 | — | — | — | — |
| Disorders of the skin and subcutaneous tissue | 18 | 350 | — | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue | 181 | 100 | — | — | — | — | — | — | — |
| Infections of the skin and subcutaneous tissue, unspecified | 1810 | 60 | — | — | — | — | — | — | — |
| Cellulitis and abscess | 1812 | 20 | — | — | — | — | — | — | — |
| Dermatitis | 182 | 230 | — | — | — | — | — | — | — |
| Dermatitis, unspecified | 1820 | 30 | — | — | — | — | — | — | — |
| Contact dermatitis, unspecified | 1822 | 20 | — | — | — | — | — | — | — |
| Allergic contact dermatitis | 1823 | 130 | — | — | — | — | — | — | — |
| Irritant contact dermatitis | 1824 | 30 | — | — | — | — | — | — | — |
| Infectious and parasitic diseases | 2 | 200 | — | — | — | — | — | — | — |
| Bacterial diseases | 21 | 60 | — | — | — | — | — | — | — |
| Other bacterial diseases | 219 | 40 | — | — | — | — | — | — | — |
| Other bacterial diseases, n.e.c. | 2199 | 40 | — | — | — | — | — | — | — |
| Viral diseases | 22 | 80 | — | — | — | — | — | — | — |
| Viral diseases, unspecified | 220 | 40 | — | — | — | — | — | — | — |
| Viral diseases of the conjunctiva | 226 | 40 | — | — | — | — | — | — | — |
| Viral conjunctivitis (ophthalmia) | 2262 | 40 | — | — | — | — | — | — | — |
| Other arthropod-borne diseases | 23 | 20 | — | — | — | — | — | — | — |
| Other infectious and parasitic diseases | 29 | 30 | — | — | — | — | — | — | — |
| Acariasis (including scabies, chiggers, mites) | 294 | 30 | — | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 4 | 1,120 | 160 | 100 | 40 | — | 30 | 50 | — |
| Symptoms | 41 | 1,070 | 160 | 100 | 40 | — | 20 | 50 | — |
| General symptoms | 411 | 340 | 20 | 20 | — | — | — | 40 | — |
| General symptoms, unspecified | 4110 | 30 | — | — | — | — | — | — | — |
| Loss of consciousness not heat related | 4111 | 80 | — | — | — | — | — | 40 | — |
| Dizziness | 4114 | 30 | — | — | — | — | — | — | — |
| Non-specified allergic reaction | 4115 | 60 | — | — | — | — | — | — | — |
| Multiple general symptoms | 4118 | 20 | — | — | — | — | — | — | — |
| General symptoms, n.e.c. | 4119 | 120 | — | — | — | — | — | — | — |
| Symptoms involving skin and other integumentary tissue | 413 | 330 | 130 | 80 | 40 | — | 20 | — | — |
| Edema (including dropsy) | 4131 | 300 | 130 | 80 | 40 | — | 20 | — | — |
| Symptoms involving head and neck | 414 | 30 | — | — | — | — | — | — | — |
| Headache, except migraine | 4141 | 20 | — | — | — | — | — | — | — |
| Symptoms involving head and neck, n.e.c. | 4149 | 20 | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 416 | 300 | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, unspecified | 4160 | 70 | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Event or exposure leading to injury or illness ⁴ | | | | | | | | | | |
|--|---|------------|-------------------|--|--------------------------|------------------|----------------------|---------------------------|---------------------|-----------------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | | Fires and explosions | Assaults and violent acts | | | All other events ⁵ |
| | Total | In lifting | | | Total | Highway accident | | Total | As-saults by person | All other assaults Total | |
| Tendonitis | 20 | 20 | 70 | — | — | — | — | — | — | — | — |
| Tenosynovitis | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism, except the back, n.e.c. | 30 | — | 110 | — | — | — | — | — | — | — | — |
| Disorders of the skin and subcutaneous tissue | — | — | — | 290 | — | — | — | — | — | — | 20 |
| Infections of the skin and subcutaneous tissue | — | — | — | 50 | — | — | — | — | — | — | 20 |
| Infections of the skin and subcutaneous tissue, unspecified | — | — | — | 40 | — | — | — | — | — | — | 20 |
| Cellulitis and abscess | — | — | — | — | — | — | — | — | — | — | — |
| Dermatitis | — | — | — | 230 | — | — | — | — | — | — | — |
| Dermatitis, unspecified | — | — | — | 30 | — | — | — | — | — | — | — |
| Contact dermatitis, unspecified | — | — | — | 20 | — | — | — | — | — | — | — |
| Allergic contact dermatitis | — | — | — | 130 | — | — | — | — | — | — | — |
| Irritant contact dermatitis | — | — | — | 30 | — | — | — | — | — | — | — |
| Infectious and parasitic diseases | — | — | — | 200 | — | — | — | — | — | — | — |
| Bacterial diseases | — | — | — | 60 | — | — | — | — | — | — | — |
| Other bacterial diseases | — | — | — | 40 | — | — | — | — | — | — | — |
| Other bacterial diseases, n.e.c. | — | — | — | 40 | — | — | — | — | — | — | — |
| Viral diseases | — | — | — | 80 | — | — | — | — | — | — | — |
| Viral diseases, unspecified | — | — | — | 40 | — | — | — | — | — | — | — |
| Viral diseases of the conjunctiva | — | — | — | 40 | — | — | — | — | — | — | — |
| Viral conjunctivitis (ophthalmia) | — | — | — | 40 | — | — | — | — | — | — | — |
| Other arthropod-borne diseases | — | — | — | 20 | — | — | — | — | — | — | — |
| Other infectious and parasitic diseases | — | — | — | 30 | — | — | — | — | — | — | — |
| Acariasis (including scabies, chiggers, mites) | — | — | — | 30 | — | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 50 | — | 20 | 290 | — | — | — | 100 | 100 | — | 390 |
| Symptoms | 50 | — | — | 280 | — | — | — | 100 | 100 | — | 360 |
| General symptoms | — | — | — | 120 | — | — | — | — | — | — | 130 |
| General symptoms, unspecified | — | — | — | — | — | — | — | — | — | — | — |
| Loss of consciousness not heat related | — | — | — | 20 | — | — | — | — | — | — | 20 |
| Dizziness | — | — | — | 20 | — | — | — | — | — | — | — |
| Non-specified allergic reaction | — | — | — | 60 | — | — | — | — | — | — | — |
| Multiple general symptoms | — | — | — | 20 | — | — | — | — | — | — | — |
| General symptoms, n.e.c. | — | — | — | — | — | — | — | — | — | — | 90 |
| Symptoms involving skin and other integumentary tissue | 50 | — | — | — | — | — | — | 70 | 70 | — | 20 |
| Edema (including dropsy) | 50 | — | — | — | — | — | — | 70 | 70 | — | 20 |
| Symptoms involving head and neck | — | — | — | — | — | — | — | 20 | 20 | — | — |
| Headache, except migraine | — | — | — | — | — | — | — | — | — | — | — |
| Symptoms involving head and neck, n.e.c. | — | — | — | — | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | — | — | — | 110 | — | — | — | — | — | — | 190 |
| Symptoms involving respiratory system and chest, unspecified | — | — | — | 70 | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Nature code ² | State government ³ | Event or exposure leading to injury or illness ⁴ | | | | | | |
|---|--------------------------|-------------------------------|---|------------------|-----------------------|------------------------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in or compressed or crushed | | | |
| Chest pain | 4164 | 170 | — | — | — | — | — | — | — |
| Multiple symptoms involving respiratory system and chest | 4168 | 20 | — | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 4169 | 40 | — | — | — | — | — | — | — |
| Multiple symptoms | 418 | 30 | — | — | — | — | — | — | — |
| Other symptoms, n.e.c. | 419 | 20 | — | — | — | — | — | — | — |
| Abnormal findings | 42 | 20 | — | — | — | — | — | — | — |
| Abnormal findings from histological and immunological studies | 426 | 20 | — | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions | 48 | 20 | — | — | — | — | — | — | — |
| Multiple symptoms, signs, and ill-defined conditions, n.e.c. | 489 | 20 | — | — | — | — | — | — | — |
| Other diseases, conditions, and disorders | 5 | 760 | — | — | — | — | — | — | — |
| Mental disorders or syndromes | 52 | 740 | — | — | — | — | — | — | — |
| Anxiety, stress, neurotic disorders | 521 | 740 | — | — | — | — | — | — | — |
| Anxiety, stress, neurotic disorders, unspecified | 5210 | 290 | — | — | — | — | — | — | — |
| Post-traumatic anxiety acute | 5211 | 180 | — | — | — | — | — | — | — |
| Neurotic reaction to stress | 5214 | 230 | — | — | — | — | — | — | — |
| Multiple anxiety, stress, neurotic disorders | 5218 | 40 | — | — | — | — | — | — | — |
| Multiple diseases, conditions, and disorders | 8 | 160 | — | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 120 | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, State government, 2009 — Continued

| Nature | Event or exposure leading to injury or illness ⁴ | | | | | | | | | | | All other events ⁵ |
|---|---|------------|-------------------|--|--------------------------|------------------|----------------------|---------------------------|---------------------|--------------------|-------------------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | | Fires and explosions | Assaults and violent acts | | | All other events ⁵ | |
| | Total | In lifting | | | Total | Highway accident | | Total | As-saults by person | All other assaults | | |
| | | | | | | | Total | Assaults by animal | | | | |
| Chest pain | - | - | - | - | - | - | - | - | - | - | - | 170 |
| Multiple symptoms involving respiratory system and chest | - | - | - | - | - | - | - | - | - | - | - | - |
| Symptoms involving respiratory system and chest, n.e.c. | - | - | - | 20 | - | - | - | - | - | - | - | - |
| Multiple symptoms | - | - | - | - | - | - | - | - | - | - | - | - |
| Other symptoms, n.e.c. | - | - | - | 20 | - | - | - | - | - | - | - | - |
| Abnormal findings | - | - | - | - | - | - | - | - | - | - | - | - |
| Abnormal findings from histological and immunological studies | - | - | - | - | - | - | - | - | - | - | - | - |
| Multiple symptoms, signs, and ill-defined conditions | - | - | - | - | - | - | - | - | - | - | - | - |
| Multiple symptoms, signs, and ill-defined conditions, n.e.c. | - | - | - | - | - | - | - | - | - | - | - | - |
| Other diseases, conditions, and disorders | - | - | - | 290 | 40 | 40 | - | 120 | 120 | - | - | 300 |
| Mental disorders or syndromes | - | - | - | 290 | 40 | 40 | - | 120 | 120 | - | - | 290 |
| Anxiety, stress, neurotic disorders | - | - | - | 290 | 40 | 40 | - | 120 | 120 | - | - | 290 |
| Anxiety, stress, neurotic disorders, unspecified | - | - | - | 120 | - | - | - | 70 | 70 | - | - | 70 |
| Post-traumatic anxiety acute | - | - | - | 80 | - | - | - | 30 | 30 | - | - | 60 |
| Neurotic reaction to stress | - | - | - | 90 | - | - | - | - | - | - | - | 130 |
| Multiple anxiety, stress, neurotic disorders | - | - | - | - | - | - | - | - | - | - | - | 30 |
| Multiple diseases, conditions, and disorders | - | - | - | - | 110 | 110 | - | - | - | - | - | - |
| Nonclassifiable | - | - | - | 40 | - | - | - | - | - | - | - | 70 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41;

Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies