

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		75,840	29,830	3,280	2,390	2,050	340	9,890	460	120
Head	0	5,540	60	150	800	770	40	1,680	—	100
Head, unspecified	00	1,160	—	—	240	230	—	430	—	—
Cranial region, including skull	01	900	—	—	50	50	—	140	—	—
Brain	011	590	—	—	—	—	—	—	—	—
Scalp	012	220	—	—	50	50	—	100	—	—
Skull	013	40	—	—	—	—	—	—	—	—
Multiple cranial region locations	018	40	—	—	—	—	—	—	—	—
Ear(s)	02	40	—	—	—	—	—	—	—	—
Face	03	3,280	40	130	500	470	30	1,040	—	100
Face, unspecified	030	710	—	—	170	160	—	270	—	—
Forehead	031	210	—	—	130	130	—	50	—	—
Eye(s)	032	1,350	—	—	70	60	—	250	—	90
Nose, nasal cavity	033	330	—	30	70	70	—	90	—	—
Nose, except internal location of diseases or disorders	0330	320	—	30	70	70	—	90	—	—
Cheek(s)	034	130	—	20	30	30	—	70	—	—
Jaw/chin	035	140	—	20	—	—	—	100	—	—
Mouth	036	100	—	20	—	—	—	40	—	—
Mouth, unspecified	0360	40	—	—	—	—	—	—	—	—
Lip(s)	0361	40	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	20	—	20	—	—	—	—	—	—
Multiple face locations	038	270	—	30	—	—	—	140	—	—
Face, n.e.c.	039	40	—	—	—	—	—	—	—	—
Multiple head locations	08	160	—	—	—	—	—	60	—	—
Neck, including throat	1	1,560	960	—	—	—	—	100	—	—
Neck, except internal location of diseases or disorders ...	10	1,550	960	—	—	—	—	100	—	—
Trunk	2	21,940	12,980	640	—	—	—	1,480	—	—
Trunk, unspecified	20	90	—	—	—	—	—	40	—	—
Shoulder, including clavicle, scapula	21	4,670	2,890	60	—	—	—	350	—	—
Chest, including ribs, internal organs	22	1,850	240	460	—	—	—	390	—	—
Chest, except internal location of diseases or disorders	220	1,450	240	460	—	—	—	390	—	—
Internal chest location, unspecified	221	210	—	—	—	—	—	—	—	—
Heart	223	20	—	—	—	—	—	—	—	—
Lung(s), pleura	225	100	—	—	—	—	—	—	—	—
Multiple internal chest locations	228	70	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	12,650	8,610	40	—	—	—	390	—	—
Back, including spine, spinal cord, unspecified	230	5,180	3,620	—	—	—	—	150	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	70	620	100	4,410	460	2,330	11,290	2,880	13,380
Head	—	—	—	180	30	—	470	—	2,110
Head, unspecified	—	—	—	30	—	—	190	—	260
Cranial region, including skull	—	—	—	—	—	—	30	—	660
Brain	—	—	—	—	—	—	—	—	590
Scalp	—	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	30
Face	—	—	—	130	30	—	210	—	1,100
Face, unspecified	—	—	—	—	—	—	—	—	220
Forehead	—	—	—	—	—	—	—	—	—
Eye(s)	—	—	—	—	—	—	140	—	790
Nose, nasal cavity	—	—	—	40	—	—	—	—	40
Nose, except internal location of diseases or disorders	—	—	—	40	—	—	—	—	30
Cheek(s)	—	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—	—
Mouth	—	—	—	—	—	—	20	—	—
Mouth, unspecified	—	—	—	—	—	—	20	—	—
Lip(s)	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	50	—	—	—	—	20
Face, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—	—	—	40
Neck, including throat	—	—	—	20	—	20	290	—	180
Neck, except internal location of diseases or disorders ...	—	—	—	20	—	20	290	—	170
Trunk	—	—	—	260	30	210	4,210	2,880	2,370
Trunk, unspecified	—	—	—	—	—	—	30	—	—
Shoulder, including clavicle, scapula	—	—	—	40	—	40	790	—	530
Chest, including ribs, internal organs	—	—	—	—	—	—	220	—	530
Chest, except internal location of diseases or disorders	—	—	—	—	—	—	220	—	120
Internal chest location, unspecified	—	—	—	—	—	—	—	—	210
Heart	—	—	—	—	—	—	—	—	20
Lung(s), pleura	—	—	—	—	—	—	—	—	100
Multiple internal chest locations	—	—	—	—	—	—	—	—	70
Back, including spine, spinal cord	—	—	—	160	—	120	2,880	2,880	570
Back, including spine, spinal cord, unspecified	—	—	—	20	—	20	1,220	1,220	160

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Lumbar region	231	5,920	4,010	—	—	—	—	180	—	—
Thoracic region	232	710	520	—	—	—	—	—	—	—
Sacral region	233	40	—	—	—	—	—	—	—	—
Coccygeal region	234	100	—	20	—	—	—	30	—	—
Multiple back regions	238	630	380	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	239	80	80	—	—	—	—	—	—	—
Abdomen	24	1,040	410	—	—	—	—	20	—	—
Abdomen, except internal location of diseases or disorders	240	600	410	—	—	—	—	20	—	—
Internal abdominal location, unspecified	241	160	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	260	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	200	—	—	—	—	—	—	—	—
Peritoneum	2451	60	—	—	—	—	—	—	—	—
Pelvic region	25	1,070	490	70	—	—	—	230	—	—
Pelvic region, unspecified	250	20	—	—	—	—	—	—	—	—
Hip(s)	251	620	300	60	—	—	—	180	—	—
Buttock(s)	253	100	30	—	—	—	—	20	—	—
Groin	254	310	160	—	—	—	—	30	—	—
External reproductive tract structures	255	20	—	—	—	—	—	—	—	—
Multiple trunk locations	28	550	320	—	—	—	—	40	—	—
Trunk, n.e.c.	29	20	—	—	—	—	—	—	—	—
Upper extremities	3	11,880	3,130	1,300	1,230	1,000	230	1,580	360	—
Upper extremities, unspecified	30	40	30	—	—	—	—	—	—	—
Arm(s)	31	2,660	820	270	100	60	30	410	120	—
Arm(s), unspecified	310	1,020	220	110	50	20	—	170	60	—
Upper arm(s)	311	240	170	—	—	—	—	30	—	—
Elbow(s)	312	810	290	70	20	20	—	200	—	—
Forearm(s)	313	290	70	80	30	30	—	—	30	—
Multiple arm(s) locations	318	290	60	—	—	—	—	—	—	—
Wrist(s)	32	2,450	860	300	20	20	—	160	—	—
Hand(s), except finger(s)	33	1,980	270	240	210	190	20	460	160	—
Finger(s), fingernail(s)	34	3,400	500	460	850	680	170	430	—	—
Multiple upper extremities locations	38	1,330	640	30	50	50	—	100	—	—
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	270	40	—	50	50	—	50	—	—
Hand(s) and wrist(s)	382	310	200	—	—	—	—	20	—	—
Hand(s) and arm(s)	383	180	80	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	540	320	—	—	—	—	30	—	—
Upper extremities, n.e.c.	39	20	—	—	—	—	—	20	—	—
Lower extremities	4	16,640	9,040	1,080	230	190	40	2,460	60	—
Leg(s)	41	10,270	5,600	300	180	170	—	1,640	—	—
Leg(s), unspecified	410	780	270	80	90	80	—	100	—	—
Thigh(s)	411	300	180	50	—	—	—	20	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Lumbar region	—	—	—	90	—	90	1,370	1,370	250
Thoracic region	—	—	—	—	—	—	140	140	20
Sacral region	—	—	—	—	—	—	40	40	—
Coccygeal region	—	—	—	30	—	—	20	20	—
Multiple back regions	—	—	—	20	—	—	90	90	130
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	130	—	490
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	130	—	40
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	160
Intestines, peritoneum	—	—	—	—	—	—	—	—	260
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	200
Peritoneum	—	—	—	—	—	—	—	—	60
Pelvic region	—	—	—	—	—	—	150	—	110
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—
Hip(s)	—	—	—	—	—	—	30	—	40
Buttock(s)	—	—	—	—	—	—	—	—	50
Groin	—	—	—	—	—	—	100	—	20
External reproductive tract structures	—	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	50	—	50	—	—	130
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—
Upper extremities	70	620	90	430	50	210	1,270	—	1,800
Upper extremities, unspecified	—	—	—	—	—	—	—	—	—
Arm(s)	—	—	30	100	20	20	420	—	390
Arm(s), unspecified	—	—	—	—	—	—	230	—	170
Upper arm(s)	—	—	—	—	—	—	30	—	—
Elbow(s)	—	—	20	20	—	—	70	—	120
Forearm(s)	—	—	—	—	—	—	20	—	30
Multiple arm(s) locations	—	—	—	60	—	—	80	—	70
Wrist(s)	—	620	20	40	—	30	210	—	170
Hand(s), except finger(s)	—	—	—	70	—	60	160	—	400
Finger(s), fingernail(s)	70	—	—	130	—	60	280	—	660
Multiple upper extremities locations	—	—	20	90	—	50	210	—	180
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	—	—	30	—	—	20	—	70
Hand(s) and wrist(s)	—	—	—	20	—	20	40	—	20
Hand(s) and arm(s)	—	—	—	—	—	—	70	—	—
Multiple upper extremities locations, n.e.c.	—	—	20	20	—	20	70	—	70
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—
Lower extremities	—	—	—	530	70	320	2,010	—	1,230
Leg(s)	—	—	—	360	40	200	1,370	—	810
Leg(s), unspecified	—	—	—	30	—	—	100	—	100
Thigh(s)	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Knee(s)	412	8,290	4,850	110	30	30	—	1,310	—	—
Lower leg(s)	413	590	170	50	50	50	—	170	—	—
Multiple leg(s) locations	418	270	90	—	—	—	—	50	—	—
Leg(s), n.e.c.	419	40	30	—	—	—	—	—	—	—
Ankle(s)	42	3,190	2,270	310	—	—	—	210	—	—
Foot(feet), except toe(s)	43	1,680	650	310	40	20	20	350	40	—
Foot(feet), except toe(s), unspecified	430	1,480	560	270	40	20	20	320	40	—
Sole	432	130	50	—	—	—	—	20	—	—
Heel(s)	4323	120	40	—	—	—	—	20	—	—
Multiple foot(feet) locations	438	60	30	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	380	20	140	—	—	—	110	—	—
Multiple lower extremities locations	48	990	480	20	—	—	—	150	—	—
Multiple lower extremities locations, unspecified	480	50	—	—	—	—	—	40	—	—
Foot(feet) and leg(s)	481	50	20	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	260	120	—	—	—	—	70	—	—
Foot(feet) and toe(s)	483	50	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	570	330	—	—	—	—	40	—	—
Lower extremities, n.e.c.	49	120	—	—	—	—	—	—	—	—
Body systems	5	1,930	—	—	—	—	—	—	—	—
Multiple body parts	8	15,770	3,520	100	110	70	40	2,520	—	—
Nonclassifiable	9999	560	150	—	—	—	—	80	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2009 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Knee(s)	—	—	—	280	—	200	1,120	—	590
Lower leg(s)	—	—	—	—	—	—	90	—	50
Multiple leg(s) locations	—	—	—	50	40	—	40	—	50
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—
Ankle(s)	—	—	—	30	—	20	200	—	170
Foot(feet), except toe(s)	—	—	—	40	—	30	160	—	90
Foot(feet), except toe(s), unspecified	—	—	—	40	—	30	120	—	90
Sole	—	—	—	—	—	—	40	—	—
Heel(s)	—	—	—	—	—	—	40	—	—
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	—	—	—	—	—	—	30	—	90
Multiple lower extremities locations	—	—	—	100	—	60	160	—	70
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	—	—	—	—	—	—	20	—	30
Foot(feet) and toe(s)	—	—	—	—	—	—	30	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	70	—	50	90	—	30
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	—	1,930
Multiple body parts	—	—	—	2,980	290	1,570	3,040	—	3,480
Nonclassifiable	—	—	—	—	—	—	—	—	270

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies