

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		75,840	660	4,650	2,880	1,770	2,190
Head	0	5,540	210	140	420	140	260
Head, unspecified	00	1,160	—	20	130	20	80
Cranial region, including skull	01	900	—	30	240	—	40
Brain	011	590	—	30	240	—	40
Scalp	012	220	—	—	—	—	—
Skull	013	40	—	—	—	—	—
Multiple cranial region locations	018	40	—	—	—	—	—
Ear(s)	02	40	—	—	—	—	—
Face	03	3,280	210	90	30	110	140
Face, unspecified	030	710	20	—	—	100	20
Forehead	031	210	—	—	20	—	30
Eye(s)	032	1,350	180	70	—	—	40
Nose, nasal cavity	033	330	—	—	—	—	20
Nose, except internal location of diseases or disorders	0330	320	—	—	—	—	20
Cheek(s)	034	130	—	—	—	—	30
Jaw/chin	035	140	—	—	—	—	—
Mouth	036	100	—	—	—	—	—
Mouth, unspecified	0360	40	—	—	—	—	—
Lip(s)	0361	40	—	—	—	—	—
Tooth(teeth)	0363	20	—	—	—	—	—
Multiple face locations	038	270	—	—	—	—	—
Face, n.e.c.	039	40	—	—	—	—	—
Multiple head locations	08	160	—	—	—	—	—
Neck, including throat	1	1,560	—	30	70	30	110
Neck, except internal location of diseases or disorders ...	10	1,550	—	30	70	30	110
Trunk	2	21,940	70	2,350	1,070	600	750
Trunk, unspecified	20	90	—	—	—	—	—
Shoulder, including clavicle, scapula	21	4,670	—	440	200	160	190
Chest, including ribs, internal organs	22	1,850	70	30	50	40	50
Chest, except internal location of diseases or disorders	220	1,450	—	30	50	40	50
Internal chest location, unspecified	221	210	—	—	—	—	—
Heart	223	20	—	—	—	—	—
Lung(s), pleura	225	100	40	—	—	—	—
Multiple internal chest locations	228	70	—	—	—	—	—
Back, including spine, spinal cord	23	12,650	—	1,530	640	350	380
Back, including spine, spinal cord, unspecified	230	5,180	—	520	260	130	160
Lumbar region	231	5,920	—	820	330	170	210
Thoracic region	232	710	—	120	30	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Total	17,240	1,590	6,270	12,250	10,980	16,930	10,840	9,410
Head	590	160	300	—	—	1,830	1,340	1,480
Head, unspecified	190	30	130	—	—	150	90	410
Cranial region, including skull	180	—	70	—	—	240	220	80
Brain	130	—	50	—	—	30	20	60
Scalp	40	—	—	—	—	140	140	—
Skull	—	—	—	—	—	30	30	—
Multiple cranial region locations	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	20	20	—
Face	210	120	90	—	—	1,300	920	980
Face, unspecified	70	—	20	—	—	360	230	80
Forehead	30	—	60	—	—	20	—	50
Eye(s)	—	—	—	—	—	270	220	760
Nose, nasal cavity	—	—	—	—	—	190	160	30
Nose, except internal location of diseases or disorders	—	—	—	—	—	190	160	30
Cheek(s)	—	—	—	—	—	80	20	—
Jaw/chin	20	—	—	—	—	110	110	—
Mouth	—	—	—	—	—	80	70	—
Mouth, unspecified	—	—	—	—	—	30	30	—
Lip(s)	—	—	—	—	—	30	30	—
Tooth(teeth)	—	—	—	—	—	—	—	—
Multiple face locations	50	—	20	—	—	190	100	—
Face, n.e.c.	—	—	—	—	—	—	—	40
Multiple head locations	—	—	—	—	—	130	100	—
Neck, including throat	80	—	380	170	170	620	420	70
Neck, except internal location of diseases or disorders ...	80	—	380	170	170	620	420	60
Trunk	3,520	460	1,290	3,620	3,280	5,650	3,980	2,550
Trunk, unspecified	—	—	—	—	—	40	40	—
Shoulder, including clavicle, scapula	810	170	80	600	570	1,390	960	620
Chest, including ribs, internal organs	250	—	90	300	70	690	340	270
Chest, except internal location of diseases or disorders	250	—	90	70	70	690	340	170
Internal chest location, unspecified	—	—	—	190	—	—	—	—
Heart	—	—	—	20	—	—	—	—
Lung(s), pleura	—	—	—	20	—	—	—	30
Multiple internal chest locations	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	1,960	270	930	2,250	2,170	3,040	2,330	1,290
Back, including spine, spinal cord, unspecified	740	130	510	890	840	1,370	1,120	460
Lumbar region	810	120	310	1,210	1,190	1,290	950	650
Thoracic region	200	20	30	30	30	170	170	100

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Sacral region	233	40	—	—	—	—	—
Coccygeal region	234	100	—	—	—	—	—
Multiple back regions	238	630	—	60	—	—	—
Back, including spine, spinal cord, n.e.c.	239	80	—	—	—	—	—
Abdomen	24	1,040	—	170	60	—	120
Abdomen, except internal location of diseases or disorders	240	600	—	30	—	—	110
Internal abdominal location, unspecified	241	160	—	20	—	—	—
Intestines, peritoneum	245	260	—	100	50	—	—
Intestines, peritoneum, unspecified	2450	200	—	70	50	—	—
Peritoneum	2451	60	—	—	—	—	—
Pelvic region	25	1,070	—	140	20	—	—
Pelvic region, unspecified	250	20	—	—	—	—	—
Hip(s)	251	620	—	60	20	—	—
Buttock(s)	253	100	—	—	—	—	—
Groin	254	310	—	60	—	—	—
External reproductive tract structures	255	20	—	—	—	—	—
Multiple trunk locations	28	550	—	50	90	—	—
Trunk, n.e.c.	29	20	—	—	—	—	—
Upper extremities	3	11,880	60	640	470	490	590
Upper extremities, unspecified	30	40	—	—	—	—	—
Arm(s)	31	2,660	—	330	80	110	90
Arm(s), unspecified	310	1,020	—	70	20	—	—
Upper arm(s)	311	240	—	60	—	—	—
Elbow(s)	312	810	—	140	20	60	40
Forearm(s)	313	290	—	—	—	30	30
Multiple arm(s) locations	318	290	—	50	30	—	—
Wrist(s)	32	2,450	—	80	20	30	20
Hand(s), except finger(s)	33	1,980	30	60	210	30	100
Finger(s), fingernail(s)	34	3,400	—	150	150	290	240
Multiple upper extremities locations	38	1,330	—	20	—	30	140
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—
Hand(s) and finger(s)	381	270	—	—	—	—	30
Hand(s) and wrist(s)	382	310	—	—	—	—	—
Hand(s) and arm(s)	383	180	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	540	—	—	—	20	110
Upper extremities, n.e.c.	39	20	—	—	—	—	—
Lower extremities	4	16,640	—	350	550	290	290
Leg(s)	41	10,270	—	200	310	230	60
Leg(s), unspecified	410	780	—	—	40	—	—
Thigh(s)	411	300	—	—	—	—	—
Knee(s)	412	8,290	—	180	230	200	40
Lower leg(s)	413	590	—	—	20	—	—
Multiple leg(s) locations	418	270	—	—	—	—	—
Leg(s), n.e.c.	419	40	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Sacral region	—	—	—	—	—	—	—	—
Coccygeal region	90	—	—	—	—	—	—	—
Multiple back regions	120	—	80	110	110	140	60	80
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	30	30	—
Abdomen	—	—	90	170	170	170	70	250
Abdomen, except internal location of diseases or disorders	—	—	90	140	140	150	70	70
Internal abdominal location, unspecified	—	—	—	—	—	—	—	120
Intestines, peritoneum	—	—	—	30	30	—	—	60
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	60
Peritoneum	—	—	—	—	—	—	—	—
Pelvic region	390	—	50	200	190	170	150	90
Pelvic region, unspecified	—	—	—	—	—	—	—	—
Hip(s)	310	—	40	110	110	60	60	—
Buttock(s)	60	—	—	—	—	30	30	—
Groin	—	—	—	80	80	70	60	70
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple trunk locations	100	—	20	100	90	150	90	20
Trunk, n.e.c.	—	—	—	—	—	—	—	—
Upper extremities	1,440	620	770	1,620	1,590	2,730	1,460	2,450
Upper extremities, unspecified	—	—	—	—	—	30	30	—
Arm(s)	530	40	170	310	310	570	390	430
Arm(s), unspecified	210	—	100	130	130	280	210	180
Upper arm(s)	40	—	—	50	40	20	—	40
Elbow(s)	170	—	50	80	80	130	80	110
Forearm(s)	60	20	—	—	—	60	40	60
Multiple arm(s) locations	50	—	—	40	40	70	60	40
Wrist(s)	390	140	60	910	900	570	400	220
Hand(s), except finger(s)	180	90	80	110	110	540	230	550
Finger(s), fingernail(s)	160	330	280	140	130	640	250	1,020
Multiple upper extremities locations	180	20	150	150	150	380	150	230
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	—	30	20	20	50	50	110
Hand(s) and wrist(s)	30	—	—	20	20	180	50	60
Hand(s) and arm(s)	—	—	—	30	30	70	40	40
Multiple upper extremities locations, n.e.c.	140	—	100	70	70	70	20	30
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	5,740	120	800	5,030	4,980	2,120	1,240	1,340
Leg(s)	3,450	60	460	2,980	2,930	1,720	950	780
Leg(s), unspecified	190	30	60	230	210	70	40	120
Thigh(s)	80	—	30	80	70	70	40	20
Knee(s)	2,970	20	310	2,550	2,530	1,380	690	420
Lower leg(s)	100	—	60	110	100	120	100	140
Multiple leg(s) locations	110	—	—	20	20	80	80	40
Leg(s), n.e.c.	—	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Ankle(s)	42	3,190	—	50	20	—	20
Foot(feet), except toe(s)	43	1,680	—	60	150	40	140
Foot(feet), except toe(s), unspecified	430	1,480	—	60	130	40	130
Sole	432	130	—	—	—	—	—
Heel(s)	4323	120	—	—	—	—	—
Multiple foot(feet) locations	438	60	—	—	—	—	—
Toe(s), toenail(s)	44	380	—	40	20	—	40
Multiple lower extremities locations	48	990	—	—	50	—	40
Multiple lower extremities locations, unspecified	480	50	—	—	—	—	—
Foot(feet) and leg(s)	481	50	—	—	—	—	—
Foot(feet) and ankle(s)	482	260	—	—	—	—	30
Foot(feet) and toe(s)	483	50	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	570	—	—	—	—	—
Lower extremities, n.e.c.	49	120	—	—	—	—	—
Body systems	5	1,930	210	—	—	20	30
Multiple body parts	8	15,770	20	1,140	300	200	150
Nonclassifiable	9999	560	70	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2009 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Ankle(s)	1,260	—	150	1,330	1,330	200	140	160
Foot(foot), except toe(s)	460	20	100	440	440	80	60	200
Foot(foot), except toe(s), unspecified	420	—	100	320	320	80	60	200
Sole	—	—	—	90	90	—	—	—
Heel(s)	—	—	—	80	80	—	—	—
Multiple foot(foot) locations	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	20	—	60	—	—	20	—	120
Multiple lower extremities locations	430	—	20	270	270	110	90	70
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—
Foot(foot) and leg(s)	20	—	—	—	—	—	—	20
Foot(foot) and ankle(s)	110	—	—	50	50	—	—	20
Foot(foot) and toe(s)	20	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	280	—	—	200	200	40	30	30
Lower extremities, n.e.c.	120	—	—	—	—	—	—	—
Body systems	40	—	50	860	50	160	80	550
Multiple body parts	5,760	230	2,610	880	850	3,710	2,230	770
Nonclassifiable	50	—	70	60	60	100	90	190

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining

codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies