

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total		75,840	11,290	5,630	3,520	1,160	3,330	12,730	3,980	14,560	6,020
Head	0	5,540	2,270	1,280	560	—	120	610	—	—	—
Head, unspecified	00	1,160	580	430	150	—	50	250	—	—	—
Cranial region, including skull	01	900	380	100	280	—	30	160	—	—	—
Brain	011	590	350	90	260	—	20	120	—	—	—
Scalp	012	220	20	—	20	—	—	40	—	—	—
Skull	013	40	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	018	40	—	—	—	—	—	—	—	—	—
Ear(s)	02	40	—	—	—	—	—	—	—	—	—
Face	03	3,280	1,310	740	130	—	40	190	—	—	—
Face, unspecified	030	710	200	170	—	—	—	70	—	—	—
Forehead	031	210	70	30	40	—	—	40	—	—	—
Eye(s)	032	1,350	810	390	70	—	—	—	—	—	—
Nose, nasal cavity	033	330	120	50	—	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	0330	320	120	50	—	—	—	—	—	—	—
Cheek(s)	034	130	30	30	—	—	—	—	—	—	—
Jaw/chin	035	140	—	—	—	—	—	20	—	—	—
Mouth	036	100	20	20	—	—	—	—	—	—	—
Mouth, unspecified	0360	40	—	—	—	—	—	—	—	—	—
Lip(s)	0361	40	—	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	20	—	—	—	—	—	—	—	—	—
Multiple face locations	038	270	—	—	—	—	30	20	—	—	—
Face, n.e.c.	039	40	—	—	—	—	—	—	—	—	—
Multiple head locations	08	160	—	—	—	—	—	—	—	—	—
Neck, including throat	1	1,560	80	50	30	—	20	90	—	310	60
Neck, except internal location of diseases or disorders ...	10	1,550	80	50	30	—	20	90	—	310	60
Trunk	2	21,940	1,060	650	250	70	560	2,770	960	9,520	4,050
Trunk, unspecified	20	90	—	—	—	—	—	—	—	—	—
Shoulder, including clavicle, scapula	21	4,670	280	150	100	30	130	720	160	2,130	710
Chest, including ribs, internal organs	22	1,850	330	260	30	40	20	250	—	190	60
Chest, except internal location of diseases or disorders	220	1,450	330	260	30	40	20	250	—	190	60
Internal chest location, unspecified	221	210	—	—	—	—	—	—	—	—	—
Heart	223	20	—	—	—	—	—	—	—	—	—
Lung(s), pleura	225	100	—	—	—	—	—	—	—	—	—
Multiple internal chest locations	228	70	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	12,650	370	180	100	—	330	1,400	620	5,930	2,670
Back, including spine, spinal cord, unspecified	230	5,180	160	90	50	—	120	460	240	2,290	920
Lumbar region	231	5,920	150	80	20	—	190	560	320	3,020	1,400

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	Total	Assaults by animal	
Total	1,740	2,750	4,500	3,310	120	12,200	10,640	1,560	210	8,650
Head	—	360	250	200	—	1,900	1,730	170	—	—
Head, unspecified	—	—	90	60	—	180	180	—	—	—
Cranial region, including skull	—	—	70	60	—	260	120	140	—	—
Brain	—	—	50	50	—	50	50	—	—	—
Scalp	—	—	—	—	—	140	—	140	—	—
Skull	—	—	—	—	—	40	40	—	—	—
Multiple cranial region locations	—	—	—	—	—	40	40	—	—	—
Ear(s)	—	—	—	—	—	20	20	—	—	—
Face	—	340	80	70	—	1,310	1,290	20	—	—
Face, unspecified	—	50	—	—	—	380	370	—	—	—
Forehead	—	—	60	60	—	20	20	—	—	—
Eye(s)	—	270	—	—	—	260	240	—	—	—
Nose, nasal cavity	—	—	—	—	—	190	190	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	190	190	—	—	—
Cheek(s)	—	—	—	—	—	80	80	—	—	—
Jaw/chin	—	—	—	—	—	100	100	—	—	—
Mouth	—	—	—	—	—	70	70	—	—	—
Mouth, unspecified	—	—	—	—	—	30	30	—	—	—
Lip(s)	—	—	—	—	—	30	30	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	—	—	200	200	—	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	130	130	—	—	—
Neck, including throat	40	—	370	350	—	490	410	90	—	140
Neck, except internal location of diseases or disorders ...	40	—	370	350	—	490	410	90	—	140
Trunk	240	250	890	620	40	2,460	2,240	210	30	3,200
Trunk, unspecified	—	—	30	—	—	40	40	—	—	—
Shoulder, including clavicle, scapula	140	—	40	30	—	620	610	20	—	430
Chest, including ribs, internal organs	—	190	40	40	—	520	390	140	—	290
Chest, except internal location of diseases or disorders	—	—	40	40	—	520	390	140	—	70
Internal chest location, unspecified	—	30	—	—	—	—	—	—	—	180
Heart	—	—	—	—	—	—	—	—	—	20
Lung(s), pleura	—	80	—	—	—	—	—	—	—	20
Multiple internal chest locations	—	70	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	100	—	740	510	—	1,020	980	40	—	2,120
Back, including spine, spinal cord, unspecified	60	—	450	240	—	530	530	—	—	850
Lumbar region	40	—	210	200	—	360	330	—	—	1,080

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Thoracic region	232	710	—	—	—	—	—	190	—	340	250
Sacral region	233	40	—	—	—	—	—	—	—	—	—
Coccygeal region	234	100	—	—	—	—	—	80	—	—	—
Multiple back regions	238	630	50	—	—	—	—	110	40	220	70
Back, including spine, spinal cord, n.e.c.	239	80	—	—	—	—	—	—	—	60	50
Abdomen	24	1,040	—	—	—	—	—	—	—	690	400
Abdomen, except internal location of diseases or disorders	240	600	—	—	—	—	—	—	—	300	230
Internal abdominal location, unspecified	241	160	—	—	—	—	—	—	—	160	60
Intestines, peritoneum	245	260	—	—	—	—	—	—	—	220	110
Intestines, peritoneum, unspecified	2450	200	—	—	—	—	—	—	—	180	80
Peritoneum	2451	60	—	—	—	—	—	—	—	40	—
Pelvic region	25	1,070	30	—	—	—	70	270	110	340	150
Pelvic region, unspecified	250	20	—	—	—	—	—	—	—	—	—
Hip(s)	251	620	30	—	—	—	50	210	100	120	60
Buttock(s)	253	100	—	—	—	—	—	50	—	30	30
Groin	254	310	—	—	—	—	—	—	—	170	50
External reproductive tract structures	255	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	550	20	20	—	—	—	120	50	240	50
Trunk, n.e.c.	29	20	—	—	—	—	—	—	—	—	—
Upper extremities	3	11,880	4,010	1,930	1,030	790	270	1,220	40	1,760	490
Upper extremities, unspecified	30	40	—	—	—	—	—	—	—	—	—
Arm(s)	31	2,660	460	180	170	50	90	430	—	640	320
Arm(s), unspecified	310	1,020	170	80	20	30	—	200	—	140	20
Upper arm(s)	311	240	20	20	—	—	—	50	—	100	70
Elbow(s)	312	810	150	20	110	—	20	130	—	260	140
Forearm(s)	313	290	70	70	—	—	20	40	—	60	40
Multiple arm(s) locations	318	290	30	—	30	—	—	—	—	70	50
Wrist(s)	32	2,450	330	140	70	30	60	350	—	440	90
Hand(s), except finger(s)	33	1,980	720	330	210	150	60	140	—	150	40
Finger(s), fingernail(s)	34	3,400	2,270	1,180	540	470	20	150	—	140	30
Multiple upper extremities locations	38	1,330	210	100	40	70	30	150	—	390	20
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	270	110	20	20	60	—	—	—	—	—
Hand(s) and wrist(s)	382	310	40	40	—	—	—	20	—	180	—
Hand(s) and arm(s)	383	180	30	20	—	—	—	—	—	20	—
Multiple upper extremities locations, n.e.c.	389	540	40	20	—	—	—	130	—	170	—
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—	—	—
Lower extremities	4	16,640	2,890	1,260	1,350	200	1,210	3,320	2,530	780	110
Leg(s)	41	10,270	1,300	530	630	110	590	2,280	1,200	650	90
Leg(s), unspecified	410	780	150	70	60	—	30	130	40	20	—
Thigh(s)	411	300	20	—	—	—	30	40	50	30	—
Knee(s)	412	8,290	940	390	500	30	490	1,930	1,050	550	60
Lower leg(s)	413	590	150	40	50	60	20	80	20	50	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
							Total	Assaults by animal		
Thoracic region	-	-	30	-	-	40	40	-	-	100
Sacral region	-	-	-	-	-	-	-	-	-	-
Coccygeal region	-	-	-	-	-	-	-	-	-	-
Multiple back regions	-	-	60	60	-	50	50	-	-	100
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	-	-	-	-
Abdomen	-	20	-	-	-	110	100	-	-	170
Abdomen, except internal location of diseases or disorders	-	20	-	-	-	110	90	-	-	130
Internal abdominal location, unspecified	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	-	-	-	-	-	-	-	-	-	40
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	-	-
Peritoneum	-	-	-	-	-	-	-	-	-	-
Pelvic region	-	-	20	20	-	90	90	-	-	130
Pelvic region, unspecified	-	-	-	-	-	-	-	-	-	-
Hip(s)	-	-	20	20	-	30	30	-	-	60
Buttock(s)	-	-	-	-	-	-	-	-	-	-
Groin	-	-	-	-	-	40	40	-	-	70
External reproductive tract structures	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	20	-	-	50	50	-	-	50
Trunk, n.e.c.	-	-	-	-	-	-	-	-	-	-
Upper extremities	1,190	620	250	70	-	2,020	1,690	330	80	510
Upper extremities, unspecified	-	-	-	-	-	30	-	-	-	-
Arm(s)	210	210	40	20	-	470	440	20	20	110
Arm(s), unspecified	100	110	30	20	-	220	210	-	-	40
Upper arm(s)	-	-	-	-	-	-	-	-	-	30
Elbow(s)	50	-	-	-	-	140	140	-	-	30
Forearm(s)	-	50	-	-	-	30	30	-	-	-
Multiple arm(s) locations	20	40	-	-	-	60	60	-	-	-
Wrist(s)	710	90	20	-	-	240	240	-	-	210
Hand(s), except finger(s)	50	240	20	20	-	490	440	40	40	100
Finger(s), fingernail(s)	80	40	40	-	-	580	340	240	-	60
Multiple upper extremities locations	130	40	120	20	-	220	220	-	-	40
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-
Hand(s) and finger(s)	20	-	-	-	-	100	100	-	-	-
Hand(s) and wrist(s)	-	-	-	-	-	30	30	-	-	20
Hand(s) and arm(s)	30	-	-	-	-	70	70	-	-	-
Multiple upper extremities locations, n.e.c.	70	-	100	-	-	20	20	-	-	-
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-
Lower extremities	40	160	370	140	-	1,740	1,470	280	70	3,610
Leg(s)	40	70	300	140	-	1,460	1,200	260	60	2,380
Leg(s), unspecified	-	50	50	20	-	80	60	30	30	230
Thigh(s)	-	-	-	-	-	60	60	-	-	60
Knee(s)	40	-	200	100	-	1,160	990	170	-	1,940
Lower leg(s)	-	-	40	30	-	80	60	20	20	140

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Multiple leg(s) locations	418	270	40	—	—	—	20	70	40	—	—
Leg(s), n.e.c.	419	40	—	—	—	—	—	30	—	—	—
Ankle(s)	42	3,190	410	120	260	40	300	650	960	60	—
Foot(feet), except toe(s)	43	1,680	690	350	260	50	160	140	170	30	—
Foot(feet), except toe(s), unspecified	430	1,480	650	320	260	40	130	140	140	30	—
Sole	432	130	30	—	—	—	—	—	—	—	—
Heel(s)	4323	120	30	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	60	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	380	310	190	110	—	—	—	—	—	—
Multiple lower extremities locations	48	990	180	60	100	—	140	220	200	30	—
Multiple lower extremities locations, unspecified	480	50	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	50	—	—	—	—	—	20	—	—	—
Foot(feet) and ankle(s)	482	260	90	40	50	—	40	40	40	—	—
Foot(feet) and toe(s)	483	50	20	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	570	50	—	30	—	110	150	150	20	—
Lower extremities, n.e.c.	49	120	—	—	—	—	—	20	—	—	—
Body systems	5	1,930	—	—	—	—	—	40	—	—	—
Multiple body parts	8	15,770	940	450	290	100	1,130	4,620	430	2,180	1,290
Nonclassifiable	9999	560	20	—	20	—	—	50	20	20	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2009 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts			All other events ⁵	
			Total	Highway accident		Total	As-saults by person	All other assaults Total		Assaults by animal
Multiple leg(s) locations	-	-	-	-	-	80	40	40	-	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-
Ankle(s)	-	-	-	-	-	150	140	20	-	630
Foot(feet), except toe(s)	-	50	30	-	-	30	30	-	-	380
Foot(feet), except toe(s), unspecified	-	50	30	-	-	30	30	-	-	280
Sole	-	-	-	-	-	-	-	-	-	90
Heel(s)	-	-	-	-	-	-	-	-	-	80
Multiple foot(feet) locations	-	-	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	-	-	-	20	20	-	-	-
Multiple lower extremities locations	-	20	-	-	-	80	80	-	-	110
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	-	-	-	-	-	-	30
Foot(feet) and toe(s)	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	-	-	-	-	-	20	20	-	-	70
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-
Body systems	-	1,060	40	40	20	130	130	-	-	610
Multiple body parts	190	150	2,260	1,870	40	3,350	2,930	420	20	480
Nonclassifiable	20	150	70	-	-	120	50	-	-	80

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies