

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		75,840	5,540	1,350	1,560	21,940	12,650	4,670	11,880	2,660	3,400	1,980	2,450
Contact with objects and equipment	0	11,290	2,270	810	80	1,060	370	280	4,010	460	2,270	720	330
Contact with objects and equipment, unspecified	00	400	90	-	-	-	-	-	220	50	50	30	80
Struck against object or equipment	01	3,520	560	70	30	250	100	100	1,030	170	540	210	70
Struck against object or equipment, unspecified	010	120	-	-	-	-	-	-	60	-	50	-	-
Stepped on object	011	540	-	-	-	-	-	-	-	-	-	-	-
Struck against stationary object or equipment	012	1,920	450	60	20	140	50	60	620	120	280	160	50
Struck against moving object or equipment	013	140	-	-	-	30	-	-	60	-	40	20	-
Struck against object or equipment, n.e.c.	019	800	90	-	-	70	40	30	280	40	180	30	20
Struck by object or equipment	02	5,630	1,280	390	50	650	180	150	1,930	180	1,180	330	140
Struck by object or equipment, unspecified	020	280	120	40	-	60	50	-	40	-	20	-	-
Struck by falling object or equipment	021	1,650	400	20	-	180	-	60	270	-	100	50	90
Struck by flying object	022	720	390	280	-	80	-	-	110	20	40	40	-
Struck by flying object, unspecified	0220	60	40	-	-	-	-	-	20	-	-	20	-
Struck by dislodged flying object, particle ...	0221	490	240	210	-	-	-	-	60	20	30	-	-
Struck by discharged object or substance ...	0222	30	20	-	-	-	-	-	-	-	-	-	-
Struck by flying object, n.e.c.	0229	150	100	50	-	-	-	-	30	-	-	20	-
Struck by swinging or slipping object	023	2,120	250	30	-	210	60	50	1,380	110	980	210	30
Struck by swinging or slipping object, unspecified	0230	20	-	-	-	-	-	-	20	-	-	-	-
Struck by or slammed in swinging door or gate	0231	1,350	120	-	-	170	50	40	910	60	630	160	-
Struck by slipping handheld object	0232	620	120	-	-	20	-	-	390	20	300	50	-
Struck by swinging or slipping object, n.e.c.	0239	130	-	-	-	30	-	-	60	30	30	-	-
Struck by rolling, sliding objects or equipment on floor or ground level	024	150	-	-	-	-	-	-	-	-	-	-	-
Struck by object or equipment, n.e.c.	029	710	110	20	20	120	60	30	130	40	50	20	20
Caught in or compressed by equipment or objects	03	1,140	-	-	-	70	-	30	790	50	470	150	30
Caught in or compressed by equipment or objects, unspecified	030	320	-	-	-	20	-	-	190	-	120	60	-
Caught in running equipment or machinery	031	110	-	-	-	-	-	-	80	-	50	-	-
Compressed or pinched by rolling, sliding, or shifting objects	032	170	-	-	-	-	-	-	120	-	80	-	-
Caught in or compressed by equipment or objects, n.e.c.	039	540	-	-	-	-	-	-	400	20	220	80	20
Rubbed or abraded by friction or pressure	05	370	350	350	-	-	-	-	-	-	-	-	-
Rubbed or abraded by kneeling on surface	051	20	-	-	-	-	-	-	-	-	-	-	-
Rubbed or abraded by foreign matter in eye ...	053	350	350	350	-	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	150	-	-	-	70	70	-	-	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	90	-	-	-	70	70	-	-	-	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	16,640	8,290	3,190	2,060	1,930	15,770	570
Contact with objects and equipment	2,890	940	410	1,000	—	940	20
Contact with objects and equipment, unspecified	40	—	—	20	—	40	—
Struck against object or equipment	1,350	500	260	370	—	290	20
Struck against object or equipment, unspecified	60	—	—	—	—	—	—
Stepped on object	510	160	180	120	—	20	—
Struck against stationary object or equipment	550	230	30	200	—	140	—
Struck against moving object or equipment	30	—	—	—	—	—	—
Struck against object or equipment, n.e.c.	200	90	20	40	—	130	—
Struck by object or equipment	1,260	390	120	540	—	450	—
Struck by object or equipment, unspecified	50	—	—	—	—	—	—
Struck by falling object or equipment	630	200	40	340	—	160	—
Struck by flying object	100	90	—	—	—	20	—
Struck by flying object, unspecified	—	—	—	—	—	—	—
Struck by dislodged flying object, particle ...	100	—	—	—	—	—	—
Struck by discharged object or substance ...	—	—	—	—	—	—	—
Struck by flying object, n.e.c.	—	—	—	—	—	20	—
Struck by swinging or slipping object	180	40	40	80	—	110	—
Struck by swinging or slipping object, unspecified	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	90	30	—	40	—	70	—
Struck by slipping handheld object	90	—	—	40	—	—	—
Struck by swinging or slipping object, n.e.c.	—	—	—	—	—	20	—
Struck by rolling, sliding objects or equipment on floor or ground level	130	—	—	60	—	—	—
Struck by object or equipment, n.e.c.	160	40	30	60	—	160	—
Caught in or compressed by equipment or objects	190	20	40	50	—	100	—
Caught in or compressed by equipment or objects, unspecified	90	—	—	20	—	—	—
Caught in running equipment or machinery	—	—	—	—	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	40	—	—	30	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	60	—	30	—	—	70	—
Rubbed or abraded by friction or pressure	20	20	—	—	—	—	—
Rubbed or abraded by kneeling on surface	20	20	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	60	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Rubbed, abraded, or jarred by vibration, n.e.c.	069	60	-	-	-	-	-	-	-	-	-	-	-	-
Contact with objects and equipment, n.e.c.	09	70	-	-	-	-	-	-	40	-	30	-	-	-
Falls	1	16,350	740	-	110	3,400	1,780	860	1,520	530	170	210	410	
Fall, unspecified	10	130	-	-	-	20	20	-	20	-	-	-	-	-
Fall to lower level	11	3,330	120	-	20	560	330	130	270	90	20	60	60	
Fall to lower level, unspecified	110	20	-	-	-	-	-	-	-	-	-	-	-	-
Fall down stairs or steps	111	1,790	40	-	-	270	150	50	160	60	20	30	40	
Fall from floor, dock, or ground level	112	280	20	-	-	20	-	-	30	-	-	20	-	
Fall from floor, dock, or ground level, unspecified	1120	60	20	-	-	-	-	-	-	-	-	-	-	-
Fall through existing floor opening	1121	60	-	-	-	-	-	-	-	-	-	-	-	-
Fall through floor surface	1122	30	-	-	-	-	-	-	-	-	-	-	-	-
Fall from ground level to lower level	1124	100	-	-	-	-	-	-	20	-	-	-	-	-
Fall from ladder	113	250	30	-	-	30	-	-	40	-	-	-	-	-
Fall from scaffold, staging	116	40	-	-	-	20	-	-	-	-	-	-	-	-
Fall from nonmoving vehicle	118	280	-	-	-	40	-	20	20	-	-	-	-	-
Fall to lower level, n.e.c.	119	650	20	-	-	180	150	20	-	-	-	-	-	-
Jump to lower level	12	90	-	-	-	20	-	-	-	-	-	-	-	-
Jump from nonmoving vehicle	123	30	-	-	-	-	-	-	-	-	-	-	-	-
Jump to lower level, n.e.c.	129	50	-	-	-	-	-	-	-	-	-	-	-	-
Fall on same level	13	12,730	610	-	90	2,770	1,400	720	1,220	430	150	140	350	
Fall on same level, unspecified	130	80	-	-	-	20	-	-	-	-	-	-	-	-
Fall to floor, walkway, or other surface	131	11,700	440	-	50	2,550	1,350	630	1,100	390	140	100	320	
Fall onto or against objects	132	870	170	-	-	180	50	80	110	40	-	40	30	
Fall on same level, n.e.c.	139	80	-	-	-	30	-	-	-	-	-	-	-	-
Fall, n.e.c.	19	80	-	-	-	30	30	-	-	-	-	-	-	-
Bodily reaction and exertion	2	27,720	-	-	480	13,550	8,580	2,810	3,380	960	270	260	1,350	
Bodily reaction and exertion, unspecified	20	1,100	-	-	-	530	350	150	80	-	-	-	-	-
Bodily reaction	21	9,830	-	-	130	3,120	2,190	380	360	90	50	20	190	
Bodily reaction, unspecified	210	390	-	-	-	80	40	20	80	-	40	-	50	
Bending, climbing, crawling, reaching, twisting	211	3,040	-	-	100	1,660	1,260	130	190	50	-	-	120	
Sudden reaction when surprised, frightened, startled	212	110	-	-	-	70	30	30	-	-	-	-	-	-
Running without other incident	213	560	-	-	-	20	-	-	-	-	-	-	-	-
Sitting	214	30	-	-	-	20	20	-	-	-	-	-	-	-
Slip, trip, loss of balance without fall	215	3,980	-	-	-	960	620	160	40	-	-	-	-	-
Standing	216	130	-	-	-	80	80	-	-	-	-	-	-	-
Walking without other incident	217	480	-	-	-	70	20	-	-	-	-	-	-	-
Bodily reaction, n.e.c.	219	1,120	-	-	-	180	120	40	50	20	-	-	20	
Overexertion	22	14,560	-	-	310	9,520	5,930	2,130	1,760	640	140	150	440	
Overexertion, unspecified	220	980	-	-	-	590	330	130	180	30	50	20	60	
Overexertion in lifting	221	6,020	-	-	60	4,050	2,670	710	490	320	30	40	90	
Overexertion in pulling or pushing objects	222	2,140	-	-	110	1,460	780	360	230	90	20	40	60	

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	50	—
Contact with objects and equipment, n.e.c.	20	—	—	—	—	—	—
Falls	4,670	2,490	970	350	40	5,790	70
Fall, unspecified	50	40	—	—	—	30	—
Fall to lower level	1,210	490	300	170	—	1,130	—
Fall to lower level, unspecified	—	—	—	—	—	—	—
Fall down stairs or steps	710	300	150	120	—	600	—
Fall from floor, dock, or ground level	170	20	70	—	—	40	—
Fall from floor, dock, or ground level, unspecified	—	—	—	—	—	—	—
Fall through existing floor opening	60	—	30	—	—	—	—
Fall through floor surface	20	—	—	—	—	—	—
Fall from ground level to lower level	70	—	20	—	—	—	—
Fall from ladder	90	20	40	—	—	60	—
Fall from scaffold, staging	—	—	—	—	—	—	—
Fall from nonmoving vehicle	70	30	20	—	—	130	—
Fall to lower level, n.e.c.	160	120	—	30	—	270	—
Jump to lower level	70	20	—	30	—	—	—
Jump from nonmoving vehicle	20	—	—	—	—	—	—
Jump to lower level, n.e.c.	50	—	—	30	—	—	—
Fall on same level	3,320	1,930	650	150	40	4,620	60
Fall on same level, unspecified	50	—	—	—	—	20	—
Fall to floor, walkway, or other surface	3,120	1,840	640	140	30	4,350	60
Fall onto or against objects	130	60	—	—	—	220	—
Fall on same level, n.e.c.	—	—	—	—	—	40	—
Fall, n.e.c.	30	20	—	—	—	—	—
Bodily reaction and exertion	6,660	3,440	1,640	530	390	3,170	80
Bodily reaction and exertion, unspecified	330	220	40	40	40	120	—
Bodily reaction	5,500	2,630	1,530	460	30	660	40
Bodily reaction, unspecified	170	110	40	—	—	40	—
Bending, climbing, crawling, reaching, twisting	1,000	610	190	100	—	100	—
Sudden reaction when surprised, frightened, startled	20	20	—	—	—	—	—
Running without other incident	510	280	30	40	—	30	—
Sitting	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	2,530	1,050	960	170	—	430	20
Standing	40	30	—	—	—	—	—
Walking without other incident	410	140	150	70	—	—	—
Bodily reaction, n.e.c.	810	380	150	70	30	30	—
Overexertion	780	550	60	40	—	2,180	20
Overexertion, unspecified	60	40	—	—	—	130	—
Overexertion in lifting	110	60	—	—	—	1,290	—
Overexertion in pulling or pushing objects	170	110	—	30	—	170	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Overexertion in holding, carrying, turning, or wielding objects	223	4,760	-	-	130	3,030	1,900	860	700	160	40	30	190
Overexertion in throwing objects	224	20	-	-	-	-	-	-	-	-	-	-	-
Overexertion, n.e.c.	229	640	-	-	-	360	250	60	150	40	-	-	40
Repetitive motion	23	1,740	-	-	40	240	100	140	1,190	210	80	50	710
Repetitive motion, unspecified	230	460	-	-	-	70	20	50	300	130	-	-	130
Typing or key entry	231	620	-	-	30	-	-	-	500	40	50	20	340
Repetitive use of tools	232	180	-	-	-	50	40	-	100	-	-	-	80
Repetitive placing, grasping, or moving objects, except tools	233	370	-	-	-	100	30	70	240	20	-	20	140
Repetitive motion, n.e.c.	239	100	-	-	-	-	-	-	50	20	-	-	-
Bodily conditions, n.e.c.	25	430	-	-	-	140	-	-	-	-	-	-	-
Bodily reaction and exertion, n.e.c.	29	50	-	-	-	-	-	-	-	-	-	-	-
Exposure to harmful substances or environments	3	2,750	360	270	-	250	-	-	620	210	40	240	90
Exposure to harmful substances or environments, unspecified	30	340	20	-	-	80	-	-	-	-	-	-	-
Contact with electric current	31	90	-	-	-	-	-	-	20	-	20	-	-
Contact with electric current of machine, tool, appliance, or light fixture	311	30	-	-	-	-	-	-	-	-	-	-	-
Contact with wiring, transformers, or other electrical components	312	40	-	-	-	-	-	-	-	-	-	-	-
Contact with electric current, n.e.c.	319	30	-	-	-	-	-	-	-	-	-	-	-
Contact with temperature extremes	32	560	-	-	-	-	-	-	360	120	-	160	-
Exposure to environmental heat	321	90	-	-	-	-	-	-	-	-	-	-	-
Exposure to environmental cold	322	30	-	-	-	-	-	-	-	-	-	-	-
Contact with hot objects or substances	323	440	-	-	-	-	-	-	360	120	-	160	-
Exposure to caustic, noxious, or allergenic substances	34	1,510	310	250	-	170	-	-	240	90	-	70	30
Exposure to caustic, noxious, or allergenic substances, unspecified	340	250	100	90	-	-	-	-	20	-	-	-	-
Inhalation of substance	341	300	-	-	-	90	-	-	-	-	-	-	-
Inhalation of substance, unspecified	3410	50	-	-	-	-	-	-	-	-	-	-	-
Inhalation in enclosed, restricted, or confined space	3411	40	-	-	-	30	-	-	-	-	-	-	-
Inhalation in open or nonconfined space	3412	210	-	-	-	50	-	-	-	-	-	-	-
Contact with skin or other exposed tissue	342	520	180	150	-	30	-	-	120	50	-	60	-
Injections, stings, venomous bites	343	340	20	-	-	-	-	-	80	30	-	20	20
Injections, stings, venomous bites, unspecified	3430	20	-	-	-	-	-	-	-	-	-	-	-
Needle sticks	3431	30	-	-	-	-	-	-	-	-	-	-	-
Bee, wasp, hornet sting	3432	150	20	-	-	-	-	-	50	20	-	-	-
Other stings or venomous bites	3433	70	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Overexertion in holding, carrying, turning, or welding objects	410	330	40	—	—	490	—
Overexertion in throwing objects	—	—	—	—	—	—	—
Overexertion, n.e.c.	20	20	—	—	—	100	—
Repetitive motion	40	40	—	—	—	190	20
Repetitive motion, unspecified	—	—	—	—	—	80	—
Typing or key entry	—	—	—	—	—	50	—
Repetitive use of tools	—	—	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	—	—	—	—	—	30	—
Repetitive motion, n.e.c.	30	30	—	—	—	—	—
Bodily conditions, n.e.c.	—	—	—	—	280	—	—
Bodily reaction and exertion, n.e.c.	20	—	—	—	—	20	—
Exposure to harmful substances or environments	160	—	—	70	1,060	150	150
Exposure to harmful substances or environments, unspecified	—	—	—	—	170	—	—
Contact with electric current	—	—	—	—	60	—	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	20	—	—
Contact with wiring, transformers, or other electrical components	—	—	—	—	20	—	—
Contact with electric current, n.e.c.	—	—	—	—	20	—	—
Contact with temperature extremes	70	—	—	50	110	—	—
Exposure to environmental heat	—	—	—	—	90	—	—
Exposure to environmental cold	—	—	—	—	—	—	—
Contact with hot objects or substances	60	—	—	40	—	—	—
Exposure to caustic, noxious, or allergenic substances	80	—	—	—	500	130	80
Exposure to caustic, noxious, or allergenic substances, unspecified	—	—	—	—	110	—	—
Inhalation of substance	—	—	—	—	200	—	—
Inhalation of substance, unspecified	—	—	—	—	40	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	—	—	—	—	150	—	—
Contact with skin or other exposed tissue	20	—	—	—	70	60	40
Injections, stings, venomous bites	60	—	—	—	80	50	40
Injections, stings, venomous bites, unspecified	—	—	—	—	—	—	—
Needle sticks	—	—	—	—	—	—	—
Bee, wasp, hornet sting	—	—	—	—	30	30	—
Other stings or venomous bites	40	—	—	—	20	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Injections, stings, venomous bites, n.e.c. ...	3439	80	-	-	-	-	-	-	-	-	-	-	-	-
Ingestion of substance	344	20	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	-	-	-	20	-	-	20	-	-	-	-	-
Exposure to traumatic or stressful event, n.e.c.	37	180	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to harmful substances or environments, n.e.c.	39	50	-	-	-	-	-	-	-	-	-	-	-	-
Transportation accidents	4	4,500	250	-	370	890	740	40	250	40	40	20	20	
Transportation accident, unspecified	40	420	30	-	-	20	20	-	-	-	-	-	-	-
Highway accident	41	3,310	200	-	350	620	510	30	70	20	-	20	-	-
Highway accident, unspecified	410	200	30	-	-	-	-	-	-	-	-	-	-	-
Collision between vehicles, mobile equipment	411	2,430	130	-	340	450	400	-	50	20	-	-	-	-
Collision between vehicles, mobile equipment, unspecified	4110	490	-	-	20	160	140	-	20	-	-	-	-	-
Re-entrant collision	4111	30	-	-	-	-	-	-	-	-	-	-	-	-
Moving in same direction	4112	890	80	-	150	130	100	-	-	-	-	-	-	-
Moving in opposite directions, oncoming	4113	120	-	-	-	-	-	-	-	-	-	-	-	-
Moving in intersection	4114	200	-	-	-	30	20	-	-	-	-	-	-	-
Moving and standing vehicle, mobile equipment in roadway	4115	390	-	-	160	50	40	-	-	-	-	-	-	-
Moving and standing vehicle, mobile equipment side of road	4116	130	40	-	-	70	70	-	-	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	4119	180	-	-	-	-	-	-	-	-	-	-	-	-
Vehicle struck object in roadway	412	60	-	-	-	20	-	-	-	-	-	-	-	-
Vehicle struck object on side of road	413	130	-	-	-	20	-	-	-	-	-	-	-	-
Noncollision accident	414	490	20	-	-	110	100	-	-	-	-	-	-	-
Noncollision accident, unspecified	4140	120	-	-	-	-	-	-	-	-	-	-	-	-
Jack-knifed or overturned no collision	4141	90	-	-	-	-	-	-	-	-	-	-	-	-
Ran off highway no collision	4142	180	-	-	-	40	40	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4144	50	-	-	-	30	20	-	-	-	-	-	-	-
Noncollision accident, n.e.c.	4149	40	-	-	-	40	30	-	-	-	-	-	-	-
Highway accident, n.e.c.	419	20	-	-	-	-	-	-	-	-	-	-	-	-
Nonhighway accident, except rail, air, water	42	540	20	-	-	220	210	-	160	-	30	-	20	
Collision between vehicles or mobile equipment	421	30	-	-	-	-	-	-	-	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	422	140	-	-	-	-	-	-	-	-	-	-	-	-
Noncollision accident	423	340	-	-	-	180	170	-	60	-	-	-	-	-
Noncollision accident, unspecified	4230	20	-	-	-	-	-	-	-	-	-	-	-	-
Fall from moving vehicle, mobile equipment	4231	60	-	-	-	-	-	-	30	-	-	-	-	-
Overtaken	4233	40	-	-	-	-	-	-	-	-	-	-	-	-
Loss of control	4234	20	-	-	-	-	-	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	4236	180	-	-	-	160	160	-	20	-	-	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Injections, stings, venomous bites, n.e.c. ...	-	-	-	-	-	-	-
Ingestion of substance	-	-	-	-	-	-	-
Exposure to caustic, noxious, or allergenic substances, n.e.c.	-	-	-	-	30	-	-
Exposure to traumatic or stressful event, n.e.c.	-	-	-	-	180	-	-
Exposure to harmful substances or environments, n.e.c.	-	-	-	-	50	-	-
Transportation accidents	370	200	-	40	40	2,260	70
Transportation accident, unspecified	90	-	-	-	-	210	60
Highway accident	140	100	-	-	40	1,870	-
Highway accident, unspecified	-	-	-	-	-	140	-
Collision between vehicles, mobile equipment	130	90	-	-	40	1,290	-
Collision between vehicles, mobile equipment, unspecified	-	-	-	-	-	280	-
Re-entrant collision	-	-	-	-	-	20	-
Moving in same direction	80	80	-	-	30	420	-
Moving in opposite directions, oncoming	-	-	-	-	-	120	-
Moving in intersection	-	-	-	-	-	120	-
Moving and standing vehicle, mobile equipment in roadway	-	-	-	-	-	150	-
Moving and standing vehicle, mobile equipment side of road	-	-	-	-	-	20	-
Collision between vehicles, mobile equipment, n.e.c.	-	-	-	-	-	160	-
Vehicle struck object in roadway	-	-	-	-	-	20	-
Vehicle struck object on side of road	-	-	-	-	-	90	-
Noncollision accident	-	-	-	-	-	340	-
Noncollision accident, unspecified	-	-	-	-	-	120	-
Jack-knifed or overturned no collision	-	-	-	-	-	70	-
Ran off highway no collision	-	-	-	-	-	130	-
Sudden start or stop, n.e.c.	-	-	-	-	-	-	-
Noncollision accident, n.e.c.	-	-	-	-	-	-	-
Highway accident, n.e.c.	-	-	-	-	-	-	-
Nonhighway accident, except rail, air, water	50	-	-	-	-	70	-
Collision between vehicles or mobile equipment	-	-	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	-	-	-	-	-	20	-
Noncollision accident	30	-	-	-	-	40	-
Noncollision accident, unspecified	-	-	-	-	-	20	-
Fall from moving vehicle, mobile equipment	-	-	-	-	-	-	-
Overtaken	20	-	-	-	-	-	-
Loss of control	-	-	-	-	-	-	-
Sudden start or stop, n.e.c.	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Noncollision accident, n.e.c.	4239	20	-	-	-	-	-	-	-	-	-	-	-	-
Nonhighway accident, n.e.c.	429	20	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	210	-	-	-	30	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment, unspecified	430	110	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in roadway	431	30	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	-	-	-	-	-	-	-	-	-	-	-	-
Fires and explosions	5	120	-	-	-	40	-	-	-	-	-	-	-	-
Fire unintended or uncontrolled	51	80	-	-	-	40	-	-	-	-	-	-	-	-
Fire in residence, building, or other structure ..	511	40	-	-	-	-	-	-	-	-	-	-	-	-
Fire, n.e.c.	519	40	-	-	-	40	-	-	-	-	-	-	-	-
Explosion	52	30	-	-	-	-	-	-	-	-	-	-	-	-
Explosion of pressure vessel or piping	522	20	-	-	-	-	-	-	-	-	-	-	-	-
Assaults and violent acts	6	12,200	1,900	260	490	2,460	1,020	620	2,020	470	580	490	240	
Assaults and violent acts, unspecified	60	1,350	160	-	80	190	40	-	250	-	240	-	-	
Assaults and violent acts by person(s)	61	10,640	1,730	240	410	2,240	980	610	1,690	440	340	440	240	
Assaults and violent acts by person(s), unspecified	610	1,860	40	-	70	480	250	200	360	70	70	130	50	
Biting	611	200	-	-	-	-	-	-	170	90	20	50	-	
Hitting, kicking, beating	612	4,190	1,260	210	90	820	200	190	250	90	-	40	40	
Squeezing, pinching, scratching, twisting	614	720	140	-	70	80	60	-	290	-	90	130	50	
Stabbing	615	60	-	-	-	-	-	-	-	-	-	-	-	
Threats or verbal assaults	617	70	-	-	-	-	-	-	-	-	-	-	-	
Assaults and violent acts by person(s), n.e.c.	619	3,540	270	20	180	850	470	190	600	170	140	90	90	
Assaults by animals	63	210	-	-	-	30	-	-	80	20	-	40	-	

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Noncollision accident, n.e.c.	—	—	—	—	—	—	—
Nonhighway accident, n.e.c.	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	80	—	—	30	—	100	—
Pedestrian struck by vehicle, mobile equipment, unspecified	20	—	—	—	—	70	—
Pedestrian struck by vehicle, mobile equipment in roadway	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	50	—	—	—	—	20	—
Fires and explosions	—	—	—	—	20	40	—
Fire unintended or uncontrolled	—	—	—	—	20	20	—
Fire in residence, building, or other structure ..	—	—	—	—	20	—	—
Fire, n.e.c.	—	—	—	—	—	—	—
Explosion	—	—	—	—	—	20	—
Explosion of pressure vessel or piping	—	—	—	—	—	20	—
Assaults and violent acts	1,740	1,160	150	50	130	3,350	120
Assaults and violent acts, unspecified	210	160	—	—	—	400	—
Assaults and violent acts by person(s)	1,470	990	140	50	130	2,930	50
Assaults and violent acts by person(s), unspecified	310	240	30	—	—	570	20
Biting	—	—	—	—	—	—	—
Hitting, kicking, beating	650	430	70	—	—	1,100	20
Squeezing, pinching, scratching, twisting	50	20	—	—	—	100	—
Stabbing	—	—	—	—	—	30	—
Threats or verbal assaults	—	—	—	—	70	—	—
Assaults and violent acts by person(s), n.e.c.	470	300	40	30	50	1,120	—
Assaults by animals	70	—	—	—	—	20	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Nonvenomous bites	631	140	-	-	-	-	-	-	-	60	-	-	40	-
Assaults by animals, n.e.c.	639	60	-	-	-	20	-	-	-	-	-	-	-	-
Other events or exposures	9	210	-	-	-	90	-	-	-	-	-	-	-	-
Nonclassifiable	9999	710	-	-	-	210	140	50	70	-	20	40	-	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, State government, 2009 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Nonvenomous bites	50	—	—	—	—	20	—
Assaults by animals, n.e.c.	20	—	—	—	—	—	—
Other events or exposures	—	—	—	—	120	—	—
Nonclassifiable	150	70	—	20	140	70	50

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999

(Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies