

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009

Event or exposure	Event code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		75,840	660	4,650	2,880	1,770	2,190
Contact with objects and equipment	0	11,290	—	630	1,450	940	990
Contact with objects and equipment, unspecified	00	400	—	—	20	—	20
Struck against object or equipment	01	3,520	—	210	810	290	330
Struck against object or equipment, unspecified	010	120	—	—	—	—	30
Stepped on object	011	540	—	40	—	—	30
Struck against stationary object or equipment	012	1,920	—	110	640	150	180
Struck against moving object or equipment	013	140	—	—	30	—	—
Struck against object or equipment, n.e.c.	019	800	—	60	130	130	80
Struck by object or equipment	02	5,630	—	310	500	360	560
Struck by object or equipment, unspecified	020	280	—	—	—	30	30
Struck by falling object or equipment	021	1,650	—	210	240	140	220
Struck by flying object	022	720	—	—	50	—	100
Struck by flying object, unspecified	0220	60	—	—	—	—	—
Struck by dislodged flying object, particle	0221	490	—	—	—	—	80
Struck by discharged object or substance	0222	30	—	—	—	—	—
Struck by flying object, n.e.c.	0229	150	—	—	20	—	—
Struck by swinging or slipping object	023	2,120	—	40	20	160	120
Struck by swinging or slipping object, unspecified ...	0230	20	—	—	—	—	—
Struck by or slammed in swinging door or gate	0231	1,350	—	—	—	20	50
Struck by slipping handheld object	0232	620	—	30	20	110	50
Struck by swinging or slipping object, n.e.c.	0239	130	—	—	—	30	20
Struck by rolling, sliding objects or equipment on floor or ground level	024	150	—	—	50	—	—
Struck by object or equipment, n.e.c.	029	710	—	40	140	20	80
Caught in or compressed by equipment or objects	03	1,140	—	100	120	240	80
Caught in or compressed by equipment or objects, unspecified	030	320	—	—	50	60	20
Caught in running equipment or machinery	031	110	—	—	—	100	—
Compressed or pinched by rolling, sliding, or shifting objects	032	170	—	—	30	—	—
Caught in or compressed by equipment or objects, n.e.c.	039	540	—	50	30	60	60
Rubbed or abraded by friction or pressure	05	370	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	20	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	350	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	06	150	—	—	—	40	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	90	—	—	—	30	—
Rubbed, abraded, or jarred by vibration, n.e.c.	069	60	—	—	—	—	—
Contact with objects and equipment, n.e.c.	09	70	—	—	—	—	—
Falls	1	16,350	—	60	270	70	40
Fall, unspecified	10	130	—	—	—	—	—
Fall to lower level	11	3,330	—	—	50	30	—

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	17,240	1,590	6,270	12,250	10,980	16,930	10,840	9,410
Contact with objects and equipment	540	850	960	—	—	790	380	4,120
Contact with objects and equipment, unspecified	20	80	60	—	—	120	—	70
Struck against object or equipment	470	140	220	—	—	70	—	980
Struck against object or equipment, unspecified	—	—	—	—	—	—	—	70
Stepped on object	320	—	—	—	—	—	—	140
Struck against stationary object or equipment	110	50	130	—	—	—	—	540
Struck against moving object or equipment	—	20	—	—	—	30	—	40
Struck against object or equipment, n.e.c.	30	60	70	—	—	40	—	190
Struck by object or equipment	—	570	390	—	—	520	270	2,400
Struck by object or equipment, unspecified	—	50	—	—	—	20	—	120
Struck by falling object or equipment	—	160	70	—	—	260	120	340
Struck by flying object	—	—	—	—	—	—	—	560
Struck by flying object, unspecified	—	—	—	—	—	—	—	20
Struck by dislodged flying object, particle	—	—	—	—	—	—	—	400
Struck by discharged object or substance	—	—	—	—	—	—	—	30
Struck by flying object, n.e.c.	—	—	—	—	—	—	—	110
Struck by swinging or slipping object	—	340	200	—	—	30	—	1,200
Struck by swinging or slipping object, unspecified ...	—	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	—	—	160	—	—	—	—	1,110
Struck by slipping handheld object	—	290	—	—	—	—	—	80
Struck by swinging or slipping object, n.e.c.	—	30	—	—	—	30	—	—
Struck by rolling, sliding objects or equipment on floor or ground level	—	—	40	—	—	—	—	50
Struck by object or equipment, n.e.c.	—	30	80	—	—	200	150	120
Caught in or compressed by equipment or objects	—	—	240	—	—	60	30	280
Caught in or compressed by equipment or objects, unspecified	—	—	50	—	—	—	—	90
Caught in running equipment or machinery	—	—	—	—	—	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	—	—	30	—	—	—	—	70
Caught in or compressed by equipment or objects, n.e.c.	—	—	150	—	—	60	30	120
Rubbed or abraded by friction or pressure	—	—	—	—	—	—	—	350
Rubbed or abraded by kneeling on surface	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	—	—	—	—	—	—	—	350
Rubbed, abraded, or jarred by vibration	—	50	60	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	60	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	—	—	—	—	—	—	—	20
Falls	15,080	30	250	—	—	—	—	530
Fall, unspecified	90	—	—	—	—	—	—	40
Fall to lower level	3,010	—	110	—	—	—	—	120

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Fall to lower level, unspecified	110	20	—	—	—	—	—
Fall down stairs or steps	111	1,790	—	—	—	—	—
Fall from floor, dock, or ground level	112	280	—	—	20	—	—
Fall from floor, dock, or ground level, unspecified	1120	60	—	—	—	—	—
Fall through existing floor opening	1121	60	—	—	—	—	—
Fall through floor surface	1122	30	—	—	—	—	—
Fall from ground level to lower level	1124	100	—	—	—	—	—
Fall from ladder	113	250	—	—	—	—	—
Fall from scaffold, staging	116	40	—	—	—	—	—
Fall from nonmoving vehicle	118	280	—	—	—	—	—
Fall to lower level, n.e.c.	119	650	—	—	20	20	—
Jump to lower level	12	90	—	—	—	—	—
Jump from nonmoving vehicle	123	30	—	—	—	—	—
Jump to lower level, n.e.c.	129	50	—	—	—	—	—
Fall on same level	13	12,730	—	60	230	50	30
Fall on same level, unspecified	130	80	—	—	—	—	—
Fall to floor, walkway, or other surface	131	11,700	—	—	—	—	—
Fall onto or against objects	132	870	—	60	230	40	30
Fall on same level, n.e.c.	139	80	—	—	—	—	—
Fall, n.e.c.	19	80	—	—	—	—	—
Bodily reaction and exertion	2	27,720	—	3,840	1,070	600	1,020
Bodily reaction and exertion, unspecified	20	1,100	—	—	20	—	—
Bodily reaction	21	9,830	—	20	50	120	—
Bodily reaction, unspecified	210	390	—	—	—	—	—
Bending, climbing, crawling, reaching, twisting	211	3,040	—	20	—	—	—
Sudden reaction when surprised, frightened, startled ..	212	110	—	—	—	—	—
Running without other incident	213	560	—	—	—	—	—
Sitting	214	30	—	—	—	—	—
Slip, trip, loss of balance without fall	215	3,980	—	—	40	110	—
Standing	216	130	—	—	—	—	—
Walking without other incident	217	480	—	—	—	—	—
Bodily reaction, n.e.c.	219	1,120	—	—	—	—	—
Overexertion	22	14,560	—	3,820	1,000	470	1,000
Overexertion, unspecified	220	980	—	70	40	30	40
Overexertion in lifting	221	6,020	—	2,850	290	200	400
Overexertion in pulling or pushing objects	222	2,140	—	220	370	130	200
Overexertion in holding, carrying, turning, or welding objects	223	4,760	—	560	280	60	290
Overexertion in throwing objects	224	20	—	—	—	—	—
Overexertion, n.e.c.	229	640	—	90	30	50	60
Repetitive motion	23	1,740	—	—	—	—	—
Repetitive motion, unspecified	230	460	—	—	—	—	—
Typing or key entry	231	620	—	—	—	—	—
Repetitive use of tools	232	180	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	233	370	—	—	—	—	—

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Fall to lower level, unspecified	20	—	—	—	—	—	—	—
Fall down stairs or steps	1,770	—	20	—	—	—	—	—
Fall from floor, dock, or ground level	240	—	—	—	—	—	—	—
Fall from floor, dock, or ground level, unspecified	40	—	—	—	—	—	—	—
Fall through existing floor opening	60	—	—	—	—	—	—	—
Fall through floor surface	30	—	—	—	—	—	—	—
Fall from ground level to lower level	90	—	—	—	—	—	—	—
Fall from ladder	180	—	—	—	—	—	—	70
Fall from scaffold, staging	30	—	—	—	—	—	—	—
Fall from nonmoving vehicle	260	—	—	—	—	—	—	—
Fall to lower level, n.e.c.	500	—	—	—	—	—	—	40
Jump to lower level	80	—	—	—	—	—	—	—
Jump from nonmoving vehicle	30	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	40	—	—	—	—	—	—	—
Fall on same level	11,840	30	140	—	—	—	—	350
Fall on same level, unspecified	60	—	—	—	—	—	—	30
Fall to floor, walkway, or other surface	11,680	—	—	—	—	—	—	—
Fall onto or against objects	30	30	140	—	—	—	—	300
Fall on same level, n.e.c.	70	—	—	—	—	—	—	—
Fall, n.e.c.	60	—	—	—	—	—	—	—
Bodily reaction and exertion	1,040	650	620	11,660	10,980	5,100	3,850	2,110
Bodily reaction and exertion, unspecified	—	—	—	960	850	90	70	20
Bodily reaction	1,000	—	100	8,410	8,350	—	—	100
Bodily reaction, unspecified	—	—	—	390	370	—	—	—
Bending, climbing, crawling, reaching, twisting	90	—	—	2,890	2,890	—	—	—
Sudden reaction when surprised, frightened, startled ..	—	—	—	100	100	—	—	—
Running without other incident	20	—	—	540	540	—	—	—
Sitting	—	—	—	30	20	—	—	—
Slip, trip, loss of balance without fall	710	—	90	2,930	2,930	—	—	90
Standing	—	—	—	120	120	—	—	—
Walking without other incident	30	—	—	440	430	—	—	—
Bodily reaction, n.e.c.	150	—	—	960	940	—	—	—
Overexertion	20	640	520	90	—	5,000	3,770	2,000
Overexertion, unspecified	—	70	20	—	—	420	340	280
Overexertion in lifting	—	110	130	—	—	1,290	1,140	730
Overexertion in pulling or pushing objects	—	80	270	20	—	300	240	550
Overexertion in holding, carrying, turning, or wielding objects	—	340	90	50	—	2,710	1,880	370
Overexertion in throwing objects	—	—	—	—	—	—	—	—
Overexertion, n.e.c.	—	40	20	—	—	290	170	60
Repetitive motion	—	—	—	1,740	1,740	—	—	—
Repetitive motion, unspecified	—	—	—	460	460	—	—	—
Typing or key entry	—	—	—	620	620	—	—	—
Repetitive use of tools	—	—	—	180	180	—	—	—
Repetitive placing, grasping, or moving objects, except tools	—	—	—	370	370	—	—	—

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Repetitive motion, n.e.c.	239	100	—	—	—	—	—
Bodily conditions, n.e.c.	25	430	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	50	—	—	—	—	—
Exposure to harmful substances or environments	3	2,750	640	50	20	30	110
Exposure to harmful substances or environments, unspecified	30	340	90	—	—	—	—
Contact with electric current	31	90	—	—	20	—	50
Contact with electric current of machine, tool, appliance, or light fixture	311	30	—	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	40	—	—	—	—	40
Contact with electric current, n.e.c.	319	30	—	—	—	—	—
Contact with temperature extremes	32	560	—	50	—	—	60
Exposure to environmental heat	321	90	—	—	—	—	—
Exposure to environmental cold	322	30	—	—	—	—	—
Contact with hot objects or substances	323	440	—	50	—	—	60
Exposure to caustic, noxious, or allergenic substances ...	34	1,510	550	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, unspecified	340	250	120	—	—	—	—
Inhalation of substance	341	300	220	—	—	—	—
Inhalation of substance, unspecified	3410	50	50	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	40	—	—	—	—	—
Inhalation in open or nonconfined space	3412	210	160	—	—	—	—
Contact with skin or other exposed tissue	342	520	180	—	—	—	—
Injections, stings, venomous bites	343	340	—	—	—	—	—
Injections, stings, venomous bites, unspecified	3430	20	—	—	—	—	—
Needle sticks	3431	30	—	—	—	—	—
Bee, wasp, hornet sting	3432	150	—	—	—	—	—
Other stings or venomous bites	3433	70	—	—	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	80	—	—	—	—	—
Ingestion of substance	344	20	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	20	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	180	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	50	—	—	—	—	—
Transportation accidents	4	4,500	—	—	—	110	—
Transportation accident, unspecified	40	420	—	—	—	—	—
Highway accident	41	3,310	—	—	—	30	—
Highway accident, unspecified	410	200	—	—	—	—	—
Collision between vehicles, mobile equipment	411	2,430	—	—	—	—	—
Collision between vehicles, mobile equipment, unspecified	4110	490	—	—	—	—	—

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Repetitive motion, n.e.c.	-	-	-	100	100	-	-	-
Bodily conditions, n.e.c.	-	-	-	430	-	-	-	-
Bodily reaction and exertion, n.e.c.	-	-	-	40	30	-	-	-
Exposure to harmful substances or environments	-	-	-	380	-	90	20	1,400
Exposure to harmful substances or environments, unspecified	-	-	-	170	-	-	-	70
Contact with electric current	-	-	-	-	-	-	-	-
Contact with electric current of machine, tool, appliance, or light fixture	-	-	-	-	-	-	-	-
Contact with wiring, transformers, or other electrical components	-	-	-	-	-	-	-	-
Contact with electric current, n.e.c.	-	-	-	-	-	-	-	-
Contact with temperature extremes	-	-	-	-	-	-	-	440
Exposure to environmental heat	-	-	-	-	-	-	-	90
Exposure to environmental cold	-	-	-	-	-	-	-	30
Contact with hot objects or substances	-	-	-	-	-	-	-	320
Exposure to caustic, noxious, or allergenic substances ...	-	-	-	-	-	70	-	870
Exposure to caustic, noxious, or allergenic substances, unspecified	-	-	-	-	-	-	-	100
Inhalation of substance	-	-	-	-	-	-	-	70
Inhalation of substance, unspecified	-	-	-	-	-	-	-	-
Inhalation in enclosed, restricted, or confined space	-	-	-	-	-	-	-	20
Inhalation in open or nonconfined space	-	-	-	-	-	-	-	50
Contact with skin or other exposed tissue	-	-	-	-	-	40	-	300
Injections, stings, venomous bites	-	-	-	-	-	-	-	340
Injections, stings, venomous bites, unspecified	-	-	-	-	-	-	-	20
Needle sticks	-	-	-	-	-	-	-	30
Bee, wasp, hornet sting	-	-	-	-	-	-	-	150
Other stings or venomous bites	-	-	-	-	-	-	-	70
Injections, stings, venomous bites, n.e.c.	-	-	-	-	-	-	-	80
Ingestion of substance	-	-	-	-	-	-	-	20
Exposure to caustic, noxious, or allergenic substances, n.e.c.	-	-	-	-	-	20	-	40
Exposure to traumatic or stressful event, n.e.c.	-	-	-	170	-	-	-	-
Exposure to harmful substances or environments, n.e.c.	-	-	-	40	-	-	-	-
Transportation accidents	-	-	4,360	-	-	-	-	30
Transportation accident, unspecified	-	-	420	-	-	-	-	-
Highway accident	-	-	3,280	-	-	-	-	-
Highway accident, unspecified	-	-	200	-	-	-	-	-
Collision between vehicles, mobile equipment	-	-	2,430	-	-	-	-	-
Collision between vehicles, mobile equipment, unspecified	-	-	490	-	-	-	-	-

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Re-entrant collision	4111	30	-	-	-	-	-
Moving in same direction	4112	890	-	-	-	-	-
Moving in opposite directions, oncoming	4113	120	-	-	-	-	-
Moving in intersection	4114	200	-	-	-	-	-
Moving and standing vehicle, mobile equipment in roadway	4115	390	-	-	-	-	-
Moving and standing vehicle, mobile equipment side of road	4116	130	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	4119	180	-	-	-	-	-
Vehicle struck object in roadway	412	60	-	-	-	-	-
Vehicle struck object on side of road	413	130	-	-	-	-	-
Noncollision accident	414	490	-	-	-	30	-
Noncollision accident, unspecified	4140	120	-	-	-	-	-
Jack-knifed or overturned no collision	4141	90	-	-	-	-	-
Ran off highway no collision	4142	180	-	-	-	-	-
Sudden start or stop, n.e.c.	4144	50	-	-	-	-	-
Noncollision accident, n.e.c.	4149	40	-	-	-	-	-
Highway accident, n.e.c.	419	20	-	-	-	-	-
Nonhighway accident, except rail, air, water	42	540	-	-	-	30	-
Collision between vehicles or mobile equipment	421	30	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	422	140	-	-	-	-	-
Noncollision accident	423	340	-	-	-	20	-
Noncollision accident, unspecified	4230	20	-	-	-	-	-
Fall from moving vehicle, mobile equipment	4231	60	-	-	-	20	-
Overtuned	4233	40	-	-	-	-	-
Loss of control	4234	20	-	-	-	-	-
Sudden start or stop, n.e.c.	4236	180	-	-	-	-	-
Noncollision accident, n.e.c.	4239	20	-	-	-	-	-
Nonhighway accident, n.e.c.	429	20	-	-	-	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	210	-	-	-	50	-
Pedestrian struck by vehicle, mobile equipment, unspecified	430	110	-	-	-	50	-
Pedestrian struck by vehicle, mobile equipment in roadway	431	30	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	-	-	-	-	-
Fires and explosions	5	120	-	-	-	-	30
Fire unintended or uncontrolled	51	80	-	-	-	-	-
Fire in residence, building, or other structure	511	40	-	-	-	-	-
Fire, n.e.c.	519	40	-	-	-	-	-
Explosion	52	30	-	-	-	-	30
Explosion of pressure vessel or piping	522	20	-	-	-	-	-
Assaults and violent acts	6	12,200	-	60	60	-	-

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Re-entrant collision	-	-	30	-	-	-	-	-
Moving in same direction	-	-	890	-	-	-	-	-
Moving in opposite directions, oncoming	-	-	120	-	-	-	-	-
Moving in intersection	-	-	200	-	-	-	-	-
Moving and standing vehicle, mobile equipment in roadway	-	-	390	-	-	-	-	-
Moving and standing vehicle, mobile equipment side of road	-	-	130	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	-	-	180	-	-	-	-	-
Vehicle struck object in roadway	-	-	60	-	-	-	-	-
Vehicle struck object on side of road	-	-	130	-	-	-	-	-
Noncollision accident	-	-	460	-	-	-	-	-
Noncollision accident, unspecified	-	-	120	-	-	-	-	-
Jack-knifed or overturned no collision	-	-	90	-	-	-	-	-
Ran off highway no collision	-	-	180	-	-	-	-	-
Sudden start or stop, n.e.c.	-	-	50	-	-	-	-	-
Noncollision accident, n.e.c.	-	-	-	-	-	-	-	-
Highway accident, n.e.c.	-	-	20	-	-	-	-	-
Nonhighway accident, except rail, air, water	-	-	510	-	-	-	-	-
Collision between vehicles or mobile equipment	-	-	30	-	-	-	-	-
Vehicle, mobile equipment struck stationary object	-	-	140	-	-	-	-	-
Noncollision accident	-	-	320	-	-	-	-	-
Noncollision accident, unspecified	-	-	20	-	-	-	-	-
Fall from moving vehicle, mobile equipment	-	-	40	-	-	-	-	-
Overturned	-	-	40	-	-	-	-	-
Loss of control	-	-	20	-	-	-	-	-
Sudden start or stop, n.e.c.	-	-	180	-	-	-	-	-
Noncollision accident, n.e.c.	-	-	20	-	-	-	-	-
Nonhighway accident, n.e.c.	-	-	20	-	-	-	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	-	-	140	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment, unspecified	-	-	60	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in roadway	-	-	30	-	-	-	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	-	-	40	-	-	-	-	-
Fires and explosions	-	-	-	-	-	40	-	40
Fire unintended or uncontrolled	-	-	-	-	-	40	-	40
Fire in residence, building, or other structure	-	-	-	-	-	-	-	40
Fire, n.e.c.	-	-	-	-	-	40	-	-
Explosion	-	-	-	-	-	-	-	-
Explosion of pressure vessel or piping	-	-	-	-	-	-	-	-
Assaults and violent acts	540	40	50	-	-	10,880	6,580	530

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Assaults and violent acts, unspecified	60	1,350	—	—	—	—	—
Assaults and violent acts by person(s)	61	10,640	—	60	60	—	—
Assaults and violent acts by person(s), unspecified	610	1,860	—	—	40	—	—
Biting	611	200	—	—	—	—	—
Hitting, kicking, beating	612	4,190	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	720	—	—	—	—	—
Stabbing	615	60	—	—	—	—	—
Threats or verbal assaults	617	70	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,540	—	50	—	—	—
Assaults by animals	63	210	—	—	—	—	—
Nonvenomous bites	631	140	—	—	—	—	—
Assaults by animals, n.e.c.	639	60	—	—	—	—	—
Other events or exposures	9	210	—	—	—	—	—
Nonclassifiable	9999	710	—	—	—	—	—

See footnotes at end of table.

TABLE S33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, State government, 2009 — Continued

Event or exposure	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Assaults and violent acts, unspecified	—	—	—	—	—	1,350	900	—
Assaults and violent acts by person(s)	540	40	50	—	—	9,530	5,680	330
Assaults and violent acts by person(s), unspecified	90	—	—	—	—	1,690	420	30
Biting	—	—	—	—	—	200	130	—
Hitting, kicking, beating	60	—	—	—	—	4,030	2,970	70
Squeezing, pinching, scratching, twisting	—	—	—	—	—	700	620	—
Stabbing	—	30	—	—	—	—	—	—
Threats or verbal assaults	—	—	—	—	—	70	50	—
Assaults and violent acts by person(s), n.e.c.	370	—	50	—	—	2,820	1,480	210
Assaults by animals	—	—	—	—	—	—	—	210
Nonvenomous bites	—	—	—	—	—	—	—	140
Assaults by animals, n.e.c.	—	—	—	—	—	—	—	60
Other events or exposures	—	—	—	200	—	—	—	—
Nonclassifiable	30	—	—	—	—	—	—	650

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes,

including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies