

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, State government, 2009

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		75,840	39,410	36,220	210	1,780	4,510	23,890	44,170	1,480
Traumatic injuries and disorders	0	71,250	36,920	34,140	190	1,720	4,300	22,720	41,160	1,350
Traumatic injuries and disorders, unspecified	00	3,110	1,490	1,610	-	60	170	960	1,840	70
Traumatic injuries to bones, nerves, spinal cord	01	3,930	2,090	1,830	-	160	230	1,080	2,390	60
Dislocations	011	500	240	260	-	40	40	100	310	-
Fractures	012	3,280	1,780	1,490	-	110	190	910	2,000	60
Traumatic injuries to nerves, except the spinal cord	014	20	-	20	-	-	-	-	20	-
Multiple traumatic injuries to bones nerves, spinal cord	018	120	60	50	-	-	-	70	50	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	30,360	16,830	13,420	100	690	1,670	10,230	17,110	660
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	350	210	140	-	-	-	140	190	-
Sprains, strains, tears	021	29,830	16,550	13,180	100	680	1,650	10,060	16,790	650
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	180	70	110	-	-	-	30	130	-
Open wounds	03	2,870	1,940	910	-	110	240	970	1,490	70
Open wounds, unspecified	030	30	20	-	-	20	-	-	-	-
Amputations	031	70	70	-	-	-	-	-	60	-
Amputations, fingertip	0311	30	30	-	-	-	-	-	30	-
Amputations, except fingertip	0319	40	40	-	-	-	-	-	40	-
Animal or insect bites	032	310	140	170	-	-	30	60	190	-
Avulsions	033	60	30	40	-	-	-	-	40	-
Cuts, lacerations	034	2,050	1,520	530	-	30	180	790	1,010	40
Punctures, except bites	037	340	170	160	-	40	20	100	170	-
Surface wounds and bruises	04	11,100	5,480	5,590	30	320	890	3,690	6,070	130
Abrasions, scratches	041	810	570	240	-	60	40	220	490	-
Bruises, contusions	043	9,890	4,640	5,220	30	260	810	3,410	5,290	120
Foreign bodies (superficial splinters, chips)	044	330	230	100	-	-	40	60	230	-
Multiple surface wounds and bruises	048	30	20	-	-	-	-	-	20	-
Surface wounds and bruises, n.e.c.	049	30	30	-	-	-	-	-	30	-
Burns	05	620	260	370	-	20	40	290	260	-
Chemical burns	051	120	40	80	-	-	-	40	70	-
Electrical burns	052	40	40	-	-	-	-	20	20	-
Heat burns, scalds	053	460	180	280	-	20	20	230	170	-
Intracranial injuries	06	560	160	400	-	20	20	150	370	-
Concussions	062	550	160	390	-	20	20	150	370	-
Effects of environmental conditions	07	110	100	20	-	-	-	60	30	-
Effects of reduced temperature	071	20	20	-	-	-	-	-	-	-
Effects of heat and light	072	90	80	20	-	-	-	60	30	-
Heat fatigue	0723	60	50	-	-	-	-	40	-	-
Effects of heat and light, n.e.c.	0729	20	20	-	-	-	-	-	-	-
Multiple traumatic injuries and disorders	08	4,410	1,980	2,430	-	50	300	1,380	2,660	20
Multiple traumatic injuries and disorders, unspecified	080	250	80	170	-	-	40	130	80	-
Cuts, abrasions, bruises	081	600	410	190	-	-	-	120	460	-
Sprains and bruises	082	2,330	930	1,400	-	30	160	800	1,330	-
Fractures and burns	083	100	100	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Fractures and other injuries	084	360	100	260	—	—	70	100	180	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	770	360	400	—	—	20	220	510	—
Other traumatic injuries and disorders	09	14,180	6,600	7,560	20	290	730	3,900	8,950	320
Asphyxiations/strangulations, suffocations	091	120	—	120	—	—	—	40	60	—
Electrocutions, electric shocks	093	60	50	—	—	—	—	—	50	—
Other poisonings and toxic effects	095	420	220	190	—	40	20	110	230	20
Animal or insect bites and stings, venomous	0951	270	140	130	—	40	—	90	130	—
Other poisonings and toxic effects, n.e.c.	0959	140	80	60	—	—	—	20	100	20
Nonspecified injuries and disorders	097	13,510	6,270	7,210	20	250	660	3,700	8,600	300
Crushing injuries	0971	450	330	110	—	40	—	100	290	20
Back pain, hurt back	0972	2,880	1,650	1,230	—	100	110	980	1,620	60
Soreness, pain, hurt, except the back	0973	8,410	3,450	4,950	—	110	500	2,040	5,680	90
Multiple nonspecified injuries and disorders	0978	1,160	480	680	—	—	50	360	630	120
Nonspecified injuries and disorders, n.e.c.	0979	600	360	240	—	—	—	220	380	—
Other traumatic injuries and disorders, n.e.c.	099	60	40	20	—	—	—	50	—	—
Systemic diseases and disorders	1	2,150	1,180	970	—	20	100	630	1,370	40
Systemic diseases and disorders, unspecified	10	30	—	—	—	—	—	—	20	—
Nervous system and sense organs diseases	12	700	230	470	—	—	—	200	490	—
Disorders of the peripheral nervous system	124	640	210	430	—	—	—	180	450	—
Carpal tunnel syndrome	1241	620	190	420	—	—	—	170	440	—
Disorders of the eye, adnexa, vision	125	50	20	30	—	—	—	—	40	—
Conjunctivitis non-viral	1252	40	—	30	—	—	—	—	40	—
Circulatory system diseases	13	120	90	30	—	—	—	20	90	—
Hypertensive disease	132	80	70	—	—	—	—	—	70	—
Respiratory system diseases	14	110	80	30	—	—	—	80	20	—
Pneumonia, influenza	143	70	70	—	—	—	—	70	—	—
Chronic obstructive pulmonary disease and allied conditions	144	20	—	—	—	—	—	—	20	—
Digestive system diseases and disorders	15	440	420	20	—	—	20	90	320	—
Hernia	153	440	420	20	—	—	20	90	320	—
Hernia, unspecified	1530	130	130	—	—	—	—	—	110	—
Inguinal hernia	1531	240	240	—	—	—	—	30	200	—
Hernia, n.e.c.	1539	50	40	—	—	—	—	40	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	400	100	300	—	—	40	120	230	—
Dorsopathies	172	80	30	50	—	—	—	—	60	—
Sciatica	1721	20	—	—	—	—	—	—	20	—
Dorsopathies, n.e.c.	1729	50	20	—	—	—	—	—	40	—
Rheumatism, except the back	173	320	70	250	—	—	30	110	170	—
Tendonitis	1733	100	—	90	—	—	—	50	40	—
Tenosynovitis	1734	40	—	40	—	—	—	—	30	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Rheumatism, except the back, n.e.c.	1739	160	50	110	—	—	—	50	80	—
Disorders of the skin and subcutaneous tissue	18	350	240	100	—	—	30	120	190	—
Infections of the skin and subcutaneous tissue	181	100	50	40	—	—	—	50	30	—
Infections of the skin and subcutaneous tissue, unspecified	1810	60	40	30	—	—	—	30	20	—
Cellulitis and abscess	1812	20	—	—	—	—	—	—	—	—
Dermatitis	182	230	180	50	—	—	—	60	150	—
Dermatitis, unspecified	1820	30	—	20	—	—	—	20	—	—
Contact dermatitis, unspecified	1822	20	20	—	—	—	—	—	20	—
Allergic contact dermatitis	1823	130	110	20	—	—	—	40	80	—
Irritant contact dermatitis	1824	30	30	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	200	70	130	—	20	50	70	70	—
Bacterial diseases	21	60	30	20	—	—	—	20	—	—
Other bacterial diseases	219	40	30	—	—	—	—	20	—	—
Other bacterial diseases, n.e.c.	2199	40	30	—	—	—	—	20	—	—
Viral diseases	22	80	—	80	—	—	—	20	40	—
Viral diseases, unspecified	220	40	—	30	—	—	—	20	—	—
Viral diseases of the conjunctiva	226	40	—	40	—	—	—	—	30	—
Viral conjunctivitis (ophthalmia)	2262	40	—	40	—	—	—	—	30	—
Other arthropod-borne diseases	23	20	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	30	—	20	—	—	20	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	20	—	—	20	—	—	—
Symptoms, signs, and ill-defined conditions	4	1,120	470	650	—	30	20	260	810	—
Symptoms	41	1,070	460	610	—	—	20	240	790	—
General symptoms	411	340	120	220	—	—	—	90	230	—
General symptoms, unspecified	4110	30	20	—	—	—	—	—	20	—
Loss of consciousness not heat related	4111	80	—	60	—	—	—	20	50	—
Dizziness	4114	30	20	—	—	—	—	20	—	—
Non-specified allergic reaction	4115	60	20	40	—	—	—	20	30	—
Multiple general symptoms	4118	20	—	20	—	—	—	20	—	—
General symptoms, n.e.c.	4119	120	30	90	—	—	—	20	100	—
Symptoms involving skin and other integumentary tissue	413	330	210	120	—	—	—	70	260	—
Edema (including dropsy)	4131	300	190	110	—	—	—	70	230	—
Symptoms involving head and neck	414	30	20	—	—	—	—	—	20	—
Headache, except migraine	4141	20	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	20	—	—	—	—	—	—	20	—
Symptoms involving respiratory system and chest	416	300	100	200	—	—	—	50	240	—
Symptoms involving respiratory system and chest, unspecified	4160	70	30	40	—	—	—	—	50	—
Chest pain	4164	170	50	110	—	—	—	—	150	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—	20	—
Symptoms involving respiratory system and chest, n.e.c.	4169	40	—	30	—	—	—	20	—	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple symptoms	418	30	—	30	—	—	—	—	30	—
Other symptoms, n.e.c.	419	20	—	20	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	760	500	270	—	—	20	180	500	60
Mental disorders or syndromes	52	740	480	260	—	—	20	170	490	60
Anxiety, stress, neurotic disorders	521	740	480	260	—	—	20	170	490	60
Anxiety, stress, neurotic disorders, unspecified	5210	290	200	90	—	—	20	60	170	—
Post-traumatic anxiety acute	5211	180	110	70	—	—	—	50	120	—
Neurotic reaction to stress	5214	230	150	80	—	—	—	40	170	20
Multiple anxiety, stress, neurotic disorders	5218	40	20	20	—	—	—	20	20	—
Multiple diseases, conditions, and disorders	8	160	140	20	—	—	—	—	150	—
Nonclassifiable	9999	120	70	40	—	—	20	30	40	30

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies