

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, State government, 2009

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total .....		75,840	340	3,260	14,000	18,770	23,010	12,600	1,640	2,190
<b>Head</b> .....	0	5,540	30	560	900	1,320	1,450	980	140	170
Head, unspecified .....	00	1,160	—	160	140	250	390	160	50	—
Cranial region, including skull .....	01	900	—	90	80	370	180	130	30	20
Brain .....	011	590	—	60	60	280	50	110	—	20
Scalp .....	012	220	—	—	20	90	90	—	20	—
Skull .....	013	40	—	—	—	—	40	—	—	—
Multiple cranial region locations .....	018	40	—	—	—	—	—	—	—	—
Ear(s) .....	02	40	—	—	—	20	—	—	—	—
Face .....	03	3,280	—	310	660	610	860	630	70	130
Face, unspecified .....	030	710	—	70	90	190	130	190	—	—
Forehead .....	031	210	—	—	40	30	100	30	—	—
Eye(s) .....	032	1,350	—	150	160	270	340	300	40	80
Nose, nasal cavity .....	033	330	—	50	140	40	80	—	—	—
Nose, except internal location of diseases or disorders .....	0330	320	—	50	140	40	80	—	—	—
Cheek(s) .....	034	130	—	—	70	—	30	20	—	—
Jaw/chin .....	035	140	—	—	40	20	—	30	—	—
Mouth .....	036	100	—	—	20	—	40	30	—	—
Mouth, unspecified .....	0360	40	—	—	—	—	30	—	—	—
Lip(s) .....	0361	40	—	—	—	—	—	30	—	—
Tooth(teeth) .....	0363	20	—	—	—	—	—	—	—	—
Multiple face locations .....	038	270	—	40	100	30	80	20	—	—
Face, n.e.c. ....	039	40	—	—	—	—	—	—	—	—
Multiple head locations .....	08	160	—	—	20	60	20	60	—	—
<b>Neck, including throat</b> .....	1	1,560	—	30	410	460	410	200	—	60
Neck, except internal location of diseases or disorders ...	10	1,550	—	30	400	460	400	200	—	60
<b>Trunk</b> .....	2	21,940	100	820	4,800	5,380	7,000	3,140	320	350
Trunk, unspecified .....	20	90	—	—	20	60	—	—	—	—
Shoulder, including clavicle, scapula .....	21	4,670	—	240	870	1,210	1,350	850	80	50
Chest, including ribs, internal organs .....	22	1,850	—	40	510	510	390	340	30	20
Chest, except internal location of diseases or disorders .....	220	1,450	—	40	420	310	330	300	30	—
Internal chest location, unspecified .....	221	210	—	—	—	180	—	—	—	—
Heart .....	223	20	—	—	—	—	—	—	—	—
Lung(s), pleura .....	225	100	—	—	20	—	40	20	—	—
Multiple internal chest locations .....	228	70	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	12,650	90	460	2,750	3,130	4,280	1,600	100	240
Back, including spine, spinal cord, unspecified .....	230	5,180	30	250	1,270	1,260	1,530	720	50	70
Lumbar region .....	231	5,920	60	140	1,080	1,520	2,250	660	40	170
Thoracic region .....	232	710	—	50	260	190	90	120	—	—
Sacral region .....	233	40	—	—	—	—	—	—	—	—
Coccygeal region .....	234	100	—	—	—	20	50	—	—	—
Multiple back regions .....	238	630	—	20	130	100	310	60	—	—
Back, including spine, spinal cord, n.e.c. ....	239	80	—	—	—	30	—	30	—	—
Abdomen .....	24	1,040	—	50	340	110	380	90	30	—

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, State government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Abdomen, except internal location of diseases or disorders .....	240	600	—	50	220	70	240	—	—	—	
Internal abdominal location, unspecified .....	241	160	—	—	90	30	30	—	—	—	
Intestines, peritoneum .....	245	260	—	—	20	—	100	50	—	—	
Intestines, peritoneum, unspecified .....	2450	200	—	—	20	—	100	50	—	—	
Peritoneum .....	2451	60	—	—	—	—	—	—	—	—	
Pelvic region .....	25	1,070	—	—	210	240	360	180	60	—	
Pelvic region, unspecified .....	250	20	—	—	—	—	—	—	—	—	
Hip(s) .....	251	620	—	—	90	60	290	130	40	—	
Buttock(s) .....	253	100	—	—	—	50	20	20	—	—	
Groin .....	254	310	—	—	100	120	40	30	—	—	
External reproductive tract structures .....	255	20	—	—	—	—	—	—	—	—	
Multiple trunk locations .....	28	550	—	20	90	110	230	70	—	30	
Trunk, n.e.c. ....	29	20	—	—	—	—	—	—	—	—	
<b>Upper extremities</b> .....	<b>3</b>	<b>11,880</b>	<b>40</b>	<b>620</b>	<b>2,270</b>	<b>3,290</b>	<b>3,550</b>	<b>1,660</b>	<b>180</b>	<b>270</b>	
Upper extremities, unspecified .....	30	40	—	—	—	—	—	—	—	—	
Arm(s) .....	31	2,660	—	120	440	850	720	410	40	70	
Arm(s), unspecified .....	310	1,020	—	60	210	260	280	190	—	—	
Upper arm(s) .....	311	240	—	20	—	60	80	30	20	—	
Elbow(s) .....	312	810	—	20	90	360	190	100	20	30	
Forearm(s) .....	313	290	—	—	60	100	80	40	—	—	
Multiple arm(s) locations .....	318	290	—	20	60	70	90	50	—	—	
Wrist(s) .....	32	2,450	20	90	410	500	900	460	40	40	
Hand(s), except finger(s) .....	33	1,980	—	200	500	460	520	180	40	70	
Finger(s), fingernail(s) .....	34	3,400	—	170	510	1,260	930	410	30	70	
Multiple upper extremities locations .....	38	1,330	—	40	390	210	470	180	—	—	
Multiple upper extremities locations, unspecified .....	380	30	—	—	20	—	—	—	—	—	
Hand(s) and finger(s) .....	381	270	—	20	70	30	100	40	—	—	
Hand(s) and wrist(s) .....	382	310	—	—	140	80	80	20	—	—	
Hand(s) and arm(s) .....	383	180	—	—	40	—	110	—	—	—	
Multiple upper extremities locations, n.e.c. ....	389	540	—	—	140	100	180	120	—	—	
Upper extremities, n.e.c. ....	39	20	—	—	—	—	—	—	—	—	
<b>Lower extremities</b> .....	<b>4</b>	<b>16,640</b>	<b>120</b>	<b>690</b>	<b>3,090</b>	<b>3,970</b>	<b>4,610</b>	<b>3,090</b>	<b>440</b>	<b>630</b>	
Leg(s) .....	41	10,270	40	330	1,890	2,560	2,940	1,870	200	430	
Leg(s), unspecified .....	410	780	—	—	120	230	240	140	20	—	
Thigh(s) .....	411	300	—	—	80	40	60	70	—	30	
Knee(s) .....	412	8,290	20	300	1,510	2,070	2,400	1,450	150	390	
Lower leg(s) .....	413	590	—	20	150	100	140	160	20	—	
Multiple leg(s) locations .....	418	270	—	—	40	120	60	40	—	—	
Leg(s), n.e.c. ....	419	40	—	—	—	—	—	—	—	—	
Ankle(s) .....	42	3,190	—	190	660	770	800	520	150	100	
Foot(feet), except toe(s) .....	43	1,680	20	70	250	330	550	340	40	90	
Foot(feet), except toe(s), unspecified .....	430	1,480	20	70	250	290	490	270	40	60	
Sole .....	432	130	—	—	—	—	50	40	—	20	
Heel(s) .....	4323	120	—	—	—	—	40	40	—	20	
Multiple foot(feet) locations .....	438	60	—	—	—	—	—	30	—	—	
Toe(s), toenail(s) .....	44	380	30	—	70	100	60	100	—	—	
Multiple lower extremities locations .....	48	990	20	90	220	210	240	160	50	—	

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, State government, 2009 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple lower extremities locations, unspecified .....	480	50	-	-	-	-	50	-	-	-
Foot(foot) and leg(s) .....	481	50	-	-	30	20	-	-	-	-
Foot(foot) and ankle(s) .....	482	260	-	40	-	60	100	60	-	-
Foot(foot) and toe(s) .....	483	50	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	489	570	20	20	170	120	80	100	40	-
Lower extremities, n.e.c. ....	49	120	-	-	-	-	-	-	-	-
<b>Body systems</b> .....	<b>5</b>	<b>1,930</b>	-	70	260	330	720	430	30	90
<b>Multiple body parts</b> .....	<b>8</b>	<b>15,770</b>	50	460	2,190	3,850	5,190	2,960	520	560
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>560</b>	-	-	80	160	90	140	-	50

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies