

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2009

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		75,840	39,410	36,220	210	1,780	4,510	23,890	44,170	1,480
Head	0	5,540	2,900	2,620	20	170	450	1,880	2,960	80
Head, unspecified	00	1,160	640	510	-	20	150	380	610	-
Cranial region, including skull	01	900	300	600	-	20	80	210	590	-
Brain	011	590	190	400	-	20	20	150	400	-
Scalp	012	220	60	160	-	-	30	20	180	-
Skull	013	40	-	40	-	-	-	30	-	-
Multiple cranial region locations	018	40	40	-	-	-	-	-	-	-
Ear(s)	02	40	20	20	-	-	-	20	-	-
Face	03	3,280	1,880	1,390	-	130	220	1,200	1,660	70
Face, unspecified	030	710	390	300	-	20	40	300	320	20
Forehead	031	210	120	90	-	-	-	100	100	-
Eye(s)	032	1,350	820	540	-	40	110	390	800	20
Nose, nasal cavity	033	330	190	140	-	-	60	100	150	-
Nose, except internal location of diseases or disorders	0330	320	190	130	-	-	60	100	140	-
Cheek(s)	034	130	90	40	-	-	-	60	70	-
Jaw/chin	035	140	80	60	-	-	-	30	70	30
Mouth	036	100	40	60	-	-	-	20	50	-
Mouth, unspecified	0360	40	30	-	-	-	-	-	30	-
Lip(s)	0361	40	-	40	-	-	-	-	-	-
Tooth(teeth)	0363	20	-	-	-	-	-	-	-	-
Multiple face locations	038	270	140	130	-	-	-	170	90	-
Face, n.e.c.	039	40	-	40	-	-	-	-	-	-
Multiple head locations	08	160	50	110	-	-	-	60	100	-
Neck, including throat	1	1,560	650	900	-	40	80	500	890	50
Neck, except internal location of diseases or disorders ...	10	1,550	650	890	-	40	80	500	880	50
Trunk	2	21,940	12,230	9,670	40	500	1,300	7,500	12,270	380
Trunk, unspecified	20	90	40	50	-	-	-	20	60	-
Shoulder, including clavicle, scapula	21	4,670	2,550	2,110	-	50	280	1,720	2,540	80
Chest, including ribs, internal organs	22	1,850	1,180	670	-	50	80	540	1,170	-
Chest, except internal location of diseases or disorders	220	1,450	990	460	-	50	80	390	930	-
Internal chest location, unspecified	221	210	80	130	-	-	-	50	160	-
Heart	223	20	20	-	-	-	-	-	20	-
Lung(s), pleura	225	100	30	70	-	-	-	30	50	-
Multiple internal chest locations	228	70	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	12,650	6,710	5,900	30	350	860	4,380	6,820	230
Back, including spine, spinal cord, unspecified	230	5,180	2,680	2,500	-	140	430	2,010	2,520	70
Lumbar region	231	5,920	3,440	2,440	30	200	300	1,740	3,540	130
Thoracic region	232	710	300	400	-	-	30	310	350	-
Sacral region	233	40	40	-	-	-	-	-	-	-
Coccygeal region	234	100	30	80	-	-	20	30	40	-

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple back regions	238	630	200	430	—	—	50	220	340	20
Back, including spine, spinal cord, n.e.c.	239	80	30	50	—	—	20	30	20	—
Abdomen	24	1,040	800	240	—	20	40	300	680	—
Abdomen, except internal location of diseases or disorders	240	600	380	220	—	20	20	200	360	—
Internal abdominal location, unspecified	241	160	150	—	—	—	—	40	110	—
Intestines, peritoneum	245	260	250	—	—	—	20	30	210	—
Intestines, peritoneum, unspecified	2450	200	190	—	—	—	20	30	140	—
Peritoneum	2451	60	60	—	—	—	—	—	60	—
Pelvic region	25	1,070	630	440	—	—	20	340	680	30
Pelvic region, unspecified	250	20	—	—	—	—	—	—	—	—
Hip(s)	251	620	300	320	—	—	—	190	390	20
Buttock(s)	253	100	20	80	—	—	—	50	40	—
Groin	254	310	280	30	—	—	—	80	210	—
External reproductive tract structures	255	20	—	—	—	—	—	—	—	—
Multiple trunk locations	28	550	320	230	—	20	20	210	290	20
Trunk, n.e.c.	29	20	—	—	—	—	—	—	20	—
Upper extremities	3	11,880	6,270	5,590	20	350	770	3,910	6,610	240
Upper extremities, unspecified	30	40	—	30	—	—	—	—	20	—
Arm(s)	31	2,660	1,310	1,350	—	60	150	790	1,610	50
Arm(s), unspecified	310	1,020	370	650	—	20	50	350	580	—
Upper arm(s)	311	240	180	60	—	—	—	50	160	20
Elbow(s)	312	810	460	350	—	30	60	200	510	—
Forearm(s)	313	290	140	150	—	—	20	80	180	—
Multiple arm(s) locations	318	290	150	140	—	—	—	110	180	—
Wrist(s)	32	2,450	850	1,600	—	60	260	920	1,200	20
Hand(s), except finger(s)	33	1,980	1,100	860	—	30	130	620	1,110	90
Finger(s), fingernail(s)	34	3,400	2,230	1,160	—	190	160	970	2,020	50
Multiple upper extremities locations	38	1,330	750	580	—	—	60	600	630	30
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	270	100	170	—	—	20	110	140	—
Hand(s) and wrist(s)	382	310	180	130	—	—	—	140	140	—
Hand(s) and arm(s)	383	180	70	110	—	—	—	60	110	—
Multiple upper extremities locations, n.e.c.	389	540	390	160	—	—	30	280	230	—
Upper extremities, n.e.c.	39	20	20	—	—	—	—	—	20	—
Lower extremities	4	16,640	9,320	7,230	90	450	1,000	5,040	9,780	370
Leg(s)	41	10,270	6,320	3,910	40	210	700	2,850	6,320	190
Leg(s), unspecified	410	780	450	320	—	20	60	140	540	—
Thigh(s)	411	300	210	80	—	—	20	80	180	30
Knee(s)	412	8,290	5,120	3,150	20	180	580	2,400	5,000	130
Lower leg(s)	413	590	380	210	—	—	20	150	400	20
Multiple leg(s) locations	418	270	150	110	—	—	—	80	170	—
Leg(s), n.e.c.	419	40	—	—	—	—	—	—	30	—
Ankle(s)	42	3,190	1,530	1,660	—	180	110	1,150	1,680	80
Foot(feet), except toe(s)	43	1,680	800	830	50	30	90	480	990	90
Foot(feet), except toe(s), unspecified	430	1,480	720	720	50	30	90	420	860	90
Sole	432	130	50	80	—	—	—	60	60	—

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Heel(s)	4323	120	50	70	—	—	—	60	50	—
Multiple foot(foot) locations	438	60	30	—	—	—	—	—	60	—
Toe(s), toenail(s)	44	380	250	140	—	30	50	130	160	—
Multiple lower extremities locations	48	990	410	580	—	—	50	440	500	—
Multiple lower extremities locations, unspecified	480	50	—	40	—	—	—	—	40	—
Foot(feet) and leg(s)	481	50	—	40	—	—	—	20	40	—
Foot(feet) and ankle(s)	482	260	110	150	—	—	—	110	150	—
Foot(feet) and toe(s)	483	50	—	40	—	—	—	—	20	—
Multiple lower extremities locations, n.e.c.	489	570	260	310	—	—	—	300	250	—
Lower extremities, n.e.c.	49	120	—	110	—	—	—	—	120	—
Body systems	5	1,930	1,030	900	—	30	100	550	1,170	90
Multiple body parts	8	15,770	6,700	9,050	20	230	810	4,340	10,150	230
Nonclassifiable	9999	560	300	250	—	20	—	150	350	30

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies