

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		75,840	8,880	11.7	7,210	9.5	14,520	19.1
Traumatic injuries and disorders	0	71,250	8,360	11.7	6,930	9.7	13,770	19.3
Traumatic injuries and disorders, unspecified	00	3,110	320	10.3	210	6.8	620	19.9
Traumatic injuries to bones, nerves, spinal cord	01	3,930	330	8.4	190	4.8	380	9.7
Dislocations	011	500	40	8.0	60	12.0	40	8.0
Fractures	012	3,280	270	8.2	120	3.7	310	9.5
Traumatic injuries to nerves, except the spinal cord	014	20	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	120	—	—	—	—	30	25.0
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	30,360	2,790	9.2	2,600	8.6	5,690	18.7
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	350	20	5.7	—	—	140	40.0
Sprains, strains, tears	021	29,830	2,770	9.3	2,530	8.5	5,540	18.6
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	180	—	—	60	33.3	—	—
Open wounds	03	2,870	830	28.9	430	15.0	570	19.9
Open wounds, unspecified	030	30	—	—	—	—	—	—
Amputations	031	70	—	—	—	—	—	—
Amputations, fingertip	0311	30	—	—	—	—	—	—
Amputations, except fingertip	0319	40	—	—	—	—	—	—
Animal or insect bites	032	310	80	25.8	70	22.6	60	19.4
Avulsions	033	60	—	—	40	66.7	—	—
Cuts, lacerations	034	2,050	640	31.2	290	14.1	460	22.4
Punctures, except bites	037	340	100	29.4	30	8.8	50	14.7
Surface wounds and bruises	04	11,100	1,810	16.3	1,650	14.9	2,770	25.0
Abrasions, scratches	041	810	190	23.5	120	14.8	210	25.9
Bruises, contusions	043	9,890	1,550	15.7	1,460	14.8	2,370	24.0
Foreign bodies (superficial splinters, chips)	044	330	50	15.2	60	18.2	180	54.5
Multiple surface wounds and bruises	048	30	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	049	30	—	—	—	—	—	—
Burns	05	620	130	21.0	80	12.9	120	19.4
Chemical burns	051	120	40	33.3	50	41.7	—	—
Electrical burns	052	40	—	—	—	—	—	—
Heat burns, scalds	053	460	90	19.6	20	4.3	100	21.7
Intracranial injuries	06	560	50	8.9	—	—	280	50.0
Concussions	062	550	40	7.3	—	—	280	50.9
Effects of environmental conditions	07	110	20	18.2	50	45.5	—	—
Effects of reduced temperature	071	20	—	—	—	—	—	—
Effects of heat and light	072	90	20	22.2	50	55.6	—	—
Heat fatigue	0723	60	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	4,410	490	11.1	440	10.0	810	18.4
Multiple traumatic injuries and disorders, unspecified ..	080	250	—	—	20	8.0	20	8.0
Cuts, abrasions, bruises	081	600	130	21.7	120	20.0	50	8.3
Sprains and bruises	082	2,330	250	10.7	150	6.4	400	17.2
Fractures and burns	083	100	—	—	—	—	—	—
Fractures and other injuries	084	360	30	8.3	70	19.4	50	13.9

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	10,130	13.4	9,350	12.3	4,760	6.3	20,980	27.7	9
Traumatic injuries and disorders	9,520	13.4	8,830	12.4	4,210	5.9	19,640	27.6	8
Traumatic injuries and disorders, unspecified	370	11.9	270	8.7	240	7.7	1,080	34.7	11
Traumatic injuries to bones, nerves, spinal cord	580	14.8	650	16.5	420	10.7	1,380	35.1	17
Dislocations	130	26.0	60	12.0	—	—	160	32.0	6
Fractures	440	13.4	530	16.2	410	12.5	1,200	36.6	19
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—	—	—	1
Multiple traumatic injuries to bones nerves, spinal cord	—	—	50	41.7	—	—	20	16.7	11
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	3,900	12.8	3,680	12.1	1,910	6.3	9,780	32.2	11
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	60	17.1	50	14.3	20	5.7	60	17.1	7
Sprains, strains, tears	3,840	12.9	3,610	12.1	1,890	6.3	9,660	32.4	11
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	20	11.1	—	—	70	38.9	16
Open wounds	350	12.2	240	8.4	160	5.6	280	9.8	3
Open wounds, unspecified	—	—	—	—	—	—	—	—	16
Amputations	—	—	20	28.6	—	—	20	28.6	17
Amputations, fingertip	—	—	—	—	—	—	—	—	13
Amputations, except fingertip	—	—	—	—	—	—	—	—	30
Animal or insect bites	20	6.5	50	16.1	—	—	30	9.7	3
Avulsions	—	—	—	—	—	—	20	33.3	2
Cuts, lacerations	290	14.1	150	7.3	90	4.4	140	6.8	3
Punctures, except bites	40	11.8	—	—	30	8.8	80	23.5	5
Surface wounds and bruises	1,610	14.5	890	8.0	500	4.5	1,860	16.8	4
Abrasions, scratches	130	16.0	120	14.8	—	—	40	4.9	3
Bruises, contusions	1,450	14.7	750	7.6	500	5.1	1,800	18.2	5
Foreign bodies (superficial splinters, chips)	30	9.1	—	—	—	—	—	—	3
Multiple surface wounds and bruises	—	—	—	—	—	—	—	—	1
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	16
Burns	90	14.5	100	16.1	—	—	100	16.1	5
Chemical burns	—	—	—	—	—	—	—	—	2
Electrical burns	—	—	—	—	—	—	—	—	3
Heat burns, scalds	80	17.4	90	19.6	—	—	70	15.2	7
Intracranial injuries	50	8.9	90	16.1	30	5.4	50	8.9	3
Concussions	50	9.1	90	16.4	30	5.5	40	7.3	3
Effects of environmental conditions	—	—	—	—	—	—	—	—	2
Effects of reduced temperature	—	—	—	—	—	—	—	—	9
Effects of heat and light	—	—	—	—	—	—	—	—	2
Heat fatigue	—	—	—	—	—	—	—	—	2
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple traumatic injuries and disorders	700	15.9	450	10.2	220	5.0	1,310	29.7	9
Multiple traumatic injuries and disorders, unspecified ..	—	—	30	12.0	—	—	160	64.0	54
Cuts, abrasions, bruises	130	21.7	70	11.7	30	5.0	70	11.7	6
Sprains and bruises	400	17.2	270	11.6	150	6.4	710	30.5	10
Fractures and burns	—	—	—	—	—	—	—	—	3
Fractures and other injuries	60	16.7	20	5.6	20	5.6	120	33.3	9

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other combinations of traumatic injuries and disorders, n.e.c.	089	770	80	10.4	80	10.4	190	24.7
Other traumatic injuries and disorders	09	14,180	1,590	11.2	1,270	9.0	2,530	17.8
Asphyxiations/strangulations, suffocations	091	120	30	25.0	80	66.7	—	—
Electrocutions, electric shocks	093	60	20	33.3	—	—	—	—
Other poisonings and toxic effects	095	420	160	38.1	80	19.0	120	28.6
Animal or insect bites and stings, venomous	0951	270	100	37.0	70	25.9	90	33.3
Other poisonings and toxic effects, n.e.c.	0959	140	50	35.7	—	—	30	21.4
Nonspecified injuries and disorders	097	13,510	1,380	10.2	1,110	8.2	2,370	17.5
Crushing injuries	0971	450	30	6.7	190	42.2	60	13.3
Back pain, hurt back	0972	2,880	260	9.0	200	6.9	780	27.1
Soreness, pain, hurt, except the back	0973	8,410	910	10.8	560	6.7	1,200	14.3
Multiple nonspecified injuries and disorders	0978	1,160	50	4.3	90	7.8	310	26.7
Nonspecified injuries and disorders, n.e.c.	0979	600	130	21.7	60	10.0	30	5.0
Other traumatic injuries and disorders, n.e.c.	099	60	—	—	—	—	—	—
Systemic diseases and disorders	1	2,150	240	11.2	140	6.5	270	12.6
Systemic diseases and disorders, unspecified	10	30	—	—	—	—	—	—
Nervous system and sense organs diseases	12	700	80	11.4	20	2.9	80	11.4
Disorders of the peripheral nervous system	124	640	60	9.4	—	—	50	7.8
Carpal tunnel syndrome	1241	620	60	9.7	—	—	50	8.1
Disorders of the eye, adnexa, vision	125	50	—	—	—	—	30	60.0
Conjunctivitis non-viral	1252	40	—	—	—	—	20	50.0
Circulatory system diseases	13	120	—	—	—	—	—	—
Hypertensive disease	132	80	—	—	—	—	—	—
Respiratory system diseases	14	110	—	—	—	—	—	—
Pneumonia, influenza	143	70	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	20	—	—	—	—	—	—
Digestive system diseases and disorders	15	440	—	—	—	—	—	—
Hernia	153	440	—	—	—	—	—	—
Hernia, unspecified	1530	130	—	—	—	—	—	—
Inguinal hernia	1531	240	—	—	—	—	—	—
Hernia, n.e.c.	1539	50	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	400	70	17.5	50	12.5	80	20.0
Dorsopathies	172	80	—	—	—	—	—	—
Sciatica	1721	20	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	50	—	—	—	—	—	—
Rheumatism, except the back	173	320	60	18.8	50	15.6	80	25.0
Tendonitis	1733	100	—	—	—	—	40	40.0
Tenosynovitis	1734	40	—	—	—	—	30	75.0
Rheumatism, except the back, n.e.c.	1739	160	40	25.0	30	18.8	—	—
Disorders of the skin and subcutaneous tissue	18	350	70	20.0	40	11.4	90	25.7
Infections of the skin and subcutaneous tissue	181	100	20	20.0	20	20.0	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	60	20	33.3	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other combinations of traumatic injuries and disorders, n.e.c.	100	13.0	50	6.5	—	—	250	32.5	7
Other traumatic injuries and disorders	1,830	12.9	2,450	17.3	720	5.1	3,790	26.7	10
Asphyxiations/strangulations, suffocations	—	—	—	—	—	—	—	—	2
Electrocutions, electric shocks	—	—	—	—	—	—	—	—	3
Other poisonings and toxic effects	30	7.1	20	4.8	—	—	—	—	2
Animal or insect bites and stings, venomous	—	—	—	—	—	—	—	—	2
Other poisonings and toxic effects, n.e.c.	20	14.3	—	—	—	—	—	—	3
Nonspecified injuries and disorders	1,790	13.2	2,420	17.9	700	5.2	3,740	27.7	11
Crushing injuries	—	—	40	8.9	20	4.4	100	22.2	3
Back pain, hurt back	310	10.8	380	13.2	190	6.6	770	26.7	9
Soreness, pain, hurt, except the back	1,180	14.0	1,840	21.9	380	4.5	2,340	27.8	14
Multiple nonspecified injuries and disorders	260	22.4	90	7.8	80	6.9	280	24.1	8
Nonspecified injuries and disorders, n.e.c.	20	3.3	70	11.7	—	—	250	41.7	14
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	30	50.0	109
Systemic diseases and disorders	320	14.9	280	13.0	240	11.2	670	31.2	14
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	—	—	132
Nervous system and sense organs diseases	40	5.7	90	12.9	60	8.6	320	45.7	28
Disorders of the peripheral nervous system	30	4.7	90	14.1	60	9.4	320	50.0	30
Carpal tunnel syndrome	20	3.2	90	14.5	60	9.7	310	50.0	31
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	3
Conjunctivitis non-viral	—	—	—	—	—	—	—	—	4
Circulatory system diseases	70	58.3	30	25.0	—	—	20	16.7	7
Hypertensive disease	70	87.5	—	—	—	—	—	—	7
Respiratory system diseases	—	—	20	18.2	—	—	70	63.6	54
Pneumonia, influenza	—	—	—	—	—	—	—	—	54
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	—	4
Digestive system diseases and disorders	70	15.9	80	18.2	120	27.3	140	31.8	26
Hernia	70	15.9	80	18.2	120	27.3	140	31.8	26
Hernia, unspecified	—	—	—	—	70	53.8	50	38.5	26
Inguinal hernia	50	20.8	50	20.8	40	16.7	70	29.2	13
Hernia, n.e.c.	—	—	—	—	—	—	—	—	19
Musculoskeletal system and connective tissue diseases and disorders	50	12.5	20	5.0	30	7.5	100	25.0	6
Dorsopathies	—	—	—	—	—	—	50	62.5	35
Sciatica	—	—	—	—	—	—	—	—	1
Dorsopathies, n.e.c.	—	—	—	—	—	—	40	80.0	35
Rheumatism, except the back	50	15.6	20	6.2	30	9.4	50	15.6	4
Tendonitis	—	—	—	—	30	30.0	—	—	5
Tenosynovitis	—	—	—	—	—	—	—	—	3
Rheumatism, except the back, n.e.c.	30	18.8	—	—	—	—	40	25.0	6
Disorders of the skin and subcutaneous tissue	80	22.9	30	8.6	20	5.7	—	—	3
Infections of the skin and subcutaneous tissue	20	20.0	20	20.0	—	—	—	—	5
Infections of the skin and subcutaneous tissue, unspecified	—	—	20	33.3	—	—	—	—	9

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Cellulitis and abscess	1812	20	—	—	—	—	—	—
Dermatitis	182	230	40	17.4	20	8.7	80	34.8
Dermatitis, unspecified	1820	30	—	—	—	—	—	—
Contact dermatitis, unspecified	1822	20	—	—	—	—	—	—
Allergic contact dermatitis	1823	130	—	—	20	15.4	40	30.8
Irritant contact dermatitis	1824	30	30	100.0	—	—	—	—
Infectious and parasitic diseases	2	200	30	15.0	30	15.0	110	55.0
Bacterial diseases	21	60	—	—	—	—	40	66.7
Other bacterial diseases	219	40	—	—	—	—	40	100.0
Other bacterial diseases, n.e.c	2199	40	—	—	—	—	40	100.0
Viral diseases	22	80	20	25.0	—	—	30	37.5
Viral diseases, unspecified	220	40	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	40	—	—	—	—	30	75.0
Viral conjunctivitis (ophthalmia)	2262	40	—	—	—	—	30	75.0
Other arthropod-borne diseases	23	20	—	—	—	—	—	—
Other infectious and parasitic diseases	29	30	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1,120	190	17.0	80	7.1	250	22.3
Symptoms	41	1,070	170	15.9	80	7.5	240	22.4
General symptoms	411	340	50	14.7	30	8.8	80	23.5
General symptoms, unspecified	4110	30	—	—	—	—	—	—
Loss of consciousness not heat related	4111	80	—	—	—	—	20	25.0
Dizziness	4114	30	—	—	—	—	—	—
Non-specified allergic reaction	4115	60	—	—	—	—	40	66.7
Multiple general symptoms	4118	20	—	—	—	—	—	—
General symptoms, n.e.c.	4119	120	—	—	—	—	20	16.7
Symptoms involving skin and other integumentary tissue	413	330	70	21.2	20	6.1	50	15.2
Edema (including dropsy)	4131	300	70	23.3	—	—	30	10.0
Symptoms involving head and neck	414	30	—	—	—	—	—	—
Headache, except migraine	4141	20	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	300	30	10.0	—	—	90	30.0
Symptoms involving respiratory system and chest, unspecified	4160	70	—	—	—	—	20	28.6
Chest pain	4164	170	—	—	—	—	60	35.3
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	40	—	—	—	—	—	—
Multiple symptoms	418	30	—	—	—	—	—	—
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Cellulitis and abscess	—	—	—	—	—	—	—	—	2
Dermatitis	60	26.1	—	—	20	8.7	—	—	3
Dermatitis, unspecified	—	—	—	—	—	—	—	—	4
Contact dermatitis, unspecified	—	—	—	—	—	—	—	—	3
Allergic contact dermatitis	60	46.2	—	—	20	15.4	—	—	7
Irritant contact dermatitis	—	—	—	—	—	—	—	—	1
Infectious and parasitic diseases	20	10.0	—	—	—	—	—	—	3
Bacterial diseases	—	—	—	—	—	—	—	—	5
Other bacterial diseases	—	—	—	—	—	—	—	—	5
Other bacterial diseases, n.e.c.	—	—	—	—	—	—	—	—	5
Viral diseases	—	—	—	—	—	—	—	—	5
Viral diseases, unspecified	—	—	—	—	—	—	—	—	5
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	3
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	—	3
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	5
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	2
Acariasis (including scabies, chiggers, mites)	—	—	—	—	—	—	—	—	2
Symptoms, signs, and ill-defined conditions	100	8.9	100	8.9	260	23.2	150	13.4	7
Symptoms	90	8.4	90	8.4	260	24.3	130	12.1	7
General symptoms	30	8.8	40	11.8	70	20.6	30	8.8	7
General symptoms, unspecified	—	—	—	—	—	—	—	—	152
Loss of consciousness not heat related	—	—	40	50.0	—	—	—	—	15
Dizziness	—	—	—	—	—	—	—	—	1
Non-specified allergic reaction	—	—	—	—	—	—	—	—	5
Multiple general symptoms	—	—	—	—	—	—	—	—	2
General symptoms, n.e.c.	20	16.7	—	—	—	—	—	—	21
Symptoms involving skin and other integumentary tissue	20	6.1	30	9.1	70	21.2	70	21.2	11
Edema (including dropsy)	20	6.7	30	10.0	70	23.3	70	23.3	11
Symptoms involving head and neck	—	—	—	—	—	—	—	—	17
Headache, except migraine	—	—	—	—	—	—	—	—	17
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—	6
Symptoms involving respiratory system and chest	20	6.7	—	—	110	36.7	20	6.7	13
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—	6
Chest pain	—	—	—	—	100	58.8	—	—	30
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	6
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	—	—	—	—	—	4
Multiple symptoms	—	—	—	—	—	—	—	—	1
Other symptoms, n.e.c.	—	—	—	—	—	—	—	—	2
Abnormal findings	—	—	—	—	—	—	—	—	1
Abnormal findings from histological and immunological studies	—	—	—	—	—	—	—	—	1
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—	—	—	115

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	760	30	3.9	—	—	100	13.2
Mental disorders or syndromes	52	740	30	4.1	—	—	100	13.5
Anxiety, stress, neurotic disorders	521	740	30	4.1	—	—	100	13.5
Anxiety, stress, neurotic disorders, unspecified	5210	290	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	180	—	—	—	—	30	16.7
Neurotic reaction to stress	5214	230	—	—	—	—	50	21.7
Multiple anxiety, stress, neurotic disorders	5218	40	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	160	—	—	—	—	—	—
Nonclassifiable	9999	120	30	25.0	20	16.7	20	16.7

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2009 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	115
Other diseases, conditions, and disorders	50	6.6	120	15.8	50	6.6	410	53.9	40
Mental disorders or syndromes	50	6.8	120	16.2	50	6.8	390	52.7	40
Anxiety, stress, neurotic disorders	50	6.8	120	16.2	50	6.8	390	52.7	40
Anxiety, stress, neurotic disorders, unspecified	—	—	100	34.5	—	—	170	58.6	59
Post-traumatic anxiety acute	20	11.1	—	—	20	11.1	80	44.4	23
Neurotic reaction to stress	30	13.0	20	8.7	—	—	120	52.2	32
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	—	20	50.0	78
Multiple diseases, conditions, and disorders	120	75.0	—	—	—	—	20	12.5	6
Nonclassifiable	—	—	—	—	—	—	40	33.3	4

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies