

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		75,840	8,880	11.7	7,210	9.5	14,520	19.1
Head	0	5,540	1,180	21.3	810	14.6	1,620	29.2
Head, unspecified	00	1,160	270	23.3	140	12.1	400	34.5
Cranial region, including skull	01	900	70	7.8	50	5.6	360	40.0
Brain	011	590	50	8.5	—	—	280	47.5
Scalp	012	220	20	9.1	30	13.6	80	36.4
Skull	013	40	—	—	—	—	—	—
Multiple cranial region locations	018	40	—	—	—	—	—	—
Ear(s)	02	40	—	—	—	—	—	—
Face	03	3,280	810	24.7	610	18.6	810	24.7
Face, unspecified	030	710	190	26.8	210	29.6	120	16.9
Forehead	031	210	80	38.1	30	14.3	50	23.8
Eye(s)	032	1,350	280	20.7	230	17.0	410	30.4
Nose, nasal cavity	033	330	70	21.2	70	21.2	60	18.2
Nose, except internal location of diseases or disorders	0330	320	70	21.9	70	21.9	50	15.6
Cheek(s)	034	130	—	—	20	15.4	50	38.5
Jaw/chin	035	140	90	64.3	—	—	—	—
Mouth	036	100	30	30.0	—	—	50	50.0
Mouth, unspecified	0360	40	20	50.0	—	—	—	—
Lip(s)	0361	40	—	—	—	—	30	75.0
Tooth(teeth)	0363	20	—	—	—	—	—	—
Multiple face locations	038	270	30	11.1	50	18.5	60	22.2
Face, n.e.c.	039	40	40	100.0	—	—	—	—
Multiple head locations	08	160	40	25.0	—	—	40	25.0
Neck, including throat	1	1,560	290	18.6	140	9.0	400	25.6
Neck, except internal location of diseases or disorders ...	10	1,550	290	18.7	140	9.0	400	25.8
Trunk	2	21,940	1,980	9.0	1,800	8.2	4,440	20.2
Trunk, unspecified	20	90	—	—	30	33.3	40	44.4
Shoulder, including clavicle, scapula	21	4,670	390	8.4	320	6.9	550	11.8
Chest, including ribs, internal organs	22	1,850	260	14.1	50	2.7	250	13.5
Chest, except internal location of diseases or disorders	220	1,450	240	16.6	40	2.8	160	11.0
Internal chest location, unspecified	221	210	—	—	—	—	60	28.6
Heart	223	20	—	—	—	—	—	—
Lung(s), pleura	225	100	—	—	—	—	30	30.0
Multiple internal chest locations	228	70	—	—	—	—	—	—
Back, including spine, spinal cord	23	12,650	1,140	9.0	1,220	9.6	3,090	24.4
Back, including spine, spinal cord, unspecified	230	5,180	620	12.0	550	10.6	1,210	23.4
Lumbar region	231	5,920	420	7.1	590	10.0	1,470	24.8
Thoracic region	232	710	40	5.6	50	7.0	190	26.8
Sacral region	233	40	—	—	—	—	—	—
Coccygeal region	234	100	—	—	—	—	20	20.0
Multiple back regions	238	630	60	9.5	30	4.8	160	25.4

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	10,130	13.4	9,350	12.3	4,760	6.3	20,980	27.7	9
Head	630	11.4	420	7.6	300	5.4	570	10.3	3
Head, unspecified	90	7.8	100	8.6	20	1.7	150	12.9	3
Cranial region, including skull	60	6.7	130	14.4	140	15.6	80	8.9	5
Brain	50	8.5	90	15.3	40	6.8	70	11.9	3
Scalp	—	—	—	—	—	—	—	—	4
Skull	—	—	30	75.0	—	—	—	—	14
Multiple cranial region locations	—	—	—	—	—	—	—	—	30
Ear(s)	—	—	—	—	—	—	—	—	41
Face	440	13.4	190	5.8	140	4.3	280	8.5	3
Face, unspecified	20	2.8	60	8.5	30	4.2	70	9.9	2
Forehead	20	9.5	—	—	—	—	30	14.3	3
Eye(s)	260	19.3	50	3.7	80	5.9	40	3.0	3
Nose, nasal cavity	60	18.2	50	15.2	—	—	20	6.1	4
Nose, except internal location of diseases or disorders	60	18.8	50	15.6	—	—	20	6.2	4
Cheek(s)	20	15.4	—	—	—	—	—	—	3
Jaw/chin	—	—	—	—	20	14.3	—	—	1
Mouth	—	—	—	—	—	—	—	—	3
Mouth, unspecified	—	—	—	—	—	—	—	—	1
Lip(s)	—	—	—	—	—	—	—	—	3
Tooth(teeth)	—	—	—	—	—	—	—	—	7
Multiple face locations	30	11.1	—	—	—	—	100	37.0	6
Face, n.e.c.	—	—	—	—	—	—	—	—	1
Multiple head locations	30	18.8	—	—	—	—	40	25.0	5
Neck, including throat	130	8.3	100	6.4	90	5.8	410	26.3	5
Neck, except internal location of diseases or disorders ...	130	8.4	100	6.5	90	5.8	410	26.5	5
Trunk	2,940	13.4	2,680	12.2	1,410	6.4	6,680	30.4	10
Trunk, unspecified	—	—	—	—	—	—	—	—	4
Shoulder, including clavicle, scapula	660	14.1	430	9.2	280	6.0	2,040	43.7	20
Chest, including ribs, internal organs	290	15.7	360	19.5	220	11.9	420	22.7	11
Chest, except internal location of diseases or disorders	260	17.9	310	21.4	100	6.9	330	22.8	11
Internal chest location, unspecified	—	—	20	9.5	110	52.4	—	—	28
Heart	—	—	—	—	—	—	—	—	80
Lung(s), pleura	—	—	20	20.0	—	—	20	20.0	6
Multiple internal chest locations	—	—	—	—	—	—	—	—	54
Back, including spine, spinal cord	1,640	13.0	1,600	12.6	640	5.1	3,300	26.1	8
Back, including spine, spinal cord, unspecified	720	13.9	580	11.2	220	4.2	1,280	24.7	7
Lumbar region	710	12.0	790	13.3	360	6.1	1,560	26.4	9
Thoracic region	100	14.1	100	14.1	20	2.8	210	29.6	8
Sacral region	—	—	—	—	—	—	—	—	5
Coccygeal region	30	30.0	20	20.0	—	—	20	20.0	9
Multiple back regions	80	12.7	100	15.9	20	3.2	190	30.2	8

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Back, including spine, spinal cord, n.e.c.	239	80	—	—	—	—	—	—
Abdomen	24	1,040	40	3.8	50	4.8	180	17.3
Abdomen, except internal location of diseases or disorders	240	600	40	6.7	20	3.3	170	28.3
Internal abdominal location, unspecified	241	160	—	—	—	—	—	—
Intestines, peritoneum	245	260	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	200	—	—	—	—	—	—
Peritoneum	2451	60	—	—	—	—	—	—
Pelvic region	25	1,070	120	11.2	100	9.3	260	24.3
Pelvic region, unspecified	250	20	—	—	—	—	—	—
Hip(s)	251	620	80	12.9	20	3.2	120	19.4
Buttock(s)	253	100	—	—	60	60.0	—	—
Groin	254	310	30	9.7	20	6.5	130	41.9
External reproductive tract structures	255	20	—	—	—	—	—	—
Multiple trunk locations	28	550	30	5.5	20	3.6	60	10.9
Trunk, n.e.c.	29	20	—	—	—	—	—	—
Upper extremities	3	11,880	1,690	14.2	1,240	10.4	1,710	14.4
Upper extremities, unspecified	30	40	—	—	—	—	—	—
Arm(s)	31	2,660	380	14.3	430	16.2	370	13.9
Arm(s), unspecified	310	1,020	110	10.8	140	13.7	170	16.7
Upper arm(s)	311	240	—	—	20	8.3	40	16.7
Elbow(s)	312	810	120	14.8	220	27.2	100	12.3
Forearm(s)	313	290	40	13.8	40	13.8	30	10.3
Multiple arm(s) locations	318	290	100	34.5	—	—	30	10.3
Wrist(s)	32	2,450	270	11.0	110	4.5	380	15.5
Hand(s), except finger(s)	33	1,980	320	16.2	230	11.6	310	15.7
Finger(s), fingernail(s)	34	3,400	540	15.9	420	12.4	470	13.8
Multiple upper extremities locations	38	1,330	180	13.5	50	3.8	160	12.0
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—
Hand(s) and finger(s)	381	270	40	14.8	20	7.4	70	25.9
Hand(s) and wrist(s)	382	310	20	6.5	—	—	—	—
Hand(s) and arm(s)	383	180	80	44.4	20	11.1	20	11.1
Multiple upper extremities locations, n.e.c.	389	540	30	5.6	—	—	50	9.3
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—
Lower extremities	4	16,640	1,790	10.8	1,560	9.4	2,840	17.1
Leg(s)	41	10,270	860	8.4	880	8.6	1,560	15.2
Leg(s), unspecified	410	780	100	12.8	150	19.2	60	7.7
Thigh(s)	411	300	—	—	—	—	60	20.0
Knee(s)	412	8,290	690	8.3	550	6.6	1,260	15.2
Lower leg(s)	413	590	30	5.1	90	15.3	130	22.0
Multiple leg(s) locations	418	270	30	11.1	60	22.2	40	14.8
Leg(s), n.e.c.	419	40	—	—	—	—	—	—
Ankle(s)	42	3,190	400	12.5	390	12.2	630	19.7
Foot(feet), except toe(s)	43	1,680	310	18.5	120	7.1	300	17.9
Foot(feet), except toe(s), unspecified	430	1,480	280	18.9	120	8.1	260	17.6
Sole	432	130	—	—	—	—	40	30.8
Heel(s)	4323	120	—	—	—	—	40	33.3
Multiple foot(feet) locations	438	60	—	—	—	—	—	—

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	50	62.5	180
Abdomen	130	12.5	180	17.3	220	21.2	250	24.0	13
Abdomen, except internal location of diseases or disorders	60	10.0	100	16.7	110	18.3	110	18.3	12
Internal abdominal location, unspecified	—	—	30	18.8	70	43.8	60	37.5	26
Intestines, peritoneum	60	23.1	50	19.2	40	15.4	70	26.9	13
Intestines, peritoneum, unspecified	60	30.0	20	10.0	40	20.0	70	35.0	29
Peritoneum	—	—	40	66.7	—	—	—	—	13
Pelvic region	140	13.1	50	4.7	30	2.8	360	33.6	6
Pelvic region, unspecified	—	—	—	—	—	—	—	—	29
Hip(s)	70	11.3	30	4.8	—	—	290	46.8	14
Buttock(s)	—	—	20	20.0	—	—	—	—	2
Groin	50	16.1	—	—	—	—	50	16.1	5
External reproductive tract structures	—	—	—	—	—	—	—	—	7
Multiple trunk locations	80	14.5	50	9.1	30	5.5	290	52.7	39
Trunk, n.e.c.	—	—	—	—	—	—	—	—	2
Upper extremities	1,530	12.9	1,440	12.1	820	6.9	3,450	29.0	10
Upper extremities, unspecified	—	—	—	—	—	—	—	—	12
Arm(s)	330	12.4	380	14.3	170	6.4	620	23.3	7
Arm(s), unspecified	140	13.7	110	10.8	60	5.9	300	29.4	7
Upper arm(s)	50	20.8	20	8.3	—	—	80	33.3	7
Elbow(s)	90	11.1	90	11.1	70	8.6	130	16.0	5
Forearm(s)	40	13.8	70	24.1	20	6.9	30	10.3	8
Multiple arm(s) locations	—	—	80	27.6	20	6.9	60	20.7	11
Wrist(s)	230	9.4	420	17.1	260	10.6	780	31.8	16
Hand(s), except finger(s)	310	15.7	180	9.1	190	9.6	440	22.2	8
Finger(s), fingernail(s)	600	17.6	300	8.8	150	4.4	920	27.1	7
Multiple upper extremities locations	50	3.8	150	11.3	60	4.5	680	51.1	35
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	3
Hand(s) and finger(s)	—	—	20	7.4	—	—	100	37.0	7
Hand(s) and wrist(s)	—	—	40	12.9	—	—	220	71.0	35
Hand(s) and arm(s)	—	—	30	16.7	—	—	20	11.1	2
Multiple upper extremities locations, n.e.c.	30	5.6	50	9.3	50	9.3	330	61.1	71
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	4
Lower extremities	2,330	14.0	2,100	12.6	1,110	6.7	4,900	29.4	10
Leg(s)	1,510	14.7	1,260	12.3	650	6.3	3,560	34.7	13
Leg(s), unspecified	100	12.8	110	14.1	20	2.6	230	29.5	8
Thigh(s)	60	20.0	50	16.7	30	10.0	90	30.0	18
Knee(s)	1,290	15.6	970	11.7	530	6.4	3,000	36.2	14
Lower leg(s)	40	6.8	110	18.6	60	10.2	140	23.7	11
Multiple leg(s) locations	—	—	20	7.4	20	7.4	100	37.0	10
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	2
Ankle(s)	400	12.5	420	13.2	200	6.3	750	23.5	7
Foot(feet), except toe(s)	300	17.9	250	14.9	100	6.0	300	17.9	7
Foot(feet), except toe(s), unspecified	230	15.5	210	14.2	100	6.8	290	19.6	7
Sole	40	30.8	—	—	—	—	—	—	5
Heel(s)	40	33.3	—	—	—	—	—	—	4
Multiple foot(feet) locations	—	—	30	50.0	—	—	—	—	11

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Toe(s), toenail(s)	44	380	70	18.4	60	15.8	150	39.5
Multiple lower extremities locations	48	990	60	6.1	110	11.1	200	20.2
Multiple lower extremities locations, unspecified	480	50	—	—	—	—	—	—
Foot(feet) and leg(s)	481	50	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	260	20	7.7	30	11.5	90	34.6
Foot(feet) and toe(s)	483	50	—	—	30	60.0	—	—
Multiple lower extremities locations, n.e.c.	489	570	40	7.0	40	7.0	90	15.8
Lower extremities, n.e.c.	49	120	100	83.3	—	—	—	—
Body systems	5	1,930	270	14.0	280	14.5	290	15.0
Multiple body parts	8	15,770	1,520	9.6	1,330	8.4	3,150	20.0
Nonclassifiable	9999	560	140	25.0	50	8.9	70	12.5

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, State government, 2009 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Toe(s), toenail(s)	60	15.8	—	—	—	—	20	5.3	4
Multiple lower extremities locations	60	6.1	150	15.2	140	14.1	260	26.3	14
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	17
Foot(feet) and leg(s)	—	—	—	—	—	—	20	40.0	18
Foot(feet) and ankle(s)	30	11.5	30	11.5	20	7.7	40	15.4	4
Foot(feet) and toe(s)	—	—	—	—	—	—	—	—	2
Multiple lower extremities locations, n.e.c.	20	3.5	80	14.0	120	21.1	190	33.3	22
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	1
Body systems	250	13.0	220	11.4	150	7.8	480	24.9	7
Multiple body parts	2,200	14.0	2,360	15.0	850	5.4	4,360	27.6	10
Nonclassifiable	120	21.4	20	3.6	30	5.4	120	21.4	6

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies