

TABLE S88. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and day of the week event occurred, State government, 2009

Event or exposure	Event code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		75,840	5,550	12,960	14,550	13,880	12,920	10,110	5,870
Contact with objects and equipment	0	11,290	700	2,090	2,080	2,200	2,180	1,290	760
Contact with objects and equipment, unspecified	00	400	–	60	170	90	30	40	–
Struck against object or equipment	01	3,520	150	510	680	710	840	420	210
Struck against object or equipment, unspecified	010	120	–	20	30	50	20	–	–
Stepped on object	011	540	30	110	110	100	110	50	20
Struck against stationary object or equipment	012	1,920	80	250	350	360	540	210	130
Struck against moving object or equipment	013	140	–	–	50	50	–	–	–
Struck against object or equipment, n.e.c.	019	800	30	120	140	150	150	150	50
Struck by object or equipment	02	5,630	440	1,210	900	1,200	980	610	290
Struck by object or equipment, unspecified	020	280	30	40	90	50	–	–	40
Struck by falling object or equipment ...	021	1,650	140	280	290	380	330	200	30
Struck by flying object	022	720	130	110	150	130	130	20	40
Struck by flying object, unspecified ..	0220	60	–	–	–	20	–	–	–
Struck by dislodged flying object, particle	0221	490	100	80	130	100	40	–	20
Struck by discharged object or substance	0222	30	–	–	–	–	–	–	–
Struck by flying object, n.e.c.	0229	150	20	20	–	–	80	–	–
Struck by swinging or slipping object ...	023	2,120	100	640	290	490	240	250	120
Struck by swinging or slipping object, unspecified	0230	20	–	–	–	–	–	–	–
Struck by or slammed in swinging door or gate	0231	1,350	60	360	190	360	170	150	70
Struck by slipping handheld object ..	0232	620	40	250	50	120	40	90	30
Struck by swinging or slipping object, n.e.c.	0239	130	–	30	40	–	30	–	–
Struck by rolling, sliding objects or equipment on floor or ground level	024	150	–	20	30	–	30	20	–
Struck by object or equipment, n.e.c. ..	029	710	40	110	50	110	240	100	50
Caught in or compressed by equipment or objects	03	1,140	50	200	250	170	190	170	110
Caught in or compressed by equipment or objects, unspecified	030	320	–	50	100	40	70	40	20
Caught in running equipment or machinery	031	110	–	–	40	40	–	–	–
Compressed or pinched by rolling, sliding, or shifting objects	032	170	20	40	20	20	20	30	20
Caught in or compressed by equipment or objects, n.e.c.	039	540	20	110	80	70	100	100	60
Rubbed or abraded by friction or pressure	05	370	–	80	40	20	100	30	90
Rubbed or abraded by kneeling on surface	051	20	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE S88. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and day of the week event occurred, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Rubbed or abraded by foreign matter in eye	053	350	—	80	40	20	90	30	90
Rubbed, abraded, or jarred by vibration ..	06	150	—	20	30	—	—	20	20
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	90	—	—	30	—	—	20	20
Rubbed, abraded, or jarred by vibration, n.e.c.	069	60	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	09	70	—	—	—	—	20	—	20
Falls	1	16,350	1,190	3,310	2,970	2,940	2,900	2,220	820
Fall, unspecified	10	130	—	30	—	30	50	—	—
Fall to lower level	11	3,330	200	770	640	670	570	390	90
Fall to lower level, unspecified	110	20	—	—	—	—	—	—	—
Fall down stairs or steps	111	1,790	70	480	260	390	260	300	30
Fall from floor, dock, or ground level	112	280	—	40	80	50	70	20	—
Fall from floor, dock, or ground level, unspecified	1120	60	—	—	20	—	—	—	—
Fall through existing floor opening ...	1121	60	—	—	30	—	20	—	—
Fall through floor surface	1122	30	—	—	20	—	—	—	—
Fall from ground level to lower level	1124	100	—	—	—	20	30	20	—
Fall from ladder	113	250	—	60	60	50	70	—	—
Fall from scaffold, staging	116	40	—	—	20	—	—	—	—
Fall from nonmoving vehicle	118	280	30	90	50	40	50	20	—
Fall to lower level, n.e.c.	119	650	80	90	170	110	110	40	50
Jump to lower level	12	90	—	—	—	40	20	—	—
Jump from nonmoving vehicle	123	30	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	50	—	—	—	40	—	—	—
Fall on same level	13	12,730	990	2,480	2,310	2,170	2,270	1,790	730
Fall on same level, unspecified	130	80	—	30	—	—	30	20	—
Fall to floor, walkway, or other surface	131	11,700	910	2,300	2,160	1,980	2,070	1,600	670
Fall onto or against objects	132	870	50	150	110	180	150	170	50
Fall on same level, n.e.c.	139	80	—	—	30	—	20	—	—
Fall, n.e.c.	19	80	—	—	—	40	—	—	—
Bodily reaction and exertion	2	27,720	1,860	4,520	6,180	4,500	4,580	3,950	2,130
Bodily reaction and exertion, unspecified	20	1,100	110	220	210	50	350	150	—
Bodily reaction	21	9,830	710	1,520	1,830	1,920	1,750	1,390	700
Bodily reaction, unspecified	210	390	40	20	80	100	80	60	—
Bending, climbing, crawling, reaching, twisting	211	3,040	230	380	600	550	680	350	240
Sudden reaction when surprised, frightened, startled	212	110	—	—	—	30	—	40	20
Running without other incident	213	560	20	110	180	80	50	50	70
Sitting	214	30	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	3,980	320	610	690	870	620	600	270
Standing	216	130	—	—	—	80	30	20	—
Walking without other incident	217	480	30	110	150	60	60	50	20
Bodily reaction, n.e.c.	219	1,120	40	280	130	150	220	220	80
Overexertion	22	14,560	920	2,440	3,530	2,250	2,110	1,940	1,380
Overexertion, unspecified	220	980	70	120	200	220	190	90	80
Overexertion in lifting	221	6,020	200	1,100	1,900	790	720	830	460

See footnotes at end of table.

TABLE S88. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and day of the week event occurred, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Overexertion in pulling or pushing objects	222	2,140	190	260	540	400	390	290	80
Overexertion in holding, carrying, turning, or wielding objects	223	4,760	410	860	770	690	740	560	720
Overexertion in throwing objects	224	20	—	—	—	20	—	—	—
Overexertion, n.e.c.	229	640	60	90	120	130	70	150	30
Repetitive motion	23	1,740	100	280	450	230	330	310	40
Repetitive motion, unspecified	230	460	50	30	160	80	60	70	20
Typing or key entry	231	620	40	140	140	70	130	100	—
Repetitive use of tools	232	180	—	20	40	—	60	40	—
Repetitive placing, grasping, or moving objects, except tools	233	370	—	80	90	50	60	60	20
Repetitive motion, n.e.c.	239	100	—	20	—	—	20	40	—
Bodily conditions, n.e.c.	25	430	20	50	160	40	20	150	—
Bodily reaction and exertion, n.e.c.	29	50	—	—	—	—	30	—	—
Exposure to harmful substances or environments	3	2,750	220	420	510	530	500	360	210
Exposure to harmful substances or environments, unspecified	30	340	—	—	100	80	70	—	—
Contact with electric current	31	90	—	20	—	20	40	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	30	—	—	—	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	40	—	—	—	—	30	—	—
Contact with electric current, n.e.c.	319	30	—	—	—	—	—	—	—
Contact with temperature extremes	32	560	20	100	110	100	50	130	50
Exposure to environmental heat	321	90	—	—	—	60	—	—	—
Exposure to environmental cold	322	30	—	—	—	—	—	—	—
Contact with hot objects or substances	323	440	20	90	110	30	40	120	40
Exposure to caustic, noxious, or allergenic substances	34	1,510	120	260	240	280	320	180	110
Exposure to caustic, noxious, or allergenic substances, unspecified	340	250	60	50	20	30	40	30	20
Inhalation of substance	341	300	—	50	40	70	90	20	20
Inhalation of substance, unspecified	3410	50	—	—	—	20	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	40	—	20	—	—	—	—	—
Inhalation in open or nonconfined space	3412	210	—	30	30	40	70	20	20
Contact with skin or other exposed tissue	342	520	—	110	110	90	120	40	40
Injections, stings, venomous bites	343	340	30	50	40	80	60	50	30
Injections, stings, venomous bites, unspecified	3430	20	—	—	—	—	—	—	—
Needle sticks	3431	30	—	20	—	—	—	—	—
Bee, wasp, hornet sting	3432	150	30	—	—	30	40	—	—
Other stings or venomous bites	3433	70	—	—	—	30	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	80	—	—	30	—	—	—	20
Ingestion of substance	344	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S88. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and day of the week event occurred, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	—	—	—	—	—	40	—
Exposure to traumatic or stressful event, n.e.c.	37	180	—	20	50	50	20	30	—
Exposure to harmful substances or environments, n.e.c.	39	50	—	—	—	—	—	—	—
Transportation accidents	4	4,500	80	880	650	1,070	830	670	320
Transportation accident, unspecified	40	420	—	20	110	120	110	50	—
Highway accident	41	3,310	40	800	380	650	660	520	260
Highway accident, unspecified	410	200	—	20	—	40	90	—	30
Collision between vehicles, mobile equipment	411	2,430	40	570	310	550	320	430	210
Collision between vehicles, mobile equipment, unspecified	4110	490	20	190	50	110	80	30	—
Re-entrant collision	4111	30	—	—	—	—	—	—	—
Moving in same direction	4112	890	—	160	180	130	100	190	120
Moving in opposite directions, oncoming	4113	120	—	40	—	20	30	20	—
Moving in intersection	4114	200	—	40	30	60	—	40	—
Moving and standing vehicle, mobile equipment in roadway	4115	390	—	80	20	170	30	80	—
Moving and standing vehicle, mobile equipment side of road	4116	130	—	50	—	—	—	—	20
Collision between vehicles, mobile equipment, n.e.c.	4119	180	—	—	20	50	60	—	30
Vehicle struck object in roadway	412	60	—	20	—	20	—	—	—
Vehicle struck object on side of road ...	413	130	—	20	—	—	70	—	—
Noncollision accident	414	490	—	170	50	20	170	60	—
Noncollision accident, unspecified ...	4140	120	—	120	—	—	—	—	—
Jack-knifed or overturned no collision	4141	90	—	—	—	—	50	20	—
Ran off highway no collision	4142	180	—	—	40	—	120	—	—
Sudden start or stop, n.e.c.	4144	50	—	20	—	—	—	20	—
Noncollision accident, n.e.c.	4149	40	—	—	—	—	—	—	—
Highway accident, n.e.c.	419	20	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	540	—	30	140	200	50	80	20
Collision between vehicles or mobile equipment	421	30	—	—	20	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	140	—	—	90	—	—	40	—
Noncollision accident	423	340	—	20	30	200	40	30	—
Noncollision accident, unspecified ...	4230	20	—	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	60	—	—	30	—	20	—	—
Overtaken	4233	40	—	—	—	20	—	—	—
Loss of control	4234	20	—	—	—	20	—	—	—
Sudden start or stop, n.e.c.	4236	180	—	—	—	160	—	—	—
Noncollision accident, n.e.c.	4239	20	—	—	—	—	—	—	—
Nonhighway accident, n.e.c.	429	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S88. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and day of the week event occurred, State government, 2009 — Continued

Event or exposure	Event code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	210	20	30	20	90	—	20	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	110	—	30	—	70	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	30	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	—	—	—	—	—	—	—
Fires and explosions	5	120	40	—	—	40	20	—	—
Fire unintended or uncontrolled	51	80	40	—	—	20	20	—	—
Fire in residence, building, or other structure	511	40	—	—	—	—	20	—	—
Fire, n.e.c.	519	40	40	—	—	—	—	—	—
Explosion	52	30	—	—	—	20	—	—	—
Explosion of pressure vessel or piping	522	20	—	—	—	20	—	—	—
Assaults and violent acts	6	12,200	1,410	1,600	1,960	2,340	1,810	1,500	1,580
Assaults and violent acts, unspecified	60	1,350	100	180	300	270	180	40	280
Assaults and violent acts by person(s)	61	10,640	1,310	1,390	1,640	2,010	1,590	1,420	1,290
Assaults and violent acts by person(s), unspecified	610	1,860	190	290	320	420	200	180	250
Biting	611	200	—	40	—	60	40	20	40
Hitting, kicking, beating	612	4,190	560	430	680	740	700	640	430
Squeezing, pinching, scratching, twisting	614	720	170	100	30	90	130	110	90
Stabbing	615	60	—	—	20	—	—	—	—
Threats or verbal assaults	617	70	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,540	380	460	560	700	500	470	480
Assaults by animals	63	210	—	30	20	50	40	40	20
Nonvenomous bites	631	140	—	30	20	40	20	20	—
Assaults by animals, n.e.c.	639	60	—	—	—	—	20	20	—
Other events or exposures	9	210	—	20	70	50	30	30	—
Nonclassifiable	9999	710	40	110	140	230	60	90	40

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies